approximately equal to the yield of the original variety hybrid.

Heterosis in the varietal hybrid appears to have decreased slightly following independent selection within each variety. Heterosis following reciprocal recurrent selection appears to have increased markedly from 19.2% in the original to 30.2% following 6 selection cycles even though the midparent has also increased.

R. H. Moll

OSMANIA UNIVERSITY
Hyderabad-7, India
Department of Genetics

1. Chlorophyll mutation in DES treated opaque-2 maize.

It was reported earlier that out of 559 surviving plants from homozygous opaque-2 seeds treated with nine different concentrations of DES, 176 plants showed three types of chlorophyll sectors, i.e. yellow, albino, and yellow green (MNL 43:136, 1969).

One particular plant in the 0.005 M treatment had a yellow green sector on the 13th leaf. When selfed, it segregated 21 normal and 28 yellow green plants in the M_2 . The M_3 segregation from six yellow green and three normal plants is shown in the following table.

Table 1

M_Segregation of mutant seedlings from selfed yellow green and normal plants.

S. No.	Line	Total No. of plants	Yellow green	Yellow	Albino
1	Yellow green	6		6	-
2	n n	12	7	4	1
3	**	11	4	7	_
4	tt	16	6	3	7
5	Ħ	7	5	_	2
6	II .	9	4	4	ו
7	Normal	14	10	4	_
8	t t	7		5	2
9	II.	<u>9</u>		4	<u>5</u>
		91	36	37	18

The yellow green seedlings continued to be yellow green even at maturity, similar to the parent yellow green plant in the M_2 .

It is surprising how the selfed yellow green and also normal segregated to give 37 yellow and 18 albino in the M_3 out of a total of 91 seedlings. It is possible that these mutants might be segregating in the M_3 . Further tests are in progress.

V. S. Bharathi G. M. Reddy

2. Thin layer chromatographic studies of DES induced chlorophyll mutants.

The chlorophyll of about one-two week old seedling leaves of normals and DES induced yellow and yellow green mutants was extracted with petroleum ether and acetone (8:3). The chlorophyll extracts were spotted on glass plates spread with silica gel G (E. Merck), and developed with petroleum ether-acetone solvent (5:2). Table 1 illustrates the qualitative and quantitative differences between normals, yellow green, and yellow mutants.

R, Values Pheno-No. of type spots Bluish Dark Green Yellow Yellow green green Normal 5 0.361 0.399 0.476 0.861 0.987 Yellow green 0.361 5 0.399 0.476 0.861 0.987 Yellow 2 0.361 0.399

Table 1

In general, the normal has all the five spots which were intense. In yellow greens, the yellow pigment ($R_{\rm f}$ 0.399) was more intense and dark green ($R_{\rm f}$ = 0.861) was quite weak compared to normal. In the yellow mutant, only two spots, $R_{\rm f}$ values 0.361 and 0.399, were present. The identification and the spectrophotometric studies of these substances are in progress.

S. Annapurna

V. S. Bharathi

G. M. Reddy