

V. RECENT MAIZE PUBLICATIONS

- Anderson, A. H. Breeding for high sugar in maize hybrids. Proc. W. Va. Acad. Sci. 27: 11-13. 1955.
- Balint, A. The theoretical basis of heterosis. Acta agron. Budapest 6: 217-219. 1956.
- Ballesteros, O. Q. Relationship between yielding ability of single crosses and degree of genetic diversity of the inbred lines. Philipp. Agric. 39: 185-191. 1956.
- Ballesteros, O. Q., I. S. Santos, and F. A. Aquilizan. Reduction in grain yield from the F_1 to the F_2 of parental single-crosses and double-cross hybrids. Philipp. Agric. 40: 443-452. 1957.
- Bhaduri, P. N. and A. T. Natarajan. Studies on the effects of nitrogen mustard on chromosomes in somatic and gametic plant tissues. Indian J. Genet. 16: 8-23. 1956.
- Bianchi, A. Defective caryopsis factors from maize-teosinte derivatives. I. Origin, description, and segregation. Genet. agr. 7: 1-38. 1957.
- _____. Gametophyte factors in maize-teosinte derivatives. Rec. Genetics Soc. Amer. 26: 360-361. 1957. Abstract.
- _____. A new method of placing inherited factors in maize? Genet. agr. 7: 56-60. 1957.
- Blanco, J. L. and M. Blanco. Maize hybrids with high sugar content in the stalks at grain maturity. 9th FAO Hybrid Maize Meeting Cairo, Egypt, Oct. 1956. No. FAO/56/11/8537. pp. 10. Mimeo.
- Blanco, M., J. L. Blanco, and A. S. Veiguinha. The production of sweet-stemmed maize hybrids for dual use--as grain and plant--and a comparative study of their industrial, agricultural and economic value. Genet. iber. 9: 1-101. 1957.
- Borojevic, S. A cytogenetical study of deficiency-duplication in translocations involving chromosomes 5 and 7 in maize. Poljopr. Znanst. Smot. 15: 51-74. 1953.
- Brawn, R. I. Effect of the P^{VV} allele in homozygous and heterozygous condition on mutations to red and to light variegated pericarp in maize. Diss. Abstr. 16: 1778-1779. 1956.
- Briggle, L. W. Interactions of cytoplasm and genes in a group of male sterile corn types. Agron. J. 49: 543-546. 1957.

Brink, R. A. The absence of a cytoplasmic factor in the genetic change in R expression in maize plants heterozygous for stippled. Rec. Genetics Soc. Amer. 26: 362. 1957. Abstract.

Brink, R. A. and W. H. Weyers. Invariable genetic change in maize plants heterozygous for marbled aleurone. Proc. Nat. Acad. Sci. 43: 1053-1059. 1957.

Burnham, C. R. The use of chromosomal interchanges to test for the independence of linkage groups established genetically. Proc. Int. Genetics Symposia Tokyo and Kyoto, 1956: 453-456. 1957.

Caldwell, A. C., A. Hustrulid, and E. H. Rinke. Phosphorus absorption from radioactive phosphate fertilizer by a number of inbred lines and single crosses of corn. Conference on radioactive isotopes in agriculture. East Lansing, Mich. Pp. 7-8. 1956.

Caspar, A. L. and W. R. Singleton. Induced "gene" mutation in maize. Genetics 42: 364-365. 1957. Abstract.

Celarier, R. P. Cytotaxonomy of the Andropogoneae. II. Subtribes Ischaeminae, Rottboelliinae, and the Maydeae. Cytologia 22: 160-183. 1957.

Clark, E. M. A comparison of crossing over in pollen and ovules in translocations involving the short arm of chromosome 9 in maize. Diss. Abstr. 17: 725. 1957. Abstract.

Coe, E. H., Jr. Anthocyanin synthesis in maize--A gene sequence construction. Amer. Nat. 91: 381-385. 1957.

Comstock, R. E. and H. F. Robinson. Findings relative to reciprocal recurrent selection. Proc. Int. Genetics Symposia Tokyo and Kyoto, 1956: 461-464. 1957.

Comstock, R. E., H. F. Robinson, and C. C. Cockerham. Quantitative genetics project report: 1947-1957. Institute of Statistics Mimeo. Series No. 167. 1956.

Collection of original strains of corn. II. Report of the Committee on Preservation of Indigenous Strains of Maize. Nat. Acad. Sci., Nat. Res. Coun. Wash. 1955. (no pages).

Curme, J. H. Some waxy mutations in maize and their effects on starch properties. Iowa St. Coll. J. Sci. 31: 386. 1957. Abstract.

Davidson, J. F. and T. L. Thompson. Phytoserology versus genealogy in *Zea mays*. Madrono, S. Francisco 13: 252-259. 1956.

Dimmock, F. and L. S. Donovan. Influence of the maternal parent on the yield of flint X dent double-cross corn hybrids. Canad. J. Agric. Sci. 36: 326-328. 1956.

- Dzjubenko, L. K. A comparative study of phenecological phases in the first seed generation (F_1) of embryonic vegetative and sexual maize hybrids. Bot. Z. Kiev 12: 29-43. 1955. (Ukrainian)
- Eckhardt, R. C. Report of the 12th Southern Corn Improvement Conference, Birmingham, Ala. Jan. 1956. pp. 44. Mimeo.
- Fabergé, A. C. The possibility of forecasting the relative rate of induced loss for endosperm markers in maize. Genetics 42: 454-472. 1957.
- _____. Relation between chromatid-type and chromosome-type breakage-fusion-bridge cycles in maize endosperm. Rec. Genetics Soc. Amer. 26: 368-369. 1957. Abstract.
- Farkas, G. Problems of plant physiology concerning the effect of heterosis. Acta agron. Budapest 6: 211-214. 1956.
- Farquharson, L. I. Hybridization of *Tripsacum* and *Zea*. J. Hered. 48: 295-299. 1957.
- Fleming, A. A., T. H. Rogers, and T. A. Bancroft. Field plot technique with hybrid corn under Alabama conditions. Agron. Jour. 49: 1-4. 1957.
- Fowden, L. and M. Wolfe. The protein composition of some East African seeds. E. Afr. agr. J. 22: 207-212. 1957.
- Fuwa, H. Phosphorylase and Q-enzyme in developing maize kernels. Arch. Biochem. Biophys. 70: 157-168. 1957.
- Galinat, W. C. Evolution leading to the formation of the cupulate fruit case in the American Maydeae. Bot. Mus. Leafl. Harvard Univ. 17: 217-239. 1956.
- _____. The effects of certain genes on the outer pistillate glume of maize. Bot. Mus. Leafl. Harvard Univ. 18: 57-76. 1957.
- Galinat, W. C., P. C. Mangelsdorf and L. Pierson. Estimates of teosinte introgression in archaeological maize. Bot. Mus. Leafl. Harvard Univ. 17: 101-124. 1956.
- Genter, C. F., J. F. Eheart and W. N. Linkous. Oil and protein relationships between inbred lines and their single cross progeny. Agron. J. 49: 283-285. 1957.
- Gerrish, E. E. Studies of the monoploid method of producing homozygous diploids in *Zea mays*. Diss. Abstr. 16: 2285-2286. 1956.
- Graf, G. E. Chromosome breakage induced by X-rays, maleic hydrazide and its derivatives in relation to knob number in maize. J. Hered. 48: 155-159. 1957.

- Grogan, C. O. and M. S. Zuber. A comparative study of top cross tester parents of maize. *Agron. J.* 49: 68-71. 1957.
- Hadzинов, М. И. The breeding of maize inbreds with male-sterile pollen and of pollen-restoring lines. *Breeding and Seed Growing* 1: 8-13. 1957. (Russian).
- Hansen, Agnes. The expression of the gene dwarf-1 during the development of the seedling shoot in maize. *Amer. Jour. Bot.* 44: 381-390. 1957.
- Hatheway, W. H. Races of maize in Cuba. *Nat. Acad. Sci., Nat. Res. Coun.* No. 453: 1-75. 1957.
- Hayes, H. K. A half-century of crop breeding research. *Agron. J.* 49: 626-631. 1957.
- Hocquette, M. and C. Colin. Resting interphase nuclei in maize. *C. R. Acad. Sci. Paris* 244: 2835-2838. 1957.
- Hoentjen, K. and R. H. Andrew. Performance of corn hybrids with various ratios of flint-dent germ-plasm. *Agron. Abstracts*: 54. 1957.
- Hooker, A. L. Factors affecting the spread of Diploiodia zeae in inoculated corn stalks. *Phytopathology* 47: 196-199. 1957.
- Hooker, A. L. and P. M. LeRoux. Sources of protoplasmic resistance to rust (Puccinia sorghi) in corn. *Phytopathology* 47: 187-191. 1957.
- Horner, T. W., R. E. Comstock, and H. F. Robinson. Non-allelic gene interactions and the interpretation of quantitative genetic data. *N. C. Exp. Sta. Tech. Bul.* No. 118. 1955.
- Ito, K. On the results of repeated back crossing in breeding waxy maize. *Shikoku Nogyo Shikenjo Hokoku Bull. Shikoku Agric. Exp. Sta.* 2: 10-22. 1955.
- Jenkins, M. T. Report of the 12th Northeastern Corn Improvement Conference N. Y. C., March 1957. pp. 28. Mimeo.
- Jenkins, M. T., A. L. Robert and W. R. Findley. Genetic studies of resistance to *Helminthosporium turcicum* in maize by means of chromosomal translocations. *Agron. J.* 49: 197-201. 1957.
- Jones, D. F. Gene action in heterosis. *Genetics*, 42(2): 93-103. 1957.

- Jones, D. F., H. T. Stinson, Jr., and U. Khoo. Transmissible variations in the cytoplasm within species of higher plants. Proc. Nat. Acad. Sci. 43(7): 598-602. 1957.
- Jugenheimer, R. W. Performance and variability of various types of corn hybrids. Am. Soc. Agron. Abs.: 55. 1957.
- Jugenheimer, R. W. and K. E. Williams. Experimental corn hybrids tested in 1956. Bull. Ill. Agric. Exp. Sta. 606. pp. 29. 1957.
- Jugenheimer, R. W., K. E. Williams, and A. J. Crowley, Jr. Performance of experimental corn hybrids in Illinois, 1957. Ill. Exp. Sta. Bul. 623. 1958.
- Khalil, A. R. Joint interpretation of heterosis and genetic variances in two corn varieties and their crosses. Diss. Abstr. 16: 2286-2287. 1956.
- Khoo, U. and H. T. Stinson, Jr. Free amino acid differences between cytoplasmic male sterile and normal fertile anthers. Proc. Nat. Acad. Sci. 43(7): 603-607. 1957.
- Konzak, C. F. The influence of oxygen on the mutagenic effects of X rays on maize endosperm loci. Radiation Res. 6: 1-10. 1957.
- Kovarskii, A. E. The mentor effect of pollen upon self pollinated maize. Breeding and Seed Growing No. 4: 7-12. 1956. (Russian)
- Kovarskii, A. E. and E. M. Guljaeva. Improving vitality and changing inheritance by utilizing the influence of distantly related pollen when self pollinating as a new breeding method of cross-pollinating crop plants. (As demonstrated by work on maize and sunflower in 1953-54) Rep. Kisin. Agric. Inst. 22: 169. 1956. (Russian)
- Lascols, X. Study of some French open-pollinated varieties of early corn: experiments on combining ability. Ann. l'inst. Nat. Rech. Agr. B, Ann. de l'Amelioration des Plantes 7: 139-157. 1957.
- Laughnan, J. R. The origin of noncrossover derivatives from certain A^b: Peru complexes in maize. Rec. Genetics Soc. Amer. 26: 382. 1957. Abstract.
- Leng, E. R. and D. E. Finley. 1956 Illinois corn tests. Bull. Ill. Agric. Exp. Sta. 605. pp. 30. 1957.
- Li, H. W. and K. C. Shang. Cytological studies of sugar cane and its relatives XIV. Abnormal meiotic divisions in POJ 2725 and corn hybrid. Proc. Int. Genetics Symposia Tokyo and Kyoto, 1956: 305-313. 1957.

- Maguire, M. P. Cytogenetic studies of Zea hyperploid for a chromosome derived from *Tripsacum*. *Genetics* 42: 473-486. 1957.
- Mangelsdorf, P. C., R. S. MacNeish and W. C. Galinat. Archaeological evidence on the diffusion and evolution of maize in Northeastern Mexico. *Bot. Mus. Leafl. Harvard Univ.* 17: 125-150. 1956.
- Mangelsdorf, P. C. and R. H. Lister. Archaeological evidence on the evolution of maize in Northwestern Mexico. *Bot. Mus. Leafl. Harvard Univ.* 17: 151-178. 1956.
- Maramorosch, K. Reversal of virus-caused stunting in plants by gibberellic acid. *Science* 126: 651-652. 1957.
- Matusiewicz, E. Photoperiodic reaction of certain maize varieties grown in Poland. *Roczn. Nauk. Rol. Ser. A* 74: 45-54. 1956.
- Matzinger, D. F. Components of variance of diallel crosses of maize in experiments repeated over locations and years. *Iowa St. Coll. J. Sci.* 31: 469. 1957. Abstract.
- McClintock, B. Controlling elements and the gene. *C. S. H. S. Q. B.* 21: 197-216. 1956.
- Nelson, O. E. Review of "Corn and its Early Fathers" by H. A. Wallace and W. L. Brown. *J. Hered.* 48: 220. 1957.
- _____. The feasibility of investigating "Genetic Fine Structure" in higher plants. *Amer. Nat.* 91: 331-332. 1957.
- Nelson, O. E. and A. J. Ohlrogge. Differential responses to population pressures by normal and dwarf lines of maize. *Science* 125: 1200. 1957.
- Nuffer, M. G. Additional evidence on the effect of X-ray and ultra-violet radiation on mutation in maize. *Genetics* 42: 273-282. 1957.
- Osler, R. D., E. J. Wellhausen, and G. Palacios. Effect of visual selection during inbreeding upon combining ability in corn. *Agron. J.* 50: 45-48. 1958.
- Penny, L. H. and F. F. Dicke. A single gene-pair controlling segregation for European corn borer resistance. *Agron. J.* 49: 193-196. 1957.
- Persidsky, M. D. and R. E. Duncan. Liberation of nuclei and achromatic figures from maize endosperm. *Stain Tech.* 32: 117-121. 1957.
- Peterson, P. A. A new mutable at the A_1 locus in maize (a_1^m). *Rec. Genetics Soc. Amer.* 26: 388. 1957. Abstract.

Pfahler, P. L., H. H. Kramer and R. L. Whistler. Effect of genes on birefringence end-point temperature of starch grains in maize. *Science* 125: 441-442. 1957.

Phinney, B. O. and C. A. West. The growth response of single gene dwarf mutants of *Zea mays* to gibberellin-like substances. *Proc. Int. Genetics Symposia Tokyo and Kyoto, 1956:* 384-385. 1957.

Phinney, B. O., C. A. West, M. Ritzel and P. M. Neeley. Evidence for "Gibberellin-like" substances from flowering plants. *Proc. Nat. Acad. Sci.* 43: 398-403. 1957.

Poljakov, I. M., A. N. Dmitrieva and A. F. Zdriljko. New facts on the use of radioactive isotopes in investigations of fertilization in plants. *Z. obsc. Biol. Moskova* 17: 321-334. 1956.

Pollak, E., H. F. Robinson, and R. E. Comstock. Inter-population hybrids in open-pollinated varieties of maize. *Am. Nat.* 91: 387-391. 1957.

Postlethwait, S. N. and O. E. Nelson. A chronically wilted mutant of maize. *Amer. Jour. Bot.* 44: 628-633. 1957.

Rajhathy, T. Polyploid series in maize. *Botaniska Notiser* 110: 126-128. 1957.

Roberts, L. M., U. J. Grant, R. E. Ricardo, W. H. Hatheway and D. L. Smith (in collaboration with P. C. Mangelsdorf). Races of maize in Colombia. *Nat. Acad. Sci., Nat. Res. Coun. No. 510:* 1-153. 1957.

Santos, I. S., H. L. Everett, and F. A. Aquilizan. Demonstration of limited epistasis in maize. *Philipp. Agric.* 40: 538-543. 1957.

Scelokova, Z. I. Utilization of selective fertilization in hybridization of maize. *Izv. Akad. Nauk. SSSR* No. 4: 3-14. 1956.

_____. The hybridization of maize using free selective fertilization. *Breeding and Seed Growing* 2: 24-28. 1956. (Russian)

Scelokova, Z. I. and L. K. Czou. Selectivity of fertilization in inbred lines, hybrids and varieties of maize. *Agrobiology* 3: 3-10. 1956. (Russian)

Schwartz, D. and C. B. Murray. A cytological study of breakage-fusion-bridge cycles in maize endosperm. *Proc. Int. Genetics Symposia Tokyo and Kyoto, 1956:* 277-279. 1957.

Singleton, W. R. Review of "Corn and Corn Improvement". (Edited by G. F. Sprague). *J. Hered.* 48: 35-36. 1957.

_____. The use of radiation in plant breeding. *A. A. A. S. Symposium Volume, Atomic Energy and Agriculture*, edited by C. L. Comar. 183-194. 1957.

Singleton, W. R. Gamma radiation of growing plants for mutation induction. Proc. 9th Oak Ridge Regional Symp.: 49-57. 1957.

_____. Summary remarks. Proc. 9th Oak Ridge Regional Symp.: 63-67. 1957.

_____. Review of "Corn and its Early Fathers" by H. A. Wallace and W. L. Brown. Scientific Monthly 84: 107-108. 1957.

_____. Editor "Nuclear Radiation in Food and Agriculture". The Van Nostrand Co., Princeton, New Jersey. 1957.

Singleton, W. R. and A. L. Caspar. The Blandy Radiation Field for treating growing plants. Genetics 42: 395. 1957. Abstract.

____ and _____. The Cobalt-60 machine as a plant breeding tool. Abstracts of Amer. Soc. Agron.: 60. 1957.

Singleton, W. R., C. F. Konzak, S. Shapiro, and A. H. Sparrow. The contribution of radiation genetics to crop improvement. Proc. U. N. Internat. Conf. on Peaceful Uses of Atomic Energy, paper 110, Vol. 12: 25-30. 1956.

Smith, H. H. Radiation in the production of useful mutations. Bot. Rev. 24: 1-24. 1958.

Sprague, G. F. and W. A. Russell. Some evidence on type of gene action involved in yield heterosis in maize. Proc. Int. Genetics Symposia Tokyo and Kyoto, 1956: 522-526. 1957.

Stein, O. L. A comparison of embryonic growth rates in two inbreds of Zea mays L. and their reciprocal hybrids. Growth 20: 37-50. 1956.

Storey, H. H. and A. K. Howland. Resistance in maize to the tropical American rust fungus, Puccinia polysora Underw. I. Genes Rpp₁ and Rpp₂. Heredity, 11: 289-301. 1957.

Storey, H. H., A. K. Howland, J. S. Hemingway, J. D. Jameson, B. J. T. Baldwin, H. C. Thorpe, and G. E. Dixon. Emp. J. exp. Agric. 1958. (in press)

Sutô, T. and Y. Yoshida. Characteristics of the oriental maize. Land and Crops of Nepal Himalaya 2: 374-529. 1956 or 1957.

Tavčar, A. The inheritance of the length of the husks in dent maize. Poljopr. Znanst. Smot. 15: 5-9. 1953.

Thomas, W. I. and I. J. Johnson. Cross-incompatibility in maize. Agron. J. 49: 513-517. 1957.

Tralav, H. W. Polyploid series in maize. Bot. Notiser 110: 126-129. 1957.

Troyer, A. F. and R. W. Jugenheimer. Effect of Diploidia stalk rot on some agronomic characters of corn inbreds and hybrids. Amer. Soc. Agron. Abs.: 61. 1957.

Ullstrup, A. J. and S. R. Miles. The effects of some leaf blights of corn on grain yield. Phytopathology 47: 331-336. 1957.

Urano, K. and Y. Arai. Studies on the diagnosis of relationships between maize strains using the precipitin reaction. III. The relation between protein fractions and the precipitin reaction. Proc. Crop. Sci. Soc. Japan 25: 28-29. 1956. (Japanese)

_____ and _____. Studies on the diagnosis of relationships between maize strains using the precipitin reaction. IV. The relation between the quantity of protein used for immunizing and the precipitin reaction. Proc. Crop Sci. Soc. Japan 25: 29-30. 1956.

_____ and _____. Studies on the diagnosis of relationships between maize strains using the precipitin reaction. V. On the proportionality between heterosis in crosses of inbred lines and the precipitin test. Proc. Crop Sci. Soc. Japan 25: 30-32. 1956.

Ustinova, E. I. Some characteristics of the formation of the reproductive organs in maize inflorescences. Bot. Z. Moskova 41: 864-867. 1956.

van Schaik, N. W. Transpositions of modulator, a modifier of variegated pericarp in maize. Diss. Abstr. 17: 728. 1957.

Wellhausen, E. J., A. Fuentes O., A. H. Corzo (in collaboration with P. C. Mangelsdorf). Races of maize in Central America. Nat. Acad. Sci., Nat. Res. Coun. No. 511: 1-128. 1957.

Wellwood, A. A. Inheritance of differences in pachytene chromosome configurations in maize. Diss. Abstr. 16: 2006-2007. 1956.

_____. The history of corn. O. A. C. Review, Spring Number: 22-23. 1957.

Wellwood, A. A. and L. F. Randolph. Inheritance of differences in pachytene chromosome configurations in maize. Amer. Jour. Bot. 44: 129-135. 1957.

Whistler, R. L., H. H. Kramer, and R. D. Smith. Effect of certain genetic factors on the sugars produced in corn kernels at different stages of development. Arch. Biochem. Biophys. 66: 374-380. 1957.

Wolfe, M. and L. Fowden. Composition of the protein of whole maize seeds. Cereal Chem. 34: 286-295. 1957.

Yamasaki, Y., T. Sutô, and K. Urano. Cytological and serological aspects of heterosis in maize. Proc. Int. Genetics Symposia Tokyo and Kyoto, 1956: 396-400. 1957.

Zuber, M. S., C. O. Grogan, W. L. Deatherage, J. E. Hubbard, W. E. Schulze and M. M. MacMasters. Breeding high amylose corn. Agron. J. 50: 9-12. 1958.

Zuber, M. S., C. O. Grogan, M. E. Michaelson, C. W. Gehrke, and F. F. Monge. Studies on the interrelation of field stalk lodging, two stalk rotting fungi, and chemical composition of corn. Agron. J. 49: 328-331. 1957.