

V. RECENT MAIZE PUBLICATIONS

- Ajba, G. G. The rating of self pollinated maize lines for ability for imparting sterility and restoring fertility. Symp. Wk. Post-grad. Jun. Sci. Wkr. Inst. Pl. Industr. Leningrad 1960: from Ref. Z. No. 4: 46. 1961. (Abstr.)
- Anderson, I. C. and D. S. Robertson. Carotenoid protection of porphyrins from photodestruction. Proc. 3rd International Congress on Photobiology. pp. 477-479. 1961.
- Anderson, I. C. and D. S. Robertson. Role of carotenoids in protecting chlorophyll from photo-destruction. Plant Physiol. 35: 531-534. 1960.
- Andrew, R. H. and P. R. Rowe. Development of northern corn leaf blight in certain environments. Agron. Abstr.: 56. 1960.
- Bálint, A. and G. Kovács. p32 utilization in self and cross pollinated plant stands. Agrártud. Egy. Mezőgazdaságtud. Kar. Közl., Gödöllő: 289-299. 1960.
- Baljura, V. I. The origin and evolution of maize. Kukuruz, No. 3: 40-43. 1961.
- Baljura, V. I. The origin and evolution of maize. Kukuruz, No. 4: 55-58. 1961.
- Bell, W. D. Influence of iron nutrition and pH of the rooting medium on the phenotypic expression of the maize mutants. Plant Physiol. 36 (Suppl): xv. 1961. (Abstr.)
- Bhatnagar, P. S. and R. W. Jugenheimer. Breeding for extremes in lodging in corn by reciprocal recurrent selection. Amer. Soc. Agr. Abstr.: 44. 1960.
- Bianchi, A. Duplication of specific chromosome segments to increase kernel weight in maize. Genetics 46: 851. 1961. (Abstr.)
- Bianchi, A. and M. Contin. Changes in radiomutability of maize seeds with various moisture content. Genetics 46: 851-852. 1961. (Abstr.)
- Bianchi, A. and G. Marchesi. The surface of the leaf in normal and glossy maize seedlings. Z. VererbLehre 91: 214-219. 1960.
- Bianchi, A., A. Morandi and M. Pozzi. A cytological abnormality in a multiple tester of maize. Genet. agr. 10: 325-332. 1960.
- Blanco, M. and J. L. Blanco. Breeding for high sugar in the stalk at maturity and related subjects. Eucarpia. First Meeting of the Maize Section, Rome: 25-28. 1960.
- Bouillenne-Walrand, M. Concerning the response of dwarf mutants of Zea mays to applications of gibberellic acid (b indol-acetic acid--I.A.A.). Meded. LandbHogesch. Gent 25: 1159-1163. 1960.

- Bouillenne-Walrand, M. and R. Bouillenne. Growth substances and chlorophyll. I. Action of gibberellin on the chlorophyll content of genetic dwarf mutants of maize (Dr. Phinney). *Bull. Soc. Sci. Liège* 29: 239-253. 1960.
- Bouillenne-Walrand, M. and R. Bouillenne. Growth substances and chlorophyll. II. Action of gibberellin and β -indole-acetic acid (I.A.A.) on a normal maize variety ("Spancross"). *Arch. Inst. Bot., Liège* 27: 1-15. 1960-61.
- Brink, R. A. Relative insensitivity of enhanced R^r to paramutation in maize plants heterozygous for the stippled allele. *Genetics* 46: 1207-1222. 1961.
- Brink, R. A. and M. Blackwood. Persistent enhancement of R^r action in maize by structural alterations of chromosome 10. *Genetics* 46: 1185-1206. 1961.
- Brink, R. A. and N. K. Notani. Effect on R^r action in maize of a structural alteration distal to the R locus in chromosome 10. *Genetics* 46: 1223-1230. 1961.
- Brooks, J. S. Cytoplasmic male-sterile fertility-restoring gametes in varieties of corn in the Oklahoma collection. *Crop Sci.* 1: 224-226. 1961.
- Buchert, J. G. The stage of the genome-plasmon interaction in the restoration of fertility to cytoplasmically pollen-sterile maize. *Proc. Nat. Acad. Sci.* 47: 1436-1439. 1961.
- Cherry, J. H., R. H. Hageman, J. N. Rutger and J. B. Jones. Acid-soluble nucleotides and ribonucleic acid of different corn inbreds and single-cross hybrids. *Crop Sci.* 1: 133-137. 1961.
- Chinwuba, P. M., C. O. Grogan, and M. S. Zuber. Interaction of detasseling, sterility, and spacing on yields of maize hybrids. *Crop Sci.* 1: 279-280. 1961.
- Clowes, F. A. L. Duration of the mitotic cycle in a meristem. *J. Exp. Bot.* 12: 283-293. 1961.
- Coe, E. H., Jr. A test for somatic mutation in the origination of conversion-type inheritance at the B locus in maize. *Genetics* 46: 707-710. 1961.
- Coe, E. H., Jr. Some observations bearing on plasmid versus gene hypothesis for a conversion-type phenomenon. *Genetics* 46: 719-726. 1961.
- Coe, E. H. Allelism at the C locus in maize. *Genetics* 46: 859. 1961. (Abstr.)
- Collier, J. W. Three cycles of reciprocal recurrent selection. *Proc. 14th Hybrid Corn Industry-Research Conference*: 12-23. 1959.
- Comstock, R. E. and Robinson, H. F. Estimation of average dominance of genes. *Heterosis*, pp. 494-516. Iowa State College Press, Ames, Iowa. 1952.

- Craig, J. Physiological, chemical and morphological plant factors in Zea mays L. associated with Diplodia stalk-rot reaction. Diss. Abstr. 21: 1322-1323. 1960. (Abstr.)
- Craig, J. and A. L. Hooker. Diplodia root and stalk rot of dent corn. Phytopathology 51: 382-385. 1961.
- Craig, J. and A. L. Hooker. Relation of sugar trends and pith density to Diplodia stalk rot in dent corn. Phytopathology 51: 376-382. 1961.
- Creech, R. G. Induced endosperm mutations in maize. Diss. Abstr. 21: 1692. 1961. (Abstr.)
- Creech, R. G. and H. H. Kramer. A second region in maize for genetic fine structure studies. Amer. Nat. 95:326-328. 1961.
- Dhawan, N. L. and J. Singh. Flint X Dent maize hybrids give increased yields. Curr. Sci. 30: 233-234. 1961.
- Dollinger, E. J. Differential fertilization involving chromosome 6 loci in maize. Crop Sci. 1: 435-436. 1961.
- Doyle, G. G. Preferential pairing in structural heterozygotes of Zea mays. Diss. Abstr. 21: 2865-2866. 1961. (Abstr.)
- Duvick, D. N. Genetics of partial fertility restoration of "Texas" cytoplasmic pollen sterility in maize. Genetics 46: 863. 1961. (Abstr.)
- Duvick, D. N., R. J. Snyder and E. G. Anderson. The chromosomal location of Rf₁, a restorer gene for cytoplasmic pollen sterile maize. Genetics 46: 1245-1252. 1961.
- Faludi, B., A. Faludi-Dániel, and I. Gyurján. Genetical differences in the photosynthetic utilization of light. I. Lability of assimilatory pigments at different light intensities. Acta Biol., Budapest 11: 285-293. 1960.
- Findley, W. R., Jr. Identification by marker gene stocks of maize chromosomes effecting resistance and susceptibility to Helminthosporium turcicum Pass. Diss. Abstr. 22: 6. 1961.
- Fleming, A. A. A method for keeping maize plants alive in the tasseling stage for demonstrations. Agron. J. 53: 209. 1961.
- Focke, R., W. Franzke, and A. Winkel. Investigations on the carotene content in the maize plant. Züchter 31: 57-61. 1961.
- Galinat, W. C. Corn's evolution and its significance for breeding. Economic Botany 15: 320-325. 1961.
- Galinat, W. C. and R. J. Ruppé. Further archaeological evidence on the effects of teosinte introgression in the evolution of modern maize. Bot. Mus. Leafl. Harvard Univ. 19: 163-181. 1961.
- Gardner, C. O. An evaluation of effects of mass selection and seed irradiation with thermal neutrons on yield of corn. Crop Sci. 1: 241-245. 1961.

- Gardner, C. O. and J. H. Lonnquist. Effect of linkage on genetic variances and estimates of average degree of dominance in corn. *Genetics* 46: 867. 1961. (Abstr.)
- Giesbrecht, J. The inheritance of ear height in Zea mays. *Canad. J. Genet. Cyt.* 3: 26-33. 1961.
- Gilbert, N. Xenia in quantitative characters. *J. Genet.* 57: 327-328. 1961.
- Goodsell, S. F. Male sterility in corn by androgenesis. *Crop Sci.* 1: 227-228. 1961.
- Gorsline, G. W. Phenotypic epistasis for ten quantitative characters in maize. *Crop Science* 1: 55-58. 1961.
- Gorsline, G. W. Quantitative epistatic gene action in maize (Zea mays, L.). *Diss. Abstr.* 20: 3915. 1960. (Abstr.)
- Gorsline, G. W., J. L. Ragland, and W. I. Thomas. Evidence for inheritance of differential accumulation of calcium, magnesium, and potassium by maize. *Crop Science* 1: 155-156. 1961.
- Guthrie, W. D. and G. H. Stringfield. The recovery of genes controlling corn borer resistance in a backcrossing program. *J. Econ. Entom.* 54: 267-270. 1961.
- Guthrie, W. D. and G. H. Stringfield. Use of test crosses in breeding corn for resistance to European corn borer. *J. Econ. Entom.* 54: 784-787. 1961.
- Guthrie, W. D. and E. V. Walter. Corn earworm and European corn borer resistance in sweet corn inbred lines. *J. Econ. Entom.* 54: 1248-1250. 1961.
- Guthrie, W. D. and E. V. Walter. Source of corn earworm and European corn borer resistance in experimental sweet corn inbreds. *Proc. N. C. Branch Entom. Soc. Am.* 16: 93. 1961.
- Hadžinov, M. I. The breeding of fertility-restoring lines. *Kukuruza*, No. 1: 19-22. 1961.
- Hageman, R. H. and D. Flesher. Nitrate reductase activity in corn seedlings as affected by light and nitrate content of nutrient media. *Plant Physiol.* 35: 700-708. 1960.
- Hageman, R. H., D. Flesher, and A. Gitter. Diurnal variation and other light effects influencing the activity of nitrate reductase and nitrogen metabolism in corn. *Crop Science* 1: 201-204. 1961.
- Hageman, R. H. and E. R. Waygood. Methods for the extraction of enzymes from cereal leaves with especial reference to the triosephosphate dehydrogenases. *Plant Physiol.* 34: 396-400. 1959.
- Hamilton, R. H. and D. E. Moreland. Simazine: Degradation by corn seedlings. *Science* 135: 373-374. 1962.

- Hamilton, R. H., R. S. Bandurski, and B. H. Grigsby. Isolation of indole-3-acetic acid from corn kernels and etiolated corn seedlings. *Plant Physiol.* 36: 354-359. 1961.
- Harrison, R. L. and R. W. Jugenheimer. Efficiency of recurrent selection in breeding for resistance to the European corn borer. *Amer. Soc. Agr. Abstr.*: 48. 1960.
- Haskins, F. A. Chromatographic study of ninhydrin-positive substances in etiolated shoots from control and irradiated maize seeds. *Crop Sci.* 1: 219-221. 1961.
- Haskins, F. A. and S. C. Downs. Activities of acid phosphatase, peroxidase, and polyphenolase in etiolated shoots from control and irradiated maize seeds. *Agron. J.* 53: 90-93. 1961.
- Hooker, A. L. Occurrence of Puccinia polysora in Illinois. *Plant Dis. Repr.* 45: 236. 1961.
- Hooker, A. L. A second major gene locus in corn conditioning resistance to Puccinia sorghi. *Phytopathology* 52: 14. 1962. (Abstr.)
- Hooker, A. L. Additional sources of resistance to Puccinia sorghi in the United States. *Plant Dis. Repr.* 46: 14-16. 1962.
- Hooker, A. L. and M. P. Britton. The effects of stalk rot on corn yields in Illinois. *Plant Dis. Repr.* 46: 9-13. 1962.
- Hooker, A. L. and W. A. Russell. Development of nearly isogenic rust-resistant lines of corn. *Phytopathology* 52: 14. 1962. (Abstr.)
- Hoppe, P. E. A new kernel rot disease of corn in Wisconsin. *Plant Dis. Repr.* 45: 99-105. 1961.
- Hsu, K. S. The effect of the Dissociation-Activator system on mutation in maize. *Genetics* 46: 872. 1961. (Abstr.)
- Hsu, K. S. The effect of the dissociation-activator system of mutation in maize. *Diss. Abstr.* 21: 2442. 1961. (Abstr.)
- Hyer, A. H. Non-allelic gene interactions in a population of maize derived from a cross of two inbred lines. *Diss. Abstr.* 21: 2442-2443. 1961. (Abstr.)
- Ibrahim, M. A. The use of interchanges involving chromosome 6 in maize in studies of chromosome segregation. *Genetics* 46: 1567-1572. 1961.
- Jenkins, J. N. Linkage studies in chromosome 5 in maize with special reference to the gene ae. *Diss. Abstr.* 21: 1693. 1961. (Abstr.)
- Jugenheimer, R. W. Index to performance records of Illinois experimental doublecross corn hybrids tested during 1946-1959. *Ill. Agr. Exp. Sta. Bul.* 662. 1960.
- Jugenheimer, R. W. Breeding for oil and protein content in maize. *Euphytica* 10(2): 152-156. 1961.

- Jugenheimer, R. W. Breeding for oil and protein content. *Eucarpia*.
First Meeting of the Maize Section, Rome: 23-25. 1960.
- Jugenheimer, R. W. and K. E. Williams. Illinois inbred lines of corn
released in 1960, plus information on lines previously released.
Ill. Agr. Exp. Sta. Bul. 657. 1960.
- Kalašnikov, K. Ja. Mould resistance of maize seed. *Kukuruza No.* 9:
38-39. 1960.
- Kiece, V. The effect of radioactive cobalt on respiration rate and
chlorophyll and sugar contents in the leaves of some maize varieties.
Latv. PSR Zināt. Akad. Vestis No. 4: 127-132. 1960.
- Kiece, V. The influence of embryo nutrition on growth and development
of maize. *Latv. PSR Zināt. Akad. Vestis No.* 6: 117-124. 1960.
- Kiece, V. A study of the effect of radioactive cobalt on meristem
cells of maize. *Latv. PSR Zināt. Akad. Vestis No.* 5: 149-154. 1960.
- Kiesselbach, T. A. The significance of xenia effects on the kernel
weight of corn. *Res. Bull. Neb. Agric. Exp. Sta. No.* 191. 1960.
- Kikudome, G. Y. Cytogenetic behavior of a knobbed chromosome 10 in
maize. *Science* 134: 1006-1007. 1961.
- Kingsland, G. C. and C. C. Wernham. Variation in maize seedling
blight symptoms with changes in pathogen species, isolate and host
genotype. *Plant Dis. Repr.* 44: 496-497. 1960.
- Kiyohara, E. and O. Chida. Phenotypical response of some attributes
in some F₁ combinations of inbred lines in maize on a specific
climatic condition in Northern Honshu. (Jap.) *Proc. Crop Sci.
Soc. Japan* 29: 2. 1961.
- Koul, A. K. and R. L. Paliwal. Further studies on B. R. C. teosinte x
maize hybrids. *Agra. Univ. J. Res.* 10: 79-89. 1961.
- Koval', A. F. The resistance to frit fly of maize specimens differing
in tolerance of cold. *Symp. Wk. Post-grad. Jun. Sci. Wkr. Inst. Pl.
Industr. Leningrad 1960: from Ref. Z. No.* 4: 46-47. 1961. (Abstr.)
- Kramer, H. H. Gene function and structure. *Proc. 14th Hybrid Corn
Industry-Research Conference:* 32-37. 1959.
- Kushizaki, M., S. Hoshi and K. Ito. Experiments on an absorption
amount of the fertilizer components in major crops in Hokkaido.
(Jap.) *Hokuno (Northern Agr.)* 28: 5. 1961.
- Latterell, R. L. The influence of oxygen on radiosensitivity of maize
chromosomes during seed germination. *Radiation Res.* 14: 480-481.
1961. (Abstr.)
- Laughnan, J. R. An evaluation of the multiple crossover and side-chain
hypotheses based on an analysis of alpha derivatives from the A^b-P
complexes in maize. *Genetics* 46: 1347-1372. 1961.

- Laughnan, J. R. The nature of mutations in terms of gene and chromosome changes. *Mutation and Plant Breeding*. N. A. S.-N. R. C. Publ. 891: 3-29. 1961.
- Lazaro, R. C. Possible causes of heterosis in intervarietal crosses. Technical Conference on Maize, Rosario, Santa Fe No. 3 (Suppl.): 3-4. 1960.
- Leng, E. R. Predicted and actual responses during long-term selection for chemical composition in maize. *Euphytica* 10: 368-378. 1961.
- Leng, E. R. Results of long-term selection for chemical composition in maize and their significance in evaluating breeding systems. *Zeitschr. f. Pflanzenzucht* 47: 67-91. 1962.
- Longley, A. E. A gametophyte factor on chromosome 5 of corn. *Genetics* 46: 641-648. 1961.
- Longley, A. E. Breakage points for four corn translocation series and other corn chromosome aberrations maintained at the California Institute of Technology. U.S. Dep. Agric. ARS 34-16. 1961.
- Lonnquist, J. H. and C. O. Gardner. Heterosis in intervarietal crosses in maize and its implication in breeding procedures. *Crop Sci.* 1: 179-183. 1961.
- Lööf, B. Maize breeding under very northern conditions. *Eucarpia*. First Meeting of the Maize Section, Rome: 28-32. 1960.
- Maguire, M. P. Pachytene pairing failure in corn in two inbred lines and their hybrid. *Genetics* 46: 135-142. 1961.
- Maguire, M. P. Cytological evidence for pre-meiotic crossing over in maize. *Genetics* 46: 880. 1961. (Abstr.)
- Maguire, M. P. Quantitative studies relating to the physical basis of chromosome synapsis. *Exp. Cell Res.* 24: 21-36. 1961.
- Maguire, M. P. Divergence in *Tripsacum* and *Zea* chromosomes. *Evolution* 15: 394-400. 1961.
- Mangelsdorf, P. C. Introgression in maize. *Euphytica* 10: 157-168. 1961.
- Mangelsdorf, P. C. and H. B. Mangelsdorf. Evolution at a single locus in maize. *Science* 133: 1366. 1961. (Abstr.)
- Marić, M. M. Chronic gamma radiation in genetics and maize breeding. *Hibrid. Kukuruz Jugoslav.* 3: 61-64. 1960.
- Martínez, A. and C. N. James. Maize. A bibliography of the publications available in the library of the Institute. Instituto Interamericano de Ciencias Agrícolas, Turrialba, Costa Rica 1-2. 1960.
- Mazoti, L. B. Nucleo-cytoplasmic interaction in maize inheritance. *Rev. Fac. Agron. La Plata* 36: 63-71. 1960.

- Mazoti, L. B. Specific mutational tendency of the vp (viviparous) loci in maize. *Rev. Fac. Agron. B. Aires* 36: 78-79. 1960. (Abstr.)
- McClintock, B. Chromosome constitutions of Mexican and Guatemalan races of maize. *Carnegie Inst. Wash. Year Book* 59: 461-472. 1960.
- McClintock, B. Further studies of the suppressor-mutator system of control of gene action in maize. *Carnegie Inst. Wash. Year Book* 60: 469-476. 1961.
- McClintock, B. Some parallels between gene control systems in maize and in bacteria. *Amer. Nat.* 95: 265-278. 1961.
- Mehra, T. R. Production of hybrid maize. *Proc. Int. Symp. on Genetics and Plant Breeding in South Asia, New Delhi.* 176-179. 1957.
- Mello-Sampayo, T. A spontaneous derivative of abnormal chromosome 10 in maize. *Chromosoma* 12: 728-740. 1961.
- Mikula, B. C. Progressive conversion of R-locus expression in maize. *Proc. Nat. Acad. Sci.* 47: 566-571. 1961.
- Miller, O. L. Cytological studies in asynaptic maize. *Diss. Abstr.* 21: 735-736. 1960. (Abstr.)
- Moreno Moscoso, U. A study of the number of B chromosomes and the frequency and position of chromosome knobs in the races of maize in Peru. *Agronomia, Lima* 27: 39-51. 1960.
- Mumm, W. J. Multiple-eared corn. A new development in corn growing. *Seed World* 88: 14-16. 1961.
- Narita, T., T. Sakuma, T. Sugimoto and Y. Tezuka. Corn brown spot and its pathogenic fungi, Kabatiella zeae Narita et Hiratsuka. (Jap.) *Bul. Hokkaido Agr. Exp. Sta.* 4. 1959.
- Nelson, O. E., Jr. The effect of heterozygosity for cytological aberrations on recombination within the Waxy locus of maize. *Genetics* 46: 887. 1961. (Abstr.)
- Nelson, O. E., Jr. and A. J. Ohlrogge. Effect of heterosis on the response of compact strains of maize to population pressures. *Agron. J.* 53: 208-209. 1961.
- Notani, N. K. and C. Mouli. Paramutation-like phenomenon affecting aleurone colour associated with a pericarp character in maize. *Proc. 49th Indian Science Congress, Part 3:* 329. 1962. (Abstr.)
- Nuffer, M. G. Mutation studies at the A₁ locus in maize. I. A mutable allele controlled by Dt. *Genetics* 46: 625-640. 1961.
- Oelke, E. A. and R. H. Andrew. Some associations of chlorophyll in maize. *Agron. Abstr.:* 64. 1961.
- Penny, L. H. Improving combining ability by recurrent selection. *Proc. 14th Hybrid Corn Industry-Research Conference:* 7-11. 1959.

- Peterson, P. A. Mutable a₁ of the En system in maize. *Genetics* 46: 759-772. 1961.
- Popow, G. and F. Lanini. Pop x dent hybrids. *Eucarpia*. First Meeting of the Maize Section, Rome: 15-18. 1960.
- Portjanko, V. P. The origin of maize. *Ukrajn. Bot. Ž.* 17: 3-14. 1960.
- Randolph, L. F. The origin of maize. *Indian J. Genet.* 19: 1-12. 1959.
- Rawlings, J. O. Theoretical analyses of double-cross and three-way hybrid populations. *Diss. Abstr.* 21: 1030-1031. 1960. (Abstr.)
- Reddy, G. M. and E. H. Coe. Complementary interaction and gene action sequence in anthocyanin synthesis in maize. *Genetics* 46: 892. 1961. (Abstr.)
- Říman, L. The survey of maize genes (Zea mays L.). ČSAZV, UV-TI: 1-39. 1961. Prague.
- Říman, L. Monoploidy (haploidy) in maize (Z. mays L.). *Pol'nohos-podárstvo* 7: 715-726. 1960.
- Rinke, E. H. Breeding for yield components in maize. *Eucarpia*. First Meeting of the Maize Section, Rome: 13-14. 1960. (Abstr.)
- Rinke, E. H. Breeding maize for desirable responses to high plant populations. *Eucarpia*. First Meeting of the Maize Section, Rome: 15. 1960. (Abstr.)
- Rinke, E. H. Maize evaluation for resistance to leaf feeding by the European corn borer (Pyrauta nubilalis). *Eucarpia*. First Meeting of the Maize Section, Rome: 36-38. 1960. (Abstr.)
- Robertson, D. S. Linkage studies of mutants in maize with pigment deficiencies in endosperm and seedling. *Genetics* 46: 649-662. 1961.
- Robertson, D. S. and I. C. Anderson. Temperature-sensitive alleles of the Y₁ locus in maize. *Jour. Hered.* 52: 53-60. 1961.
- Robinson, H. F. and C. C. Cockerham. Heterosis and inbreeding depression in populations involving two open-pollinated varieties of maize. *Crop Sci.* 1: 68-71. 1961.
- Rossi, J. C. Frequency of recessive characters in populations of flint maize in the Pergamino area. Technical Conference on Maize, Rosario, Santa Fe No. 3 (Suppl.): 2-3. 1960.
- Rossi, J. C. Square-stemmed and arrow-shaped maize plants. Technical Conference on Maize, Rosario, Santa Fe No. 3 (Suppl.): 9. 1960.
- Rowe, P. R. and R. H. Andrew. Studies of certain characters of corn during growth in nutrient solution. *Agron. Abstr.*: 60. 1960.
- Rowe, P. R. and R. H. Andrew. Response of corn to limited moisture during early development. *Agron. Abstr.*: 64. 1961.

- Rubcova, M. S. Some physiological characteristics of maize hybrids and the initial inbred lines. *Fiz. Rasten.* 7: 695-700. 1960.
- Sagajdak, I. N. A new high-tillering maize form. *Kukuruza No.* 10: 29. 1960.
- Sarkissian, I. V. An assessment of mutagenicity of the dissociation-activator system. *Diss. Abstr.* 21: 1310. 1960. (Abstr.)
- Schnell, F. W. Some aspects of recurrent reciprocal selection. *Eucarpia. First Meeting of the Maize Section, Rome:* 18-22. 1960.
- Shaver, D. L. Cytogenetic studies of tetraploid hybrids of Euchlaena perennis and Zea mays. *Diss. Abstr.* 21: 1033-1034. 1960. (Abstr.)
- Sinha, S. K. Cytogenetic and biochemical studies of the action of a gene controlling meiosis in maize. *Diss. Abstr.* 21: 2443-2444. 1961. (Abstr.)
- Sinha, S. K. "Reversed germ" and female sterility of Zea mays due to the "Ameiotic gene". *Proc. 49th Indian Science Congress, Part 3:* 339. 1962. (Abstr.)
- Smith, J. D. A mutable luteus locus in maize. *Diss. Abstr.* 21: 1719-1720. 1961. (Abstr.)
- Sprague, E. W., N. L. Dhawan and L. R. House. Increased food production with hybrid maize. *Curr. Sci.* 29: 295-297. 1960.
- Sprague, G. F. and J. F. Schuler. The frequencies of seed and seedling abnormalities in maize. *Genetics* 46: 1713-1720. 1961.
- Stajkov, G. and P. Stančeva. Investigations of some chemical and physiological properties in hybrid maize. *Nauč. Trud. višš. selskostopan Inst. V. Kolarov* 6: 393-409. 1959.
- Stead, B. The gene action involved in the fertility restoration of Texas type cytoplasmic male sterile maize and its performance compared with normal cytoplasm. *Diss. Abstr.* 20: 4250-4251. 1960. (Abstr.)
- Stepanov, K. I. A study of self pollinated lines of maize obtained by supplementary pollination with foreign pollen. *Proc. 1st Sci. Conf. Jun. Sci. Moldav 1960: from Ref. Z. No. 3:* 33. 1961. (Abstr.)
- Stroman, G. N. A selfing tube for maize. *J. Hered.* 52: 12. 1961.
- Sutô, T. Genetic investigation with maize. (Jap. with English summary). *Jap. Jour. Genetics* 36: 37-54. 1961.
- Swomley, B. A. Analysis of intercrosses between non-homologous translocations involving chromosomes 2 and 4 in maize. *Diss. Abstr.* 21: 19-20. 1960. (Abstr.)
- Tabata, M. Studies of chromosome pairing in maize by using interchanges involving the same two chromosomes. *Diss. Abstr.* 20: 3930-31. 1960. (Abstr.)

- Tarkowski, C. Preliminary investigations on diploid and polyploid maize. *Hodowla Roślin Aklimatyz. Nasiennictwo* 5: 117-136. 1961.
- Tate, S. Present status of seed production system of maize in Japan. (Jap.) *Recent Advances in Japan Breeding* Vol. 2. 1960.
- Thomas, S. Behaviour of an extra-fragment chromosome induced by Bassia oil in Zea mays. *Ind. Acad. Sci.* 54 B: 17-23. 1961.
- Thompson, D. L. Breeding for low ear height. *Proc. 14th Hybrid Corn Industry-Research Conference*: 134-138. 1959.
- Turian, G. and R. H. Hamilton. Chemical detection of 3-indolylacetic acid in Ustilago zeae tumors. *Biochem. Biophys. Acta* 41: 148-150. 1960.
- Urano, K. Utilization of heterosis to the commercial hybrid in maize. (Jap.) 11: 95-97. 1961.
- Urano, K. On the growth and yield data on various planting times in maize. I. On the growth rates for the different spaces of planting. (Jap.) *Proc. Crop Sci. Soc. Japan* 29: 3. 1961.
- Urano, K. and S. Sakaguki. Development of embryo in Zea mays L. (Japanese with English summary). *Proc. Crop Sci. Soc. Japan* 27. 1959.
- Urano, K., S. Sakaguki, and Y. Tanaka. Relation of photoperiod to decision of topmost ear-producing node in Zea mays L. (Japanese with English summary). *Bul. Nagano Agr. Exp. Sta.* 2. 1959.
- Ustinova, E. I. Cytoembryological investigations of the embryo sac and the fertilization process in maize. *Z. obšč. Biol. Moskva* 21: 261-269. 1960.
- Ustinova, E. I. Cytological data on male sterility in maize. *Citologija* 3: 266-267. 1961.
- Valentine, F. A. Orange variegated pericarp in maize. *Genetics* 46: 904. 1961. (Abstr.)
- van Eijnatten, C. L. M. Susceptibility to leaf blight, caused by Cochliobolus heterostrophus, in Nigerian varieties of maize. *Nature* 191: 515-516. 1961.
- van Eijnatten, C. L. M. A varietal improvement programme on maize in Nigeria. *Euphytica* 10: 294-301. 1961.
- Wellhausen, E. J. Variation of maize in Mexico and Central America. Its present and future utilization. *Eucarpia*. First Meeting of the Maize Section, Rome: 38-45. 1960.
- Wernham, C. C. Maize synthetics for disease resistance. *Plant Dis. Repr.* 44: 498-500. 1960.
- Weyers, W. H. Expression and stability of the marbled allele in maize. *Genetics* 46: 1061-1067. 1961.

Whaley, W. G., H. H. Mollenhauer and J. E. Kephart. The endoplasmic reticulum and the Golgi structures in maize root cells. Jour. Biophys. and Biochem. Cyt. 5: 501-506. 1959.

Whaley, W. G., H. H. Mollenhauer, and J. H. Leech. Some observations on the nuclear envelope. J. Biophys. Biochem. Cyt. 8: 233-245. 1960.

Zečević, L. Cytogenetic study of inbred lines of maize (Zea Mays L.). I. Chiasma frequency at diplotene. Institut Biologique Beograd, Rec. des travaux 4 (1): 3-32. 1960.