

## IV. RECENT MAIZE PUBLICATIONS

- Alexander, D. E. Problems associated with breeding opaque-2 corns and some proposed solutions. Proc. High Lysine Corn Conf., Purdue University. 1966.
- Alexander, D. E., L. Silvela S., F. I. Collins, and R. C. Rodgers. Analysis of oil content of maize by wide-line NMR. Jour. Am. Oil Chem. Soc. 44:555-558. 1967.
- Alimova, G. K. Cytoplasmic male sterility in maize. Bot. Z. Moskva 52:104-109. 1967.
- Amano, E. and T. Mabuchi. Photoreactivation of UV-induced damage in maize pollen. Ann. Rep. Nat. Inst. Genet. Japan 17:114-115. 1967.
- Anand, S. C. Meiotic behavior in hybrids between maize and Tripsacum. Caryologia 19:227-230. 1966.
- Axtell, J. D. and R. A. Brink. Chemically induced paramutation at the R locus in maize. Proc. Nat. Acad. Sci. 58:181-187. 1967.
- Baker, R. L. Deficiencies in chromosome 1 and the control of pairing of homologs in Zea mays L. Diss. Abstr. 27, No. 66-1340: 51. 1966.
- Baker, R. L. and D. T. Morgan, Jr. Monosomics in maize induced by X-irradiation of the pollen. Cytologia 31:172-175. 1966.
- Bàlint, A. Heterosis and mutation in maize. Academic Press Budapest. P. 182. 1967.
- Bàlint, A. and J. Sutka. Variability of quantitative characters in maize as affected by gamma irradiation. Acta Agron. Hung. 15:285-290. 1966.
- Barber, W. D., W. I. Thomas, and D. E. Baker. Inheritance of relative phosphorus accumulation in corn (Zea mays L.) Crop Sci. 7:104-107. 1967.
- Bennett, S. E., L. M. Josephson, and E. E. Burgess. Field and laboratory studies on resistance of corn to the corn earworm. Jour. Econ. Ent. 60:171-173. 1967.
- Bhatti, A. G., M. A. Khan, and M. Akram. Effect of Endrin spray on maize plant while controlling borer attack. West Pak. Jour. Agri. Res. 4:100-106. 1964.
- Bianchi, A. and A. Ghidoni. Sementi, cromosomi e geni. Sementi Elette 11:258-269. 1965.
- Bianchi, A. and M. R. Parlavecchio. Linkage relationship between G- factors and genetic markers of maize chromosome 9. Der Züchter 37:359-364. 1968.

- Bianchi, A. and M. R. Parlavecchio. Germinazione del polline di mais eterozigote per fattori che controllano due caratteristiche. *Genetica Agraria* 20:220-236. 1967.
- Bianchi, A., G. Baldi, B. Di Giovanni, and M. C. Cattaneo. Reversione al locus Wx del mais. *Genetica Agraria* 20:182-191. 1967.
- Bianchi, A., C. Lorenzoni, and M. Pozzi. Effetti di eterozigosi segmentale nel mais. *Genetica Agraria* 20:193-201. 1967.
- Borghi, B. and F. Salamini. Analisi genetica di mutanti glossy del mais. I. Frequenze per i diversi loci. *Genetica Agraria* 20:237-238. 1967.
- Brown, R. I. Rust on maize in Quebec. *Canadian Plant Disease Survey* 46:143. 1966.
- Briggs, R. W. Time and temperature tolerances of maize seeds. In Mutations in Plant Breeding, pp. 39-44. Intern. Atomic Energy Agency, Vienna. 1966.
- Briggs, R. W. Modification of ethyl methanesulfonate effects in maize. *Genetics* 56:546-547. 1967. (Abstr.).
- Brink, R. A., E. D. Styles, and J. D. Axtell. Paramutation: directed genetic change. *Science* 159:161-170. 1968.
- Calvert, O. H. and M. S. Zuber. Improved technique for inoculating stalk rots in corn (Zea mays L.). *Agron. Jour.* 58:456. 1966.
- Chi, K. R. Covariances among relatives in a random mating population of maize. *Diss. Abstr.* 26, No. 66-2983:4941. 1966.
- Clowes, F. A. L. Synthesis of DNA during mitosis. *J. Exptl. Bot.* 18: 740-745. 1967.
- Cochran, D. E. and W. A. Russell. Genetic variability of quantitative characters within an inbred line of maize. *Iowa St. J. Sci.* 41:145-164. 1966.
- Cook, F. S. and D. B. Walden. The male gametophyte of Zea mays L. III. Influence of temperature and calcium on pollen germination and tube growth. *Canad. Jour. Bot.* 45:605-613. 1967.
- Covich, A. P. and N. H. Nickerson. Studies of cultivated plants in Choco dwelling clearings, Darien, Panama. *Econ. Bot.* 20:285-301. 1966.
- Cox, D. K. An investigation of aberrant transmission associated with the etched locus in maize. *Diss. Abstr.* 26, No. 664160:6986. 1966.
- Crane, P. L. and W. E. Nyquist. Effects of different gene-cytoplasm systems on quantitative characters in reciprocal  $F_2$  crosses in maize (Zea mays L.). *Crop Sci.* 7:376-378. 1967.

- Crumpacker, D. W. Inheritance of chlorophyll deficiencies in maize (Zea mays L.). Tech. Bull. Colo. Agr. Exp. Sta. 94: pp. 19. 1966.
- Dalby, A. and I. Davies. Ribonuclease activity in the developing seeds of normal and opaque-2 mutant endosperm in maize. Science 155:1573-1575. 1967.
- Dawson, G. W. P. Patterns of instability in bacteria and maize. Symp. on the Mutation Process, Praha: 67-70. 1965.
- Doyle, G. G. Preferential pairing in trisomics of Zea mays. Chromosomes Today, Vol. 2, K. Lewis and C. D. Darlington, eds., Oliver and Boyd, Edinburgh. (in press).
- Efimenko, M. D. On the variation of pollen and ovules in maize hybrids. Kukuruza 1966, 10:17. 1966. (Russian).
- ElRouby, M. and L. H. Penny. Variation and covariation in a high oil population of corn (Zea mays L.) and their implications in selection. Crop Sci. 7:216-219. 1967.
- Endo, T. and D. Schwartz. Induction of maize seedling catechol oxidase by maleic hydrazide. Ann. Rep. Nat. Inst. Genet. Japan. 16:83-84. 1966.
- Faludi-Daniel, A., F. Lang, A. Nagy, and B. Faludi. The inheritance of carotenoid types in maize. Acta Agron. Hung. 16, 1-2:1-6. 1967.
- Ficsor, G. Chemical mutagenesis in Zea mays. Diss. Abstr. 27:1728. 1966. (Abstr.)
- Ficsor, G. The nature and expression of ethyl methanesulfonate (EMS)-, diethyl sulfate (DES)-, X-rays- and UV- induced mutations in Zea mays. Mech. of Mut. and Inducing Fact., Proc. Symp. Mutation Process, Prague: 163-168. 1965.
- Fujii, T. Endosperm mutations induced by UV in corn. Ann. Rep. Nat. Inst. Genet. Japan 17:117-118. 1967.
- Galinat, W. C. The evolution of glumeless sweet corn. Econ. Bot. 20: 441-445. 1966.
- Galinat, W. C. Plant habit and the adaptation of corn. Mass. Agric. Exp. Sta. Bull. 565:1-16. 1967.
- Gavazzi, G. Genetic analysis of some derivatives of R<sup>st</sup> in maize. Atti Assoc. Genet. Ital. 11:117-125. 1966.
- Gavazzi, G. Control of gene action in the synthesis of anthocyanin in maize. J. Molec. Genet. 99:151-164. 1967.

- Gavazzi, G. and C. Maldotti. Genetic instability of  $R^{st}$  in somatic and germinal tissues of maize. Atti Assoc. Genet. Ital. 12:385-400. 1967.
- Ghidoni, A. Transmission and phenotypic effect of a duplicate chromosome segment in maize. J. Molec. Genet. 1968. (in press).
- Ghidoni, A. The  $R^{nj}$  gene in maize: phenotype and phase variation. XII Int. Cong. Genetics, Tokyo, 1968. (Abstr.).
- Ghidoni, A. Comportamento di un cromosoma soprannumerario centrico ( $B^4$ ) in genotipi normali di mais. Atti Assoc. Genet. Ital. 11:105-116. 1966.
- Ghidoni, A. and E. Ottaviano. Isolamento di monoploidì per l'ottenimento di linee pure isogeniche di mais. Genetica Agraria 20:48-55. 1966.
- Gill, M. S. and N. Hussain. Effect of plant spacing on the growth and yield of grains of hybrid maize. West Pak. Jour. Agri. Res. 4:1-7. 1963.
- Gill, M. S. and M. A. Mann. Effects of sowing dates and manuring on the yield of maize grain. West Pak. Jour. Agri. Res. 2:163-169. 1963.
- Greenblatt, I. The mechanism of Modulator transposition in maize. Genetics 58. (in press). 1968.
- Greenblatt, I. Paramutation at the Diffuse locus in maize. XII Int. Cong. Genetics, Tokyo. 1968. (Abstr.).
- Greenblatt, I. M. and M. Bock. A commercially desirable procedure for detection of monoploids in maize. Jour. Hered. 58:9-13. 1967.
- Guljaeva, E. M. Mentor effect of foreign pollen in experiments on self pollination of maize varieties. Trud. Kisinev. Sel'skohoz. Inst. 30:135-174. 1963. (Russian).
- Gundy, L. J. A multiple-marker genetic method for the location of desirable chromosome segments in corn. Diss. Abstr. Ser. B 27, No. 65-14,484:1730. 1966.
- Hadzimuradova, R. A study of the times for pollinating maize. Kukuruza 9:22. 1966. (Russian).
- Hallauer, A. R. Development of single cross hybrids from two-eared maize populations. Crop Sci. 7:192-195. 1967.
- Hallauer, A. R. and J. A. Wright. Genetic variances in the open-pollinated variety of maize, Iowa Ideal. Der Züchter 37:178-185. 1967.

- Hallauer, A. R., C. D. Hutchcroft, M. T. Hillson, and R. L. Higgs. Relation among three maturity measurements and yield of grain in corn. Iowa State Jour. Sci. 42:121-136. 1967.
- Helm, J. L., V. L. Fergason, and M. S. Zuber. Development of high amylose corn by the backcross method. Crop Sci. 7:659-662. 1967.
- Helm, J. L., V. L. Fergason, J. Thomas, and M. S. Zuber. Effect of leaf removal on amylose content of corn endosperm. Agron. Jour. 59:257-258. 1967.
- Hilty, J. W. and L. M. Josephson. The new corn virus disease in Tennessee. Tenn. Fm. Home Sci. 57:4-6. 1966.
- Himes, M. An analysis of heterochromatin in maize root tips. J. Cell Biol. 35:175-181. 1967.
- Hooker, A. L. The genetics and expression of resistance in plants to rusts of the genus Puccinia. Ann. Rev. Phytopath. 5:163-182. 1967.
- Hooker, A. L. Inheritance of mature plant resistance to rust in corn. Phytopath. 57:815. 1967.
- Hooker, A. L. and K. M. S. Saxena. Apparent reversal of dominance of a gene in corn for resistance to Puccinia sorghi. Phytopath. 57:1372-1374. 1967.
- Hooker, A. L. and C. E. Yarwood. Culture of Puccinia sorghi on detached leaves of corn and Oxalis corniculata. Phytopath. 56:536-539. 1966.
- Hornby, D. and A. J. Ullstrup. Fungal populations associated with maize roots. Quantitative rhizosphere data for genotypes differing in root rot resistance. Phytopath. 57:76-82. 1967.
- Hornby, D. and A. J. Ullstrup. Fungal populations associated with maize roots. Composition and comparison of mycofloras from genotypes differing in root rot resistance. Phytopath. 57:869-875. 1967.
- Jarcuk, T. A. Longevity of maize seeds of different consistency. Trud. Priklad. Bot. Genet. Selekc. 38:157-159. 1966. (Russian).
- Jellum, M. D. Fatty acid composition of corn (Zea mays L.) oil as influenced by kernel position on ear. Crop Sci. 7:593-595. 1967.
- Johnston, G. S. Manifestations of teosinte and "Tripsacum" introgression in corn belt maize. Bussey Inst. Harvard Univ. Cambridge, Mass. Pp. 73. 1966.
- Jordan, W. S. Chromatographic analysis of the alcohol-soluble sugars isolated from kernels of maize endosperm mutants. Diss. Abstr. 27, No. 66-8730:697. 1966.

- Josephson, L. M., J. W. Hilty, and J. Arnold. Corn virus disease in Tennessee in 1967 and reaction of corn strains to the disease. Crops Res. Div. Report CR2. 1968.
- Khadhinov, M. I. and E. I. Vakhrusheva. The use of cytoplasmic male sterility (CMS) in seed production of hybrid maize at the Krasnodar Research Institute of Agriculture. Genetika 1966, 9:107-117. 1966. (Russian).
- Kovács, A. Inheritance of the amino acid composition of seed proteins of maize in tester crosses. Acta Biol. Budapest 17:390. 1966. (Abstr.).
- Lambert, R. J., D. E. Alexander, and R. C. Rodgers. Effect of kernel position on oil content in corn Zea mays L. Crop Sci. 7:143-144. 1967.
- Lambert, R. J., V. Reich, and L. Silvela S. Cambios cuantitativos y qualitativos en la materia grasa del grano de Zea mais L. durante la maduracion y la germinacion. I.N.I.A. Bul. 56:63-70. 1967.
- Lenkov, L. D. Stigma receptivity and pollen viability in maize. Nauc. Trud. Selskostopan. Inst. G. Dimitrov. 11:371-386. 1962. (Bulgarian).
- Levings, III, C. S., J. W. Dudley, and D. E. Alexander. Inbreeding and crossing in autotetraploid maize. Crop Sci. 7:72-73. 1967.
- Li, C. J. Studies on the genetics of B chromosomes in maize. Chunghua Nung-hsueh Hui Pao. 56:18-25. 1966. (Chinese).
- Lim, J. K. Association tests between chromosomal translocations of maize and the multiple ear character. Diss. Abstr. 26, No. 65-129:6978. 1966.
- Ljubenov, A. The character of fertilization in maize pollination with mixed pollen in different ratios. Izv. Bot. Inst. 16:171-181. 1966. (Bulgarian).
- Ljubenov, A. Some features of fertilization in pollination with the pollen of different varieties. Rasten. Nauk./ Pl. Grow. Sofija 4:19-30. 1967. (Bulgarian).
- Loesch, P. J. Jr. and M. S. Zuber. An inheritance study of resistance to Maize Dwarf Mosaic Virus in corn (Zea mays L.). Agron. Jour., 59:423-426. 1967.
- Lonnquist, J. H. and M. G. Castro. Relation of intra-population genetic effects to performance of  $S_1$  lines of maize. Crop Sci. 7:361-364. 1967.

- Lorenzoni, C. Rapporti tra knobs e caratteri quantitativi nei mais italiani. Atti Assoc. Genet. Ital. 11:126-127. 1966.
- Lorenzoni, C., M. Pozzi, and F. Salamini. Frequenze di mutazioni in popolazioni di mais italiane. Genetica Agraria 19:146-158. 1966.
- Lund, H. R. Factors influencing chemical mutagenesis in seeds, pollen and proembryo of maize. Diss. Abstr. 27, No. 66-2286:367-368. 1966.
- Lysikov, V. I. Uses of ionizing radiation in breeding and genetics. Kukuruza 1966, 12:24-25. 1966. (Russian).
- Lysikov, V. N. Experiments on the use of ionizing radiation and mutagens. Trud. Kisinev. Sel'skohoz. Inst. 34, 1:156-162. 1963.
- Lysikov, V. N. Some questions of experimental mutagenesis in maize. Sel'skohoz. Biol. 1:783-789. 1966. (Russian).
- Mabuchi, T. Effects of dose fractionation of gamma-rays on mutation in maize pollen. Ann. Rep. Nat. Inst. Genet. Japan 16:114-115. 1966.
- Maguire, M. P. Evidence for homologous pairing of chromosomes prior to meiotic prophase in maize. Chromosoma 21:221-231. 1967.
- Maguire, M. P. Light microscope comparisons of fixed chromosome organization at pachytene and diakinesis. J. Cell Biol. 35:360-361. 1967. (Abstr.).
- Maguire, M. P. Genetic effects on anaphase I distribution of the chromosomes of a maize interchange trivalent. Genetics 56:574. 1967. (Abstr.).
- Maletsky, S. I. Genetical studies on selective fertilization in maize. Genetika 1966, 8:126-134. 1966.
- Mangelsdorf, P. C., R. S. MacNeish, and W. C. Galinat. Prehistoric maize, teosinte and Tripsacum from Tamaulipas, Mexico. Bot. Mus. Leafl. 22:33-63. 1967.
- Maric, M. M. Contribution to a study of the effect of acute and chronic seed irradiation in maize (Zea mays L.). Zborn. Rad. Poljoprivred. Fak. Beograd. 13: Pp. 20. 1965. (Serbian).
- Marsalek, L. An investigation into the genetic nature of heterosis in maize in connection with physiologically active substances. Sborn. Vysok. Sk. Zemed. Brne (Rada A) 2:213-221. 1966.

- Marsalek, L. and J. Bednar. An investigation of the physiological and genetical nature of heterosis in maize (Zea mays L.). Sborn. Vysok. Sk. Zemed. Brne (Rada A) 4:567-573. 1965.
- Marsalek, L. et al. Observing the activity of enzymes in lines and hybrids of maize in connection with solving the problem of the genetical nature of heterosis. Sborn. Vysok. Sk. Zemed. Brne (Rada A) 4:575-582. 1964.
- Matejuk, S. A. New forms of maize. Kukuruza 1967, 1:14. 1967. (Russian).
- Matsumura, S. and T. Fujii. On the somatic variations in corn and Chrysanthemum under chronic gamma-irradiation. Ann. Rep. Nat. Inst. Genet. Japan 17:115-116. 1967.
- Matsumura, S. and T. Mabuchi. Photoreactivation of ultraviolet-induced mutation in maize pollen. Ann. Rep. Nat. Inst. Genet. Japan 16:112-114. 1966.
- Matsumura, S. and T. Mabuchi. Photoreactivation of ultraviolet light induced mutation in maize pollen. Seiken Zihō 18:1-5. 1966.
- Matsumura, S. and T. Mabuchi. Photoreactivation of an UV-induced mutation in maize. Ann. Rep. Nat. Inst. Genet. Japan 17:112-113. 1967.
- Mello-Sampayo, T. Consideracoes acerca do cromossoma 10 anormal do milho. Agron. lusit. 25:433-443. 1966.
- McClintock, B. Regulation of pattern of gene expression by controlling elements in maize. Carnegie Inst. Wash. Year Book 65:568-578. 1967.
- McClintock, B. The states of a gene locus in maize. Carnegie Inst. Wash. Year Book 66:664-672. 1968.
- McDaniel, R. G. and I. V. Sarkissian. Genetics of mitochondria. Science 156:263. 1967.
- Mikula, B. Heritable changes in R-locus expression in maize in response to environment. Genetics 56:733-742. 1967.
- Moll, R. H. and H. F. Robinson. Quantitative genetic investigations of yield of maize. Der Züchter 37:192-199. 1967.
- Moss, G. I. A cytochemical study of DNA, RNA and protein in the developing maize anther. I. Methods. Ann. Bot. Lond. 31:545-553. 1967.
- Moss, G. I. and J. Heslop-Harrison. A cyto-chemical study of DNA, RNA and protein in the developing maize anther. II. Observations. Ann. Bot. Lond. 31:555-572. 1967.

Musijiko, A. S. and M. Sivolap, Ju. Production of restorer analogues in maize. Dokl. Vses. Akad. Sel'skohoz. Nauk Lenin. 1967, 4:2-4. 1967. (Russian).

Nagy, A. Derivative spectra of normal and mutant maize leaves. Acta Agron. Hung. 15:225-229. 1966.

Nagy, M. Study of the characters of cytoplasmically male-sterile maize analogues in different backcross generations. Növenitermeles 16, 1:47-58. 1967. (Hungarian).

Nelson, O. E. Un gene mutante che influenza la sintesi delle proteine nell'endosperma del mais. Maydica, Bergamo 12:81-96. 1967.

Nickerson, N. H. and A. P. Covich. A collection of maize from Darien, Panama. Econ. Bot. 20:434-440. 1966.

Oaks, Ann. Synthesis of macromolecules in maize root tips. Canad. J. Bot. 45:385-394. 1967.

Orel, L. I. A cytological study of maize pollen with cytoplasmic male sterility. Genetika (USSR) 1967, 12:3-11. 1967.

Orr, A. R. Histochemical studies of gene action on the development of Zea mays L. Diss. Abstr. 27, No. 66-7465:376. 1966.

Ostapenko, D. I. The accumulation of photosynthetic pigments in heterotic maize hybrids. Trud. Molod. Uc. Ukrain. Sel'skohoz. Akad. 1963, 8:21-23. 1963. (Russian).

Ottaviano, E. Selezione ricorrente per l'ottenimento di nuovi ibridi da foraggio. Maydica, Bergamo, 12:37-49. 1967.

Ottaviano, E. Varianza genetica tra linee pure di mais studiate in due differenti condizioni ambientali. Misura di accrescimento in vitro di apici radicali. Genetica Agraria 20:293-306. 1967.

Ottaviano, E. and M. Vetturini. Analisi della stabilità dell'epoca di fioritura e della altezza delle piante di genotipi ottenuti da incrocio tra linee pure di mais. Atti Assoc. Genet. Ital. 12:401-416. 1967.

Ottaviano, E. and N. Zannini. Analisi biometrica della misura di accrescimento in vitro di apici radicali di mais. Atti Assoc. Genet. Ital. 11:98-104. 1966.

Ozol, A. M. and V. T. Ejzenberga. Correlation between chromosome aberrations and morphophysiological modifications of maize in the  $M_1$  following seed irradiation. Latv. PSR Zinat. Akad. Vestis 1967, 3:96-100. 1967. (Russian).

Ozol, A. M. and Peterson, E. K. The effect of irradiating seeds prior to sowing with ionizing radiations on growth and yield of maize. Latv. PSR. Zinat. Akad. Vestis 1966, 11:72-81. 1966. (Russian).

Palenzona, D. L. Effetto materno ed eterosi nel mais. Atti Assoc. Genet. Ital. 11:89-96. 1966.

Paradi, L. Dwarfness originating through spontaneous mutation as a dominant character in maize. Novenytermes 15:227-234. 1966.

Penny, L. H., G. E. Scott, and W. D. Guthrie. Recurrent selection for European corn borer resistance in maize. Crop Sci. 7:407-409. 1967.

Peterson, P. A. Transposition and mutation in maize. Symp. on the Mutation Process, 1965, Praha. (Abstr.).

Peterson, P. A. A comparison of the action of regulatory systems in maize and lysogenic bacteria. Genetics 56:581. 1967. (Abstr.).

Pfahler, P. L. In vitro germination and pollen tube growth of maize (*Zea mays* L.) pollen. I. Calcium and boron effects. Canad. J. Bot. 45:839-846. 1967.

Pfahler, P. L. Fertilization ability of maize pollen grains. II. Pollen genotype, female sporophyte and pollen storage interactions. Genetics 57:513-521. 1967.

Pfahler, P. L. Fertilization ability of maize pollen grains. III. Gamma irradiation of mature pollen. Genetics 57:523-530. 1967.

Rhoades, M. M., E. Dempsey, and A. Ghidoni. Chromosome elimination in maize induced by B chromosomes. Proc. Nat. Acad. Sci. 57: 1626-1632. 1967.

Rigo, K. Activity of the phosphatase enzyme in inbred maize lines and in plants from single crosses. Acta Agron. Hung. 15:245-246. 1966.

Robertson, D. S. The use of  $R_2^{scm}$  to facilitate the transfer of maize chromosomal segments. J. Hered. 58:152, 156. 1967.

Robertson, D. S. Crossing over and chromosomal segregation involving the B9 element of the A-B translocation B-9b in maize. Genetics 55:433-449. 1967.

Rocha, A. Jun. Morphogenetic effects of gamma rays radiation from radioactive cobalt 60 on the dry seeds of maize. Araneta J. Agric. 13:45-55. 1966.

Rostovtzeva, T. S. The method of pachytene analysis of chromosomes in maize. Genetika (USSR) 1967, 1:173-178. 1967.

- Russell, W. A. and A. H. Teich. Selection in Zea mays L. by inbred line appearance and testcross performance in low and high plant densities. Iowa and Home Econ. Exp. Sta. Res. Bul. 552, pp. 919-946. 1967.
- Salamini, F. Ricombinazione intracistronica nel mais al locus Su<sub>1</sub>. Atti Assoc. Genet. Ital. 12:417-425. 1967.
- Salamini, F. and B. Borghi. Analisi genetica di mutanti glossy di mais. II. Frequenze di reversione al locus gl<sub>1</sub>. Genetica Agraria 20:239-248. 1967.
- Sarkar, K. R. Genetic analysis of fertilization anomalies in maize. Diss. Abst. 27:1736B-1737B. 1966.
- Sarkar, K. R. and E. H. Coe, Jr. Genetic analysis of the origin of diploid gametes from diploid maize. Nucleus 9:207-208. 1966. (Abstr.).
- Sarkissian, I. V. Some answers and questions on heterosis. Agric. Sci. Rev. Wash. 5:21-25. 1967.
- Sarkissian, I. V. and R. G. McDaniel. Mitochondrial polymorphism in maize. I. Putative evidence for de novo origin of hybrid-specific mitochondria. Proc. Nat. Acad. Sci. Wash. 57:1262-1266. 1967.
- Sarvella, P. and C. O. Grogan. The mutagenic effects of gamma rays on Zea mays in relation to ear location. Radiation Botany 7:107-111. 1967.
- Sarvella, P., B. J. Stojanovic, and C. O. Grogan. Amino acids at different growth stages in normal, male-sterile and restored maize (Zea mays L.). Z. für Pflanzenzüchtung 57:361-370. 1967.
- Sastray, G. R. K. Aspects of paramutation in maize somatic sectoring and R<sup>ch</sup> alleles. Diss. Abstr. 26, No. 65-10,657:4983. 1966.
- Saxena, K. M. S. and A. L. Hooker. Pseudoallelism at the locus Rp<sub>1</sub> for resistance to rust. Phytopath. 57:828. 1967.
- Scandalios, J. G. Genetic isozyme variations in Zea mays. Diss. Abstr. 26, No. 65-12,453:3599. 1966.
- Schwartz, D. E<sub>1</sub> esterase isozymes of maize: on the nature of the gene-controlled variation. Proc. Nat. Acad. Sci. Wash. 58:568-575. 1967.
- Scott, G. E., W. D. Guthrie, and G. R. Pesho. Effect of second-brood European corn borer infestation on 45 single-cross corn hybrids. Crop Sci. 7:229-230. 1967.

- Shaver, D. L. Perennial maize. *J. Hered.* 58:270-273. 1968.
- Shortess, D. K., W. D. Bell, and J. E. Wright, Jr. The lutescent mutant in maize. II. Nitrogen metabolism. *Genetics* 58:237-248. 1968.
- Shortess, D. K., J. E. Wright, Jr., and W. D. Bell. The lutescent mutant in maize. I. Inheritance patterns and environmental effects. *Genetics* 58:227-235. 1968.
- Shumway, L. K. Inheritance and characterization of nonchromosomal stripe of maize. *Diss. Abstr.* 27, No. 66-5303:48. 1966.
- Shumway, L. K., and L. F. Bauman. Nonchromosomal stripe of maize. *Genetics* 55:33-38. 1967.
- Shumway, L. K. and T. E. Weier. The chloroplast structure of Iojap maize. *Am. J. Bot.* 54:773-780. 1967.
- Sing, C. F., R. H. Moll, and W. D. Hanson. Inbreeding in two populations of Zea mays L. *Crop Sci.* 7:631-636. 1967.
- Smith, H. H. Relative biological effectiveness of different types of ionizing radiations: Cytogenetic effects in maize. *Radiation Res. Suppl.* 7:190-195. 1967.
- Smith, H. H. and N. C. Combatti. Factors influencing variation in RBE in irradiation of maize seeds. *IAEA Tech. Rpt. Ser.* No. 76: 26-27. 1967.
- Snope, A. J. Meiotic behaviour in autotetraploid maize with abnormal chromosome 10. *J. Hered.* 58:173-177. 1967.
- Spasojevic, V. Contribution to the knowledge of cytoplasmic male sterility in maize. *Arh. Poljopr. Nauk.* 19:30-43. 1966. (Yugoslavian).
- Storey, H. H. and A. K. Howland. Inheritance of resistance in maize to the virus of streak disease in East Africa. *Ann. Appl. Biol.* 59:429-436. 1967.
- Streljchuk, S. I. Experience in obtaining tetraploid maize. *Genetika* (USSR) 1967, 1:4-12. 1967.
- Stuber, C. W. Characterization and estimation of genetic parameters in the interpopulation formed by crossing two populations of maize. *Diss. Abstr.* 26, No. 65-14,131:4189. 1966.
- Sumnyj, V. K., V. I. Semenov, and E. K. Sumnaja. Study of polyploid forms of maize. *Sel'skohoz. Biol.* 11:323-331. 1967. (Russian).
- Sutka, J. Alteration of quantitative characters in maize by means of induced mutation. *Agrartud. Egyet. Mezog. Kar. Kozl.* G8d8118 1965:75-78. 1965.

- Thomas, W. I. and D. E. Baker. Applications of biochemical genetics in quality improvement and plant nutrition. II. Studies in the inheritance of chemical element accumulation in corn (Zea mays L.). Eucarpia, Reports of the Congress, Lund, Sweden, pp. 98-104. 1965.
- Thompson, J. C. Dosage response to brachytic-2 gene in Zea mays L. Diss. Abstr. 26, No. 66-4677:5635. 1966.
- Ting, Y. C. Duplications and meiotic behavior of the chromosomes in haploid maize (Zea mays L.). Cytologia 31:324-329. 1966.
- Ting, Y. C. Common inversion in maize and teosinte. Amer. Nat. 101: 87-89. 1967.
- Ullstrup, A. J. and A. Forrest Troyer. A lethal leaf spot of maize. Phytopath. 57:1282-1283. 1967.
- Underbrink, A. G., Y. C. Ting, and A. H. Sparrow. Note on the occurrence of a synaptinemal complex at meiotic prophase in Zea mays L. Canad. J. Genet. and Cytol. 9:606-609. 1967.
- Vozda, J. The identification of genotypes of self-pollinated lines of maize in relation to the factor Rf. Sborn. Vysok. Sk. Zemed. Brne (Rada A) 4:583-591. 1965.
- Vozda, J. A contribution to the method of obtaining sterile analogues of self-pollinated lines of maize. Genetika a Slechteni 2:115-124. 1966. (Czech.).
- Vozda, J. Linkage of the Rf<sub>1</sub> gene in the T cytoplasm of maize with genes of the 3rd chromosome. Biologia Pl. 8:411-420. 1966.
- Walden, D. B. The male gametophyte of Zea mays L. I. Some factors influencing fertilization. Crop Sci. 7:441-444. 1967.
- Walters, Marta S. Nonchromosomal structures in meiotic prophase of Zea mays and Lilium longiflorum. Genetics 56:594. 1967. (Abstr.).
- Weber, D. F. A test for distributive pairing in Zea mays. Genetics 56:595. 1967. (Abstr.).
- Wilkes, H. G. Teosinte--the closest relative of maize. Bussey Institution of Harvard University, Cambridge, Mass. 159 pages. 1967.
- Williams, T. V. The inheritance of drought tolerance in sweet corn. Diss. Abstr. Ser. B 27, No. 66-11,222:1688-89. 1966.
- Wilson, C. M. and D. E. Alexander. Ribonuclease activity in normal and opaque-2 mutant endosperm of maize. Science 155:1575-1576. 1967.

- Wolter, J. Differences in amino acid content in diploid and polyploid plants in relation to plant breeding. Postepy Nauk Roln. 13:23-27. 1966. (Polish).
- Yarwood, C. E. and A. L. Hooker. Heat predisposition to corn rust. Phytopath. 56:510-511. 1966.
- Zuber, M. S. Genic control of starch development. Starch: Chemistry and Technology, Vol. 1: Fundamental Aspects. Pp. 43-63. Academic Press. 1965.
- Zuber, M. S. Date-of-planting studies with Corn North Missouri Research Center. Univ. Mo. Agric. Exp. Sta. B832 1/66/31/2 M.
- Zuber, M. S. Date of planting studies with corn in the Missouri Delta Area. Univ. Mo. Agric. Exp. Sta. B862-7-67-5M.
- Zuber, M. S. and P. J. Loesch, Jr. Effects of years and locations on stalk strength in corn (Zea mays L.). Agron. Jour. 58:173-175. 1966.
- Zuber, M. S. and P. J. Loesch, Jr. Total ash and potassium content of stalks as related to stalk strength in corn (Zea mays L.). Agron. Jour. 58:426-428. 1966.