

IV. RECENT MAIZE PUBLICATIONS

- Ahmad, M. Inheritance of ear height in Zea mays L. Diss. Abstr. 29: 1228B. 1968.
- Ahmad, M. S. A gametic selection experiment with corn. Diss. Abstr. 29: 447B. 1968.
- Akatsuka, T. and O. E. Nelson. Studies on starch synthesis in maize mutants. J. Jap. Soc. Starch Science 17: 99-115. 1969.
- Andrianova, N. F. and L. K. Krivoseja. Influence of growing conditions on the expression of cytoplasmic male sterility. Kukuruz: 29-30. 1969.
- Arnold, C. Y. Sweet corn development as affected by environment and by inherent differences among hybrids. Ill. Res. 11: 10-11. 1969.
- Arnold, C. Y. Inherited characteristics of sweet corn as they relate to the time required for development. J. Amer. Soc. Hort. Sci. 94: 112-115. 1969.
- Avila, G., G. Gavazzi, and G. Mosna. Analysis of the structural organization of Rst and R^{sk} in maize. Atti Assoc. Genet. Ital. 14: 48-49. 1968. (Abstr.)
- Axtell, J. D. Chemically induced derepression of paramutant forms of the R gene in maize. Jap. Jour. Genetics 44, Suppl. 2: 25-26. 1969.
- Ayers, J. E. and R. G. Creech. Genetic control of phytoglycogen accumulation in maize (Zea mays L.). Crop Sci. 9: 739-741. 1969.
- Bachman, M. D., D. S. Robertson and C. C. Brown. Thylakoid anomalies in relation to grana structure in pigment-deficient mutants of Zea mays. J. Ultrastructure Res. 28: 435-451. 1969.
- Baker, R. L. and D. T. Morgan, Jr. Control of pairing in maize and meiotic inter-chromosomal effects of deficiencies in chromosome 1. Genetics 61: 91-106. 1969.
- Balint, A. and J. Sutka. The use of the heritability value (h^2) in mutation breeding. Agrartud. Egyet. Kozl., Godollo: 121-126. 1967.
- Banerjee, S. N. DNA synthesis in the root meristem cells of Zea mays dwarf mutants (d₁ and d₅). Pl. Cell Physiol., Tokyo 9: 577-581. 1968.
- Beckett, J. B. Effect of a tertiary trisome from a B-type translocation on kernel size in maize. XI Int. Bot. Congr. Abstr., p. 11. 1969.

- Bhat, B. K. and N. L. Dhawan. Effect of cytoplasm on quantitative characters of maize. *Indian J. Genet.* 29 (3): 321-326. 1969.
- Bianchi, A. Genetic factors for the qualitative improvement of maize. *Ann. Fac. Agr. Univ. Catt., Milano* 7: 189-207. 1967.
- Blanco, M., A. Lorenzo-Andreu, and J. L. Blanco. Modifications in phyllotaxis in maize: scatter, spirodistichy and decussation. Similar modifications in other parts of the plant. Multiple germination in distichous and decussate maize. *Port. Acta Biol.* 10: 289-299. 1968.
- Borovskij, M. I. The question of transmitting characteristics of pollen sterility from certain maize forms to others by non-sexual means. *Bull. Acad. Sci. Moldav. SSR* 10: 59-65. 1964.
- Brink, R. A. Abnormal chromosome 10 and R paramutation in maize. *Mutation Res.* 8: 285-302. 1969.
- Brink, R. A. Genetic concepts underlying hybrid maize breeding. Symp. on maize production in Southeast Asia--present situation and future problems. Agric., Forestry and Fisheries Res. Council, Ministry of Agric. and Forestry, Kasumigaseki, Chiyoda-ku, Tokyo, Japan. *Tropical Agric. Res. Series No. 2*, pp. 77-87. 1968.
- Brink, R. A. and J. L. Kermicle. Annual report of research on genetic organization of the complex R region in maize. *Nuclear Sci. Abstr.* 21. Abstr. 32604. 1967.
- Brown, A. H. D. and R. W. Allard. Further isozyme differences among the inbred parents of a reciprocal recurrent selection population of maize. *Crop Sci.* 9:643-644. 1969.
- Byrd, H. W. Effects of fungicidal seed treatments and seed size on the performance of hybrid corn in Brazil. *Fitotecnia Latinoamericana* 4 (2): 57-68. 1967.
- Byrd, H. W. Effects of "breaking-over" corn plants in Brazil on dry matter accumulation, germination, and vigor of kernels. *Fitotecnia Latinoamericana* 4 (2): 109-123. 1967.
- Calyk, T. S. A study of immunity of maize to the occurrence of the characteristic of the Moldavian and Texas types of male sterility after treatment of the shoots with a number of antibiotics. *Trans. Kisinev Agric. Inst.*: 173-176. 1966.
- Calyk, T. S. The use of androgenetic haploids for the creation of self-pollinated maize lines. *Bull. Acad. Sci. Moldav. SSR* 10: 36-43. 1964.

- Cameron, J. W., L. D. Anderson, and H. H. Shorey. Corn earworm damage to ears with starchy (Su₁) vs. sugary (su₁) kernels on genetically uniform mother plants. *J. Econ. Ent.* 62: 986-988. 1969.
- Carlson, W. R. A test of homology between the B chromosome of maize and abnormal chromosome 10, involving the control of nondisjunction in B's. *Molec. Gen. Genet.* 104: 59-65. 1969.
- Carlson, W. R. Factors affecting preferential fertilization in maize. *Genetics* 62: 543-554. 1969.
- Cavenague, J. C. S. and J. L. de Azevedo. Microbiological determination of lysine in maize by a new mutant isolated from A. nidulans. *Solo, Piracicaba*: 60: 71-72. 1968.
- Cebotar, A. A. Pinocytosis and cytomixis as observed in the sporogenic tissue of intergeneric Zea mays L. x Euchlaena mexicana hybrids. *Bull. Acad. Sci. Moldav. SSR*: 80-88. 1967.
- Chao, S. E. and J. G. Scandalios. Identification and genetic control of starch-degrading enzymes in maize endosperm. *Biochem. Genet.* 3: 537-547. 1969.
- Chase, S. S. Monoploids and monoploid-derivatives of maize (Zea mays L.) *Bot. Rev.* 35: 117-167. 1969.
- Chase, S. S. The vanishing plant breeder: Who will expand our food supply? *Bull. Atomic Sci.* 24: 10-13. 1968.
- Chase, S. S. Anti-famine strategy: Genetic engineering for food. *Bull. Atomic Sci.* 25: 2-6. 1969.
- Chase, S. S. and D. K. Nanda. Rapid inbreeding in maize. *Econ. Bot.* 23: 165-173. 1969.
- Chaudhry, A. R. Monoploid method of breeding in maize--a review. *Agric., Pakistan* 19: 61-67. 1968.
- Chaudhry, A. R. and S. B. Helgason. Inheritance of photoperiodic reaction in maize. *W. Pak. J. Agric. Res.* 6: 6-9. 1968.
- Chen, C. C. The somatic chromosomes of maize. *Canad. J. Genet. Cytol.* 11: 752-754. 1969.
- Chi, R. K., S. A. Eberhart and L. H. Penny. Covariances among relatives in a maize variety (Zea mays L.). *Genetics* 63: 511-520. 1969.
- Chong, C. and R. I. Brawn. Temperature comparisons of purple and dilute sun red anthocyanin color types in maize. *Canad. J. Pl. Sci.* 49: 513-516. 1969.

- Conway, T. F. and L. F. Johnson. Nuclear magnetic resonance measurement of oil "unsaturation" in single viable corn kernels. *Science* 164: 827-828. 1969.
- Curtis P., J., S. Miranda C., and T. A. Kato Y. Infiltración genética entre Tripsacum zopilotense Hern. y Rand. y Tripsacum maizar Hern. y Rand. *Agrociencia* 1 (1): 84-90. 1966.
- Daniel, L. Heterosis and the mean degree of dominance in inheritance of plant height in maize (Zea mays L.). *Z. Pflanzenz.* 61: 366-380. 1969.
- Daynard, T. B. and W. G. Duncan. The black layer and grain maturity in corn. *Crop Sci.* 9: 473-476. 1969.
- De Azevedo, J. L., R. A. Caldas, J. C. S. Cavenague and P. M. Lacava. Microbiological method for the determination of amino acids in maize. *Fitotecnia Latinoamericana* 4 (2): 147-154. 1967.
- Diaconu, P., M. Banu and S. Cirstea. Effect of irradiating maize seeds with γ rays. *Ann. Inst. Cercet. Cereal Pl. Teh. Fundulea, Romania* 34: 343-352. 1967.
- Diboll, A. G. Histochemistry and fine structure of the pollen tube residue in the megagametophyte of Zea mays. *Caryologia* 21: 91-95. 1968.
- Dickinson, D. B. and J. Priess. Presence of ADP-glucose pyrophosphorylase in shrunken-2 and brittle-2 mutants of maize endosperm. *Plant Physiol.* 44: 1058-1062. 1969.
- Dickinson, D. B. and J. Preiss. ADP-glucose pyrophosphorylase from maize endosperm. *Arch. Biochem. Biophys.* 130: 119-128. 1969.
- Doerschug, E. B. Studies of the controlling element "dotted" (Dt) in maize. *Diss. Abstr.* 29:483B. 1968.
- Dudley, J. W. and D. E. Alexander. Performance of advanced generations of autotetraploid maize (Zea mays L.) synthetics. *Crop Sci.* 9: 613-615. 1969.
- Dudley, J. W. and R. J. Lambert. Genetic variability after 65 generations of selection in Illinois high oil, low oil, high protein, and low protein strains of Zea mays L. *Crop Sci.* 9: 179-181. 1969.
- Eastin, E. F. Growth and response to atrazine of six selections of inbred corn line GT 112. *Weed Abstr.* 18: Abstr. 1051. 1969.
- Eberhart, S. Evaluation of genotypes through selection of S_1 lines. *CIMMYT News, Mexico* 3: 7-8. 1968.

- Eberhart, S. A. and W. A. Russell. Yield and stability for a 10-line diallel of single-cross and double-cross maize hybrids. *Crop Sci.* 9: 357-361. 1969.
- Eriksson, G. The waxy character. *Hereditas* 63: 180-204. 1969.
- Francis, C. A., C. O. Grogan, and D. W. Sperling. Identification of photoperiod insensitive strains of maize (Zea mays L.). *Crop Sci.* 9: 675-677. 1969.
- Fuchs, A. Relationships between organogenesis and yield structure in Z. mays. *Z. Pflanzenz.* 60: 260-283. 1968.
- Fujii, T. Photoreactivation of mutations induced by ultraviolet radiation of maize pollen. *Radiation Bot.* 9: 115-123. 1969.
- Fujii, T. and S. Matsumura. Somatic mutations induced by chronic gamma-irradiation. *Rep. Kihara Inst. Biol. Res.* 1967: 43-46.
- Galeev, G. S. and V. I. Cvetkova. Normalization of biochemical processes in the stamens on restoration of fertility in maize plants with cytoplasmic male sterility. *Rep. All-Un. Lenin Acad. Agric. Sci.*: 15-19. 1969.
- Galinat, W. C. The evolution under domestication of the maize ear: String cob maize. *Mass. Agric. Exp. Sta. Bull.* 577, 19 pp. 1969.
- Galinat, W. C. and J. H. Gunnerson. Fremont maize. In The Fremont Culture, Papers of the Peabody Museum of Harvard Univ. 59: 198-206. 1969.
- Gardner, C. O. Application of biometrical genetic techniques to irradiated and nonirradiated populations of corn to provide information on the nature of gene action involved in the inheritance of quantitative traits and in heterosis. *Nuclear Sci. Abstr.* 21, Abstr. 20419, 1967, and *Nuclear Sci. Abstr.* 22, Abstr. 23485, 1968.
- Garwood, D. L., E. J. Weber, R. J. Lambert, and D. E. Alexander. Effects of different cytoplasms on oil, fatty acids, plant height, and ear height in maize (Zea mays L.). *Crop Sci.* 10: 39-41. 1970.
- Gavazzi, G. and G. Avila. Analysis of the structural organization of R^{st} and R^{sk} in Zea mays. *Molec. Gen. Genet.* 104: 235-240. 1969.
- Geerthsen, J. M. P. and P. J. Robbertse. The adaptability of our most important maize hybrids. *Farming in South Africa.* 1969.
- Gelinas, D., S. N. Postlethwait, and O. E. Nelson. Characterization of development in maize through the use of mutants. II. The abnormal growth conditioned by the Knotted mutant. *Am. Jour. Bot.* 56: 671-678. 1969.

- Ghidoni, A. Transmission and phenotypic effect of a duplicate chromosome segment in maize. *Molec. Gen. Genet.* 101: 317-332. 1968.
- Giesbrecht, J. Effect of population and row spacing on the performance of four corn (Zea mays L.) hybrids. *Agron. J.* 61: 439-441. 1969.
- Goodman, M. M. Measuring evolutionary divergence. *Jap. J. Genet.* 44, Suppl. 1: 310-316. 1969.
- Goodman, M. M. and E. Paterniani. The races of maize: III. Choices of appropriate characters for racial classification. *Econ. Bot.* 23: 265-273. 1969.
- Hadzinov, M. I., M. V. Budnaja, S. A. Potehin and K. I. Zima. Nutritional value of the maize mutant opaque-2. *Vestn. Sel'skhoz. Nauk.*: 11-17. 1969.
- Hallauer, A. R. Estimates of genetic variances in Iowa long ear synthetic, Zea Mays L. *Adv. Frontiers of Pl. Sci.* 22: 147-162. 1968.
- Hallauer, A. R. Two-eared hybrids--corn with built-in insurance. *Crops and Soils* 21 (5): 16-17. 1969.
- Hallauer, A. R. and J. H. Sears. Effect of thinning on stand, yield, and plant height in maize. *Crop Sci.* 9: 514-515. 1969.
- Hamill, D. E. and J. L. Brewbaker. Isoenzyme polymorphism in flowering plants. IV. The peroxidase isoenzymes of maize (Zea mays). *Physiol. Plantarum* 22: 945-958. 1969.
- Hanway, J. J. Defoliation effects on different corn (Zea mays L.) hybrids as influenced by plant population and stage of development. *Agron. J.* 61: 534-538. 1969.
- Hanway, J. J. and W. A. Russell. Dry matter accumulation in corn (Zea mays L.) plants: Comparisons among single-cross hybrids. *Agron. Jour.* 61: 947-951. 1969.
- Harborne, J. B. and G. Gavazzi. Effect of Pr and pr alleles on anthocyanin biosynthesis in Zea mays. *Phytochem.* 8: 999-1001. 1969.
- Harpstead, D. D., D. Sarria and E. Diaz. Genetic variance estimates in a maize population subdivided into multiple and single ear type. *Agron. Abstr.*, Madison 1967: 11.
- Helm, J. L. and V. L. Ferguson. Double cross prediction with backcross derived lines of high-amylose corn (Zea mays L.). *Agron. Abstr.*, Madison 1967: 11.
- Helm, J. L. and M. S. Zuber. Pericarp thickness of dent corn inbred lines. *Crop Sci.* 9: 803-804. 1969.

- Helm, J. L., V. L. Ferguson and M. S. Zuber. Interaction of dosage effects on amylose content of corn at the Du and Wx loci. *J. Hered.* 60: 259-260. 1969.
- Helm, J. L., D. V. Glover, and M. S. Zuber. Effect of endosperm mutants on pericarp thickness in corn. *Crop Sci.* 10: 105-106. 1970.
- Hertel, R., R. K. de la Fuente and A. C. Leopold. Geotropism and the lateral transport of auxin in the corn mutant amylo-maize. *Planta* 88: 204-214. 1969.
- Hesketh, J. D., S. S. Chase, and D. K. Nanda. Environmental and genetic modification of leaf number in maize, sorghum, and Hungarian millet. *Crop Sci.* 9: 460-463. 1969.
- Hooker, A. L. Widely based resistance to rust in corn. In Disease Consequences of Intensive and Extensive Culture of Field Crops, J. A. Browning, Ed. Iowa State Univ. Sci. Tech., Ames Special Report No. 64: 28-34. 1969.
- Hooker, A. L., S. M. Lim and J. D. Paxton. Chemical nature of corn's resistance to leaf blight. *Ill. Res.* 10: 18. 1968.
- Horner, E. S., W. H. Chapman, M. C. Lutrick, and H. W. Lundy. Comparison of selection based on yield of topcross progenies and of S₂ progenies in maize (Zea mays L.). *Crop Sci.* 9: 539-543. 1969.²
- Hrishi, N. and S. Marimuthammal. Embryo culture of maize and sugarcane hybrids. *Proc. Indian Acad. Sci.* 68: 308-313. 1968.
- Hulea, A. and M. Avram. Some attempts at establishing the resistance of maize lines and hybrids to Fusarium graminearum Schw. and Fusarium moniliforme Scheld. by serological reactions. *Rev. Roum. Biol.* 13: 251-255. 1968.
- Hunter, R. B., T. B. Daynard, D. J. Hume, J. W. Tanner, J. D. Curtis and L. W. Kannenberg. Effect of tassel removal on grain yield of corn (Zea mays L.). *Crop Sci.* 9: 405-406. 1969.
- Jellum, M. D. Corn has bright future as cash crop for Georgia farmers. *Georgia Agr. Res.* 11: 12-16. 1969.
- Jellum, M. D. and C. W. Kuhn. Corn virus tests in Georgia in 1968. *Georgia Agr. Exp. Sta. Res. Report* 38. 22 pp. 1969.
- Jellum, M. D., J. L. Helm, V. L. Ferguson, and M. S. Zuber. Fatty acid composition of oil from normal and high-amylose backcross strains of corn (Zea mays L.). *Crop Sci.* 9: 746-749. 1969.
- Jinahyon, S. and W. A. Russell. Evaluation of recurrent selection for stalk-rot resistance in an open-pollinated variety of maize. *Iowa State Jour. Sci.* 43: 229-237. 1969.

- Jinahyon, S. and W. A. Russell. Effects of recurrent selection for stalk-rot resistance on other agronomic characters in an open-pollinated variety of maize. *Iowa State Jour. Sci.* 43: 239-251. 1969.
- Josephson, L. M., J. W. Hilty, and J. Arnold. Inheritance of tolerance of corn inbreds to the maize dwarf mosaic virus. *Agron. Abstr.*, Madison 1967: 13.
- Kasha, K. J. Viable deficiencies of centromere regions of chromosomes. *Canad. J. Genet. Cytol.* 11: 480. 1969. (Abstr.)
- Kato Y., T. A. and A. Blumenschein. Complejos de nudos cromosómicos en los maíces de América. *Fitotecnia Latinoamericana* 4 (2): 13-24. 1967.
- Kermicle, J. L. Androgenesis conditioned by a mutation in maize. *Science* 166: 1422-1424. 1969.
- Kilen, T. C. Studies of drought tolerance in maize (*Zea mays* L.). *Diss. Abstr.* 28: 4386B. 1968.
- Klun, J. A., W. D. Guthrie, A. R. Hallauer, and W. A. Russell. Genetic nature of the concentration of 2,4-dihydroxy-7-methoxy 2H-1,4-benzoxazin-3(4H)-one and resistance to the European corn borer in a diallel set of eleven maize inbreds. *Crop Sci.* 10: 87-90. 1970.
- Lambert, R. J. and D. E. Alexander. Spontaneous mutation rate at the opaque-2 locus in maize. *J. Hered.* 59: 378-382. 1968.
- Lambert, R. J., D. E. Alexander and J. W. Dudley. Relative performance of normal and modified protein (opaque-2) maize hybrids. *Crop Sci.* 9: 242-243. 1969.
- Longo, G. P. and J. G. Scandalios. Nuclear gene control of mitochondrial malic dehydrogenase. *P. N. A. S.* 62: 104-111. 1969.
- Lysikov, V. N. An experiment to obtain sterile forms of maize through treatment of seeds with certain chemical substances. *Bull. Acad. Sci. Moldav. SSR* 10: 66-67. 1964.
- Maguire, M. P. Intrachromosomal crossover increase with distal homologous substitution. *Nature* 222: 691-692. 1969.
- Maguire, M. P. Apparent loose pairing of homologous K10 heterochromatic regions in early premeiotic, late premeiotic and tapetal interphase nuclei. *Genetics* 61 Suppl.: s38. 1969. (Abstr.)
- Maguire, M. P. Unexpected similarities of synaptic and chiasma frequencies in material with trivalent formation potential. *J. Cell Biol.* 43 (2): 84a. 1969.

- Mertz, E. T. High lysine corn. *Agric. Sci. Rev.*, Washington 6: 1-6. 1968.
- Millerd, A. and J. R. McWilliam. Studies on a maize mutant sensitive to low temperature. I. Influence of temperature and light on the production of chloroplast pigments. *Plant Physiol.* 43: 1967-1972. 1969.
- Millerd, A., D. J. Goodchild, and D. Spencer. Studies on a maize mutant sensitive to low temperature. II. Chloroplast structure, development, and physiology. *Plant Physiol.* 44: 567-583. 1969.
- Moll, R. H., C. S. Levings III and C. W. Stuber. Genetic variation in maize coleoptile growth and its relationship to the auxin regulatory system. *Crop Sci.* 9: 262-264. 1969.
- Molot, P. M. and P. Anglade. The combined resistance of maize lines to leaf blight (*H. turcicum* Pass.) and to borer (*O. nubilalis*) in relation to the presence of a substance which can be identified as 6-methoxy-2(3)-benzoxazolinone. *Ann. Epiphyt.* 19: 75-95. 1968.
- Moss, G. I. and J. Heslop-Harrison. Photoperiod and pollen sterility in maize. *Ann. Bot. Lond.* 32: 833-846. 1968.
- Mumm, R. F. A comparison of genetic variances and estimated response to selection between the irradiated and nonirradiated groups in two inbred lines of maize. *Diss. Abstr.* 28: 2229B-2230B. 1968.
- Musijko, A. S., P. F. Kljucko and J. M. Sivolap. Transmission of the property of fertility restoration in maize by grafting. *Rep. All-Un. Lenin Acad. Agric. Sci.*: 1-4. 1965.
- Nanda, D. K. and S. S. Chase. Inheritance of leaf number, anthesis, and plant height in maize (*Zea mays* L.). *Agron. Abstr.*, Madison 1967: 15.
- Nelson, O. E. The modification by mutation of protein quality in maize. In New Approaches to Breeding for Improved Plant Protein. Report of FAO/IAEA Symp., Rostonga, Sweden, 1968. Published by Int. Atomic Energy Agency, Vienna, 1969.
- Nelson, O. E. Genetic modification of protein quality in plants. *Adv. Agron.* 21: 171-194. 1969.
- Ortiz H., J. J., M. Ramírez G., and J. Guevara C. Bioanálisis de los residuos de cuatro insecticidas aplicados a maíz para consumo doméstico. *Agrociencia* 1 (1): 3-11. 1966.
- Ortiz-Cereceres, J. Influence of plant population levels on the correlation among agronomic characters of S₂ lines of maize and of their testcrosses. *Diss. Abstr.* 28: 4387B-4388B. 1968.

- Ottaviano, E. and S. Conti. Phenotypic stability in maize in relation to plant density. *Maydica*, Bergamo 13: 113-128. 1968.
- Paez, A. V., J. L. Helm, and M. S. Zuber. Kernel opacity during development and moisture content within maize ears segregating for opaque-2 and floury-2. *Agron. J.* 61: 443-445. 1969.
- Paez, A. V., J. L. Helm, and M. S. Zuber. Lysine content of opaque-2 maize kernels having different phenotypes. *Crop Sci.* 9: 251-252. 1969.
- Palilova, A. N., N. V. Turbin and V. P. Zoludeva. The manifestation of cytoplasmic male sterility in maize as affected by the environment and the genetic constitution of the nucleus. *Sel'skhoz. Biol.*: 378-386. 1969.
- Paskar, S. I. Physiological and biochemical research on the phenomenon of heterosis in maize. *Bull. Acad. Sci. Moldav. SSR* : 59-63. 1965.
- Paskar, S. I. and I. H. Kirtoka. A rapid method of biochemical detection of opaque forms. *Kukuruza*: 25. 1968.
- Pesho, G. R., W. A. Russell, and F. F. Dicke. Effect of cytoplasmic male sterility and pollen restorer genes on first brood European corn borer resistance among different genotypes of hybrid corn. *Iowa State Jour. Sci.* 44: 165-184. 1969.
- Peterson, P. A. Mutable genes in maize and Callan's chromosome model of serially repeated gene copies. *Nature, Lond.* 221: 480-481. 1969.
- Petrovska, D. Determination of the mutation frequency in irradiated maize on the basis of phenotypic changes in the pollen grains. *Ann. Rec. Agric. For. Fac. Univ. Skopje* 19: 183-189. 1966.
- Phillips, R. L. Recombination in *Zea mays* L. I. Location of genes and interchanges in chromosomes 5, 6, and 7. *Genetics* 61: 107-116. 1969.
- Phillips, R. L. Recombination in *Zea mays* L. II. Cytogenetic studies of recombination in reciprocal crosses. *Genetics* 61: 117-127. 1969.
- Poneleit, C. G. and L. F. Bauman. A diallel analysis of the oil and fatty acid characteristics of nine inbred corn lines. *Agron. Abstr.*, Madison 1967: 22.
- Robison, N. G. Genetic variance estimates from different mating systems in a variety of corn (*Zea mays* L.). *Diss. Abstr.* 28: 2214B-2215B. 1968.

- Robles S., R. and R. Covarrubias C. Mejoramiento de la capacidad de expansión en maíces palomeros. *Agrociencia* 1 (1): 91-99. 1966.
- Rostovceva, T. S. and G. A. Pohmel'nyh. Differences between certain maize cultivars in respect of chromosome structure. *Genetika, Moskva* 5: 16-21. 1969.
- Roy, N. N. Survival of maize seedlings under stress of plant competition. *Curr. Sci.* 38: 121-122. 1969.
- Russell, W. A. Development and evaluation of maize inbred lines. *Proc. 23rd Ann. Hybrid Corn Conf.* pp. 37-44. 1968.
- Russell, W. A. Hybrid performance of maize inbred lines selected by testcross performance in low and high plant densities. *Crop Sci.* 9: 185-188. 1969.
- Salamini, F., G. Baldi, and A. Bianchi. Total nitrogen, protein and amino-acid contents in different F₂'s of maize segregating for opaque-2 and normal kernels. *Maydica, Bergamo* 14: 3-24. 1969.
- Scandalios, J. G. The genetic control of multiple molecular forms of enzymes in plants: A review. *Biochem. Genet.* 3: 37-79. 1969.
- Scandalios, J. G. Alcohol dehydrogenase in maize: Genetic basis for isozymes. *Science* 166: 623-624. 1969.
- Scheifele, G. L. and R. R. Nelson. The occurrence of Phyllosticta leaf spot of corn in Pennsylvania. *Plant Dis. Repr.* 53: 186-189. 1969.
- Scheifele, G. L. and C. C. Wernham. Further evidence supporting the hypothesis that two genetic systems control disease reaction to maize dwarf mosaic virus strain A and strain B. *Plant Dis. Repr.* 53: 150-151. 1969.
- Scheifele, G. L., R. R. Nelson, and C. Koons. Male sterility cytoplasm conditioning susceptibility of resistant inbred lines of maize to yellow leaf blight caused by Phyllosticta zeae. *Plant Dis. Repr.* 53: 656-659. 1969.
- Scott, G. E. and C. M. Campbell. Internode length in normal and brachytic-2 maize inbreds and single crosses. *Crop Sci.* 9: 293-295. 1969.
- Scott, G. E. and C. O. Grogan. Location of a gene in maize conditioning susceptibility to atrazine. *Crop Sci.* 9: 669-670. 1969.
- Seah, K. T. and E. D. Styles. Anthocyanins in maize. *Canad. J. Genet. Cytol.* 11: 482. 1969.
- Serevarja, N. I. The relative role of the embryo and endosperm in the manifestation of the heterosis effect in maize. *Selekc. Semenovod. Mezved. Nauc. Sborn.*: 125-133. 1966.

- Shah, R. M. The value of germ plasm from exotic strain in the improvement of maize breeding stocks adapted to mid-western U.S.A. Diss. Abstr. 28: 3136B-3137B. 1968.
- Sharma, D., J. N. Batra, and R. Singh. Cytoplasmic differences in respect of some important plant characters in a maize composite. J. Res. Punjab Agric. Univ., Ludhiana 5: 6-10. 1968.
- Shih, K. L. Effects of pretreatment with X-rays on paramutability or paramutagenicity of certain R alleles in maize. Genetics 61: 179-189. 1969.
- Shih, K. L. and R. A. Brink. Effects of X-irradiation on aleurone pig-menting potential of standard R^r and a paramutant form of R^r in maize. Genetics 61: 167-177. 1969.
- Siemer, E. G., E. R. Leng and O. T. Bonnett. Timing and correlation of major developmental events in maize, Zea mays L. Agron. J. 61: 14-17. 1969.
- Singh, T. P., M. S. Zuber and G. F. Krause. Relationship of certain stalk characters with grain yield in corn (Zea mays L.). Crop Sci. 9: 265-267. 1969.
- Singleton, W. R. Mutations induced by treating maize seeds with thermal neutrons. In Induced Mutations in Plants, Int. Atomic Energy Agency, Vienna. Pp. 479-483. 1969.
- Snyder, R. J. and D. N. Duvick. Chromosomal location of Rf₂, a restorer gene for cytoplasmic pollen sterile maize. Crop Sci. 9: 156-157. 1969.
- Spasojevic, V. Effect of caffeine on mitosis. Bull. Sci. Cons. Acad. Yougosl. 14: 183. 1969. (Abstr.)
- Stroup, D. A. Genic induction of a heritable chloroplast variegation in Zea mays. Diss. Abstr. 28: 2732B-2733B. 1968.
- Stuber, C. W. and R. H. Moll. Epistasis in maize (Zea mays L.). I. F₁ hybrids and their S₁ progeny. Crop Sci. 9: 124-127. 1969.
- Styles, E. D. Paramutation in maize seedlings. Canad. J. Genet. Cytol. 10: 762. 1968. (Abstr.)
- Styles, E. D. and R. A. Brink. The metastable nature of paramutable R alleles in maize. IV. Parallel enhancement of R action in heterozygotes with r and in hemizygotes. Genetics 61: 801-811. 1969.
- Tate, S. Genetic analysis of cytoplasmic male sterility in maize and the effect of fertility-restoring genes on agricultural characters. Rep. Hokkaido Prefect. Agric. Exp. Sta.: 90-96. 1966.
- Thomas, W. I. Inheritance and characteristics of differential accumula-tion by maize with particular emphasis on strontium and calcium. Nuclear Sci. Abstr. 22: Abstr. 33712. 1968.

- Thompson, D. L. Quantitative genetic estimates for brown spot resistance in corn. *Crop Sci.* 9: 246-247. 1969.
- Ting, Y. C. Fine structure of the meiotic first prophase chromosomes in haploid and diploid maize. *Genetics* 61 Suppl.: s58. 1969. (Abstr.)
- Tsai, C. Y. and O. E. Nelson. Two additional phosphorylases in developing maize seeds. *Plant Physiol.* 44: 159-167. 1969.
- Tsai, C. Y. and O. E. Nelson. Mutations at the shrunken-4 locus in maize that produce three altered phosphorylases. *Genetics* 61: 813-821. 1969.
- Van de Walle, C. Genetic effects of X-rays on latent maize seeds. Influence of temperature changes on seeds following irradiation. *Bull. Soc. Roy. Sci. Liege* 36: 725-738. 1967.
- Van de Walle, C. Genetic effect of X irradiation on the caryopses of Z. mays. Influence of high temperature treatment before the irradiation on the immediate effect. *Mutation Res.* 7: 35-42. 1969.
- Van de Walt, W. J. and R. A. Brink. Geographic distribution of paramutable and paramutagenic R alleles in maize. *Genetics* 61: 677-695. 1969.
- Van Dyke, C. G. Ultrastructure of host and parasite in compatible and incompatible interactions of Zea mays L. with Puccinia sorghi Schw. *Diss. Abstr.* 29: 444B. 1968.
- Van Dyke, C. G. and A. L. Hooker. The Z reaction in corn to Puccinia sorghi. *Phytopath.* 59: 33-36. 1969.
- Vetturini, M. Maize chromosomes and mutations. *Maydica*, Bergamo 13: Pp. 61. 1968.
- Warner, R. L., J. W. Dudley and R. H. Hageman. Inheritance of nitrate reductase activity in maize. *Agron. Abstr.*, Madison 1967: 23.
- Warner, R. L., R. H. Hageman, J. W. Dudley and R. J. Lambert. Inheritance of nitrate reductase activity in Zea mays L. *P. N. A. S.* 62: 785-792. 1969.
- Weber, D. F. A test of distributive pairing in Zea mays. *Chromosoma* 27: 354-370. 1969.
- Weber, D. F. On the interaction of nonhomologous segments of chromosomes in Zea mays: A. A test for distributive pairing. B. A test for nonhomologous recombination. *Diss. Abstr.* 28: 2276B. 1968.
- Widstrom, N. W. and J. J. Hamm. Combining abilities and relative dominance among maize inbreds for resistance to ear-worm injury. *Crop Sci.* 9: 216-219. 1969.