

V. RECENT MAIZE PUBLICATIONS

- Alimova, G. K. and L. F. Andreeva. A comparative autoradiographic investigation of DNA synthesis in the course of meiosis in the microsporocytes and the cells of the tapetal layer of the anthers in fertile and sterile forms of maize. *Bot. J. Moskva* 54:1705-1716. 1969.
- Amosu, J. O. and A. L. Hooker. Weight loss of mature corn stalk tissue induced by twelve fungi. *Phytopath.* 60:1790-1793. 1970.
- Arias G., C. M. Inheritance of various endosperm mutants in maize, Z. mays L. *Agron. Trop., Venezuela* 19:3-18. 1969.
- Army, D. C., G. L. Worf, R. W. Ahrens and M. F. Lindsey. Yellow leaf blight of maize in Wisconsin: its history and the reactions of inbreds and crosses to the inciting fungus (Phyllosticta sp). *Plant Dis. Repr.* 54:281-285. 1970.
- Ashman, R. B. The compound structure of the R^{st} allele in maize. *Genetics* 64:239-245. 1970.
- Ayers, J. E., R. R. Nelson, C. Koons, and G. L. Scheifele. Reactions of various maize inbreds and single crosses in normal and male-sterile cytoplasm to the yellow leaf blight organism (Phyllosticta sp.). *Plant Dis. Repr.* 54:277-280. 1970.
- Baker, L. H. and R. N. Curnow. Choice of population size and use of variation between replicate populations in plant breeding selection programs. *Crop Sci.* 9:555-560. 1969.
- Banerjee, U. C. Electron micrographs of grass pollen (Tripsacum and Zea) and chlamydospores (Tilletia). *Jour. Palynology* 5(1): i-vi. 1969.
- Banerjee, U. C. and E. S. Barghoorn. Electron microscopy of the tapetal membranes in grasses and the control of the Ubisch bodies (orbicules) on mature exine pattern. *Int. Cong. Pollen and Pollen Phys.* Pullman, Washington. 1969. (Abstr.)
- Banerjee, U. C. and E. S. Barghoorn. Reinvestigation of the ektexine pattern of the pollen grains of cultivated cereal grasses. *Amer. Jour. Bot.* 57:742. 1970. (Abstr.)
- Bansal, R. K. A study of the factors associated with resistance to stalk rot, Diplodia zeae (Schw.) Lev., in corn (Zea mays L.). *Diss. Abstr.* 29:2712B. 1969.
- Barlow, P. W. Mitotic spindle and mitotic cell volumes in the root meristem of Zea mays. *Planta* 91:169-172. 1970.

- Bartlett, A. S., E. S. Barghoorn, and R. Berger. Fossil maize from Panama. *Science* 165:389-390. 1969.
- Bhat, B. K. and N. L. Dhawan. Cytoplasmic variation in geographical races of maize and its effect on quantitative characters. *Indian J. Genet.* 30:446-450. 1970.
- Bhat, B. K. and N. L. Dhawan. Threshold concentration of plasmonsensitive polygenes in the expression of quantitative characters of maize. *Theoret. Appl. Genet.* (in press)
- Bhat, B. K. and N. L. Dhawan. The role of cytoplasm in the manifestation of quantitative characters of maize. *Genetica* 42. (in press)
- Bianchi, A., M. R. Parlavecchio, and F. Restaino. Behavior and linkage relationship of gametophyte factors in chromosome 9 of maize. *Genet. Agr.* 22:345-361. 1970.
- Bianchi, A., F. Salamini, and M. R. Parlavecchio. On the origin of controlling elements in maize. *Genet. Agr.* 22:335-344. 1970.
- Bljandur, O. V. A study of mutations isolated in the second generation from the combined action of ionizing radiation and chemical mutagens. *Trans. Kisinev Agric. Inst.* 45:158-163. 1966.
- Borovskij, M. I. and A. E. Kovarskij. Intergeneric hybridization of maize with Tripsacum (T. dactyloides). *Bull. Acad. Sci. Moldav. SSR No.* 11:25-35. 1967.
- Brink, R. A., J. L. Kermicle, and N. K. Ziebur. Derepression in the female gametophyte in relation to paramutant R expression in maize endosperms, embryos, and seedlings. *Genetics* 66:87-96. 1970.
- Brown, A. H. D. and R. W. Allard. Estimation of the mating system in open-pollinated maize populations using isozyme polymorphisms. *Genetics* 66:133-145. 1970.
- Byrka, S. G. Ultrasonic waves as a mutagenic factor. *Trans. Kisinev Agric. Inst.* 46:102-104. 1967.
- Cameron, J. W., H. Johnson, O. C. Taylor, and H. W. Otto. Differential susceptibility of sweet corn hybrids to field injury by air pollution. *Hort. Science* 5:217-219. 1970.
- Carlson, W. R. Cytogenetic studies with translocations involving the B chromosome of maize. *Diss. Abstr.* 29:3620B-3621B. 1969.
- Carlson, W. R. Nondisjunction and isochromosome formation in the B chromosome of maize. *Chromosoma* 30:356-365. 1970.
- Cerny, J. The effect of chronic irradiation of plants and acute irradiation of dry seeds on the variability of Z. mays L. *Genetika a Slechteni* 5:263-270. 1969.

- Chang, S. C. Studies on the inheritance of resistance to Sclerospora sacchari in maize. Rep. Corn Res. Cent. Tainan DAIS No. 6:1-6. 1968. (Chinese)
- Chang, S. C. Location of genes for resistance to Sclerospora sacchari in maize by the use of chromosome-translocation stocks. Rep. Corn Res. Cent. Tainan DAIS No. 7:1-6. 1969. (Chinese)
- Chi, R. K., S. A. Eberhart, and L. H. Penny. Covariances among relatives in a maize variety (Zea mays L.). Genetics 63:511-520. 1970.
- Costa-Rodrigues, L. Races of maize in Portugal. Agronomia lusit. 31. 1969.
- Craig, J. and J. M. Fajemisin. Inheritance of chlorotic lesion resistance to Helminthosporium maydis in maize. Plant Dis. Repr. 53:742-743. 1969.
- Dankov, T. and M. Stoilov. On the problem of the genetic nature of cytoplasmic male sterility in maize and its use in hybrid seed production. Genet. and Pl. Breed. 2:369-383. 1969. (Bulgarian)
- Das, L. V. D. Chromosome associations in diploid and autotetraploid Zea mays Linn. Cytologia 35:259-261. 1970.
- Das, L. D. V. Intergeneric crosses between sugarcane and maize: embryological studies. J. Hered. 61:288-290. 1970.
- De Wet, J. M. J., R. J. Lambert, J. R. Harlan, and S. M. Naik. Stable triploid hybrids among Zea-Tripsacum-Zea backcross populations. Caryologia 23:183-187. 1970.
- Dollinger, E. J., W. R. Findley, and L. E. Williams. Resistance inheritance to maize dwarf mosaic virus in maize (Zea mays L.). Crop Sci. 10:412-415. 1970.
- Dunn, G. M. and T. Namm. Gene dosage effects on monogenic resistance to northern corn leaf blight. Crop Sci. 10:352-354. 1970.
- Dzjuba, V. A. Study of the collection of tetraploid maize. Trans. Appl. Bot. Genet. Pl. Breed. 41:80-89. 1969.
- Eastin, J. A. Leaf position and leaf function in corn--carbon-14 labeled photosynthate distribution in corn in relation to leaf position and leaf function. Proc. 24th Ann. Corn and Sorghum Res. Conf., A. S. T. A. 1969.
- Eastin, J. A. C-14 labeled photosynthate export from fully expanded corn (Zea mays L.) leaf blades. Crop Science 10:415-418. 1970.
- Eberhart, S. A. Yield stability of single cross genotypes. Proc. 24th Ann. Corn and Sorghum Res. Conf. 24:22-35. 1969.

- Efron, Y. Genetic research of acid phosphatase isozymes in maize. Res. Rep. Hebrew Univ. Jerusalem 1:542-543. 1969. (Abstr.)
- Efron, Y. Tissue specific variation in the isozyme pattern of the AP₁ acid phosphatase in maize. Genetics 65:575-583. 1970.
- Efron, Y. Alcohol dehydrogenase in maize: genetic control of enzyme activity. Science 170:751-753. 1970.
- Efron, Y. Differences between maize inbreds in the activity level of the AP₁ controlled acid phosphatase. Biochem. Genetics 5:33-44. 1971.
- Feist, W. A. and R. J. Lambert. Changes in six different opaque-2 genotypes of Zea mays L. during successive generations of backcrossing. Crop Sci. 10:663-665. 1970.
- Ficsor, G., F. C. Janca, and C. Van Hook IV. Tests for mutagenicity using nitrosoguanidine, DDT, and captan in maize. Newsletter of the Environmental Mutagen Society 3:38. 1970. (Abstr.)
- Finnegan, D. J. Genetically controlled electrophoretic variants of a starch-degrading enzyme in Zea mays. Austr. J. Biol. Sci. 22:1055-1059. 1969.
- Francis, C. A. Modification of the Ozalid paper technique for measuring integrated light transmission values in the field. Crop Sci. 10:321-322. 1970.
- Francis, C. A. Effective day lengths for the study of photoperiod sensitive reactions in plants. Agron. J. 62:790-792. 1970.
- Francis, C. A., D. Sarria V., D. D. Harpstead, and C. Cassalet D. Identification of photoperiod insensitive strains of maize (Zea mays L.) II. Field tests in the tropics with artificial lights. Crop Sci. 10:465-468. 1970.
- Fujii, T. Whole and partial mutations induced in the developing embryo of maize by X-rays. Rep. Kihara Inst. Biol. Res. No. 20:55-61. 1968.
- Galinat, W. C. The cupule and its role in the origin and evolution of maize. Mass. Agr. Exp. Sta. Bul. 585. 1970.
- Galinat, W. C. Maize from the Blain site. In Blain Village and the Fort Ancient Tradition in Ohio (O. H. Pruffer and O. C. Shane III, Eds.) Kent State Univ. Press. 1970.
- Galinat, W. C., T. R. Reinhart, and T. R. Frisbie. Early eight-rowed maize from the Middle Rio Grande Valley, New Mexico. Harvard Univ. Bot. Mus. Leaflets 22:313-331. 1970.
- Gardner, C. O. Mutation studies involving quantitative traits. Gamma Field Symposia 7:57-77. 1968.
- Gardner, C. O. Genetic variation in irradiated and control populations of corn after ten cycles of mass selection for high grain yield. In Induced Mutations in Plants, Int. Atomic Energy Agency, Vienna, Austria. pp. 469-477. 1969.

- Gardner, C. O. The role of mass selection and mutagenic treatment in modern corn breeding. Proc. 24th Ann. Corn and Sorghum Res. Conf., A. S. T. A. 24:15-21. 1969.
- Gardner, C. O. Influence of mass selection and thermal neutron irradiation on means and cumulative gene effects in a variety of corn (Zea mays L.). Diss. Abstr. 29:2263B. 1969.
- Garwood, D. L., E. J. Weber, R. J. Lambert, and D. E. Alexander. Effect of different cytoplasms on oil, fatty acids, plant height, and ear height in maize (Zea mays L.). Crop Sci. 10:39-41. 1970.
- Gelinas, D. A. A study of indoleacetic acid oxidase inhibitors in normal and knotted maize plants. Diss. Abstr. 29:4060B. 1969.
- Gelinas, D. and S. N. Postlethwait. IAA oxidase inhibitors from normal and mutant maize plants. Plant Physiol. 44:1553-1559. 1969.
- Ghobrial, H. K. G. Studies of recombination in heterozygotes for single and multiple chromosomal interchanges in maize (Zea mays L.). Diss. Abstr. 29:2755B. 1969.
- Glover, D. V. Location of a gene in maize conditioning a reduced plant stature. Crop Sci. 10:611-612. 1970.
- Goldman, S. L. An investigation into the nature of the mechanism of genetic recombination in maize. Diss. Abstr. 29:2755B. 1969.
- Goldman, S. L. and E. H. Coe, Jr. Region-specific recombination in the an₁-bz₂ interval in maize. Canad. J. Genet. Cyt. 12:882-891. 1970.
- Golynskaja, E. L., N. F. Bezrucko, T. M. Grigorenko and N. Koman. Possibility of prognosis of heterosis on the basis of a study of hybrid embryos in maize. Cytology and Genetics, Kiev 1(3):38-50. 1967.
- Grogan, C. O. The inheritance of cold resistance in plants. Soc. for Cryobiology. Proc. 7th Ann. Mtng, Los Angeles, Calif. 1970.
- Grogan, C. O. Genetic variability in maize (Zea mays L.) for germination and seedling vigor at low temperatures. Proc. 25th Ann. Corn and Sorghum Ind.-Res. Conf. 1970.
- Grogan, P. W. and D. S. Tealke. Resistance of some Australian inbred maize lines to maize dwarf mosaic disease. Austr. J. Exp. Agric. Anim. Husb. 9:541-546. 1969.
- Guthrie, W. D., J. L. Huggans and S. M. Chatterji. Influence of corn pollen on the survival and development of second-brood larvae of the European corn borer. Iowa St. J. Sci. 44:185-192. 1969.

- Hallauer, A. R. Genetic variability for yield after four cycles of reciprocal recurrent selections in maize. *Crop Sci.* 10:482-485. 1970.
- Hallauer, A. R. Corn breeding--the key to the future. Proc. 22nd Ann. Fertilizer and Ag. Chem. Dealers Conf. 22:10.1-10.10. 1970.
- Hallauer, A. R. Zygote selection for the development of single-cross hybrids in maize. *Adv. Frontiers of Plant Sci.* 25:75-81. 1970.
- Hallauer, A. R. and S. A. Eberhart. Reciprocal full-sib selection. *Crop Sci.* 10:315-316. 1970.
- Hanson, G. P. B-chromosome-stimulated crossing over in maize. *Genetics* 63:601-609. 1969.
- Harlan, J. R., J. M. J. De Wet, S. M. Naik and R. J. Lambert. Chromosome pairing within genomes in maize-Tripsacum hybrids. *Science* 167:1247-1248. 1970.
- Harris, J. W. Genetic and biochemical studies on isozymes of the E₄ esterase in maize. *Diss. Abstr.* 29:3209B. 1969.
- Helm, J. L., D. V. Glover, and M. S. Zuber. Effect of endosperm mutants on pericarp thickness in corn. *Crop Sci.* 10:105-107. 1970.
- Hooker, A. L., D. R. Smith, S. M. Lim, and J. B. Beckett. Reaction of corn seedlings with male-sterile cytoplasm to Helminthosporium maydis. *Plant Disease Repr.* 54:708-712. 1970.
- Hooker, A. L., D. R. Smith, S. M. Lim, and M. D. Musson. Physiological races of Helminthosporium maydis and disease resistance. *Plant Disease Repr.* 54:1109-1110. 1970.
- Hornbrook, A. R. and C. O. Gardner. Genetic study of "necrotic leaf spot" mutation induced in an inbred line of maize (Zea mays L.) by thermal neutron irradiation of seed. *Radiation Botany* 10:113-117. 1970.
- Jellum, M. D. Plant introductions of maize as a source of oil with unusual fatty acid composition. *J. Agr. Food Chem.* 18:365-370. 1970.
- Jellum, M. D. Developmental changes in fatty acid composition of oil in kernel fractions of corn (Zea mays L.). *J. Am. Oil Chemists' Soc.* 47:245-248. 1970.
- Jellum, M. D. Fatty acid composition of oil from four kernel fractions of corn (Zea mays L.). *Cereal Chem.* 47:549-558. 1970.
- Jellum, M. D. and C. W. Kuhn. Yield performance and disease evaluation of corn hybrids in Georgia. *Georgia Agr. Exp. Sta. Res. Report* 93. 18 pp. 1970.

- Jimenez, J. R. The effect of the opaque-2 and floury-2 genes on the production of protein in maize endosperm. Diss. Abstr. 29:4048B. 1969.
- Johnson, G. R. Analysis of genetic resistance to maize dwarf mosaic disease. Crop Sci. 11:23-25. 1971.
- Judin, B. F. The effect of autotetraploidization on the capacity of maize for apomixis and polyembryony. News Siber. Sect. USSR Acad. Sci. 3:125-126. 1967.
- Kermicle, J. L. Pleiotropic effects on seed development of the indeterminate gametophyte gene in maize. Amer. J. Bot. 58:1-7. 1971.
- Kermicle, J. L. Somatic and meiotic instability of R-stippled, an aleurone spotting factor in maize. Genetics 64:247-258. 1970.
- Kermicle, J. L. Dependence of the R-mottled aleurone phenotype in maize on mode of sexual transmission. Genetics 66:69-85. 1970.
- Kirby, L. T. and E. D. Styles. Flavonoids associated with specific gene action in maize aleurone, and the role of light in substituting for action of a gene. Canad. J. Genet. Cyt. 12:934-941. 1970.
- Klun, J. A., W. D. Guthrie, A. R. Hallauer, and W. A. Russell. Genetic nature of the concentration of 2,4-dihydroxy-7-methoxy 2H-1, 4-benzoxazin-3(4H)-one and resistance to the European corn borer in a diallel set of eleven maize inbreds. Crop Sci. 10:87-90. 1970.
- Konarev, V. G., J. V. Peruanskij, and A. J. Rubcenja. Zein of the opaque-2 maize mutant and the possibilities of manifestation of the mutant gene in hybrids. Rep. All-Un. Lenin Acad. Agric. Sci. No. 9:28-31. 1969.
- Koul, A. K. Pollen polymorphism in Zea mays L. Sci. and Cult. 35:103-104. 1969.
- Kovacs, I. (Editor) Some methodological achievements of the Hungarian hybrid maize breeding. Akademiai Kiado, Budapest. pp. 385. 1970.
- Kravcenko, A. N. and L. A. Kulakova. The initial effect of high doses of γ rays and certain chemical mutagens on the morphological characteristics of maize. Trans. Kisinev Agric. Inst. 45:138-141. 1966.
- Kuhn, C. W. and M. D. Jellum. Evaluations for resistance to corn stunt and maize dwarf mosaic diseases in corn. Georgia Agr. Exp. Sta. Res. Bull. 82. 37 pp. 1970.
- Lambert, R. J. and D. E. Cochran. Use of R alleles in obtaining the modified protein double mutant (opaque-2, floury-2) in Zea mays L. Crop Sci. 10:715-716. 1970.

- Lim, S. M., A. L. Hooker, and J. D. Paxton. Isolation of phytoalexins from corn with monogenic resistance to Helminthosporium turcicum. *Phytopath.* 60:1071-1075. 1970.
- Lorenzoni, C. Fattori gametofitici nelle popolazioni di mais italiane. *Genet. Agr.* 22:309-321. 1970.
- Lysikov, V. N. and A. N. Kravcenko. A study of certain maize forms obtained as a result of γ irradiation. *Trans. Kisinev Agric. Inst.* 45:112-125. 1966.
- Lysikov, V. N. and Z. A. Orinstejn. Comparative efficiency of action of mutagenic treatments on susceptibility of maize to maize smut in the year of treatment. *Trans. Kisinev Agric. Inst.* 45:199-202. 1966.
- Lysikov, V. N., P. L. Brik and Ju. M. Bezgubov. Electron-microscopic research on some reproductive and vegetative organs of a triploid-like mutant of maize. *Trans. Kisinev Agric. Inst.* 46:40-48. 1967.
- Lysikov, V. N., A. I. Konotop and O. V. Bljandur. First findings on the feasibility of utilizing chemomutant sublines in a synthesis of simple hybrids in maize. *Trans. Kisinev Agric. Inst.* 46:141-148. 1967.
- Lysikov, V. N., A. N. Konotop, O. V. Bljandur, and S. G. Byrka. The breeding of inbred lines of maize with cytoplasmic male sterility by experimental mutagenesis. *Trans. Kisinev Agric. Inst.* 46:65-71. 1967.
- Maguire, M. P. Non-random metaphase I orientation of the chromosomes of a trivalent. *Genetica* 41:361-368. 1970.
- Maguire, M. P. Heterogeneity in interallelic recombination in maize. *Genetics* 64:40. 1970. (Abstr.)
- Maguire, M. P. Induced abnormalities of synapsis, chromosome contraction and loss of chiasmatic association following crossing over. *J. Cell Biol.* 47:126a. 1970. (Abstr.)
- Maleckij, S. I. A new allele of the gametophyte gene in the fourth chromosome of maize. *Genetika, Moskva* 6:14-20. 1970.
- Mangelsdorf, P. C. Cryptic genes for "tripsacoid" characteristics in Maiz amargo of Argentina and other Latin American varieties. *Bol. Soc. Arg. Bot.* 12:180-187. 1968.
- Manoliu, M. and T. Pirvu. Investigations on linkage and factorial recombination in maize. *Lucrar. sti Inst. Agron. N. Balcescu, Bucuresti* 10:49-58. 1967.

- Manoliu, M. and T. Pirvu. Examination of the phenomenon of linkage and factorial exchange in maize. II. Lucrar. sti. Inst. Agron. N. Balcescu, Bucuresti 11:43-53. 1968.
- Marques-Sanchez, F. and A. R. Hallauer. Influence of sample size on the estimation of genetic variances in a synthetic variety of maize. I. Grain yield. Crop Sci. 10:357-361. 1970.
- Marques-Sanchez, F. and A. R. Hallauer. Influence of sample size on the estimation of genetic variances in a synthetic variety of maize. II. Plant and ear characters. Iowa State J. Sci. 44:423-436. 1970.
- Matosko, I. V. and N. V. Turbin. Some biochemical properties of heterotic maize plants. Dokl. Akad. Nauk BSSR 10(6):417-420. 1966.
- Michel, K. E. A test for "affinity" in maize. Heredity 25:133-137. 1970.
- Michel, K. E. and C. R. Burnham. The behavior of nonhomologous univalents in double trisomics in maize. Genetics 63:851-864. 1969.
- Miku, V. E. A new form of male sterility in maize: absence of tassel. Genetika, Moskva 6:21-27. 1970.
- Mock, J. J. and K. J. Frey. Leaf number--an index of meiosis in corn (Zea mays L.). Crop Sci. 10:659-661. 1970.
- Molot, P. M. Studies on the resistance of maize to diseases due to Helminthosporium and Fusarium. II. Resistance factors. Ann. Phytopath. 1:353-366. 1969.
- Mottinger, J. P. The effects of X-rays on the bronze and shrunken loci in maize. Diss. Abstr. 29:3223B-3224B. 1969.
- Mottinger, J. P. The effects of X-rays on the bronze and shrunken loci in maize. Genetics 64:259-271. 1970.
- Mouli, C. Mutagen-induced dichotomous branching in maize. J. Hered. 61:150. 1970.
- Mouli, C., N. K. Notani, and A. R. Gopal-Ayengar. A case of aberrant transmission of genetic factors on the short arm of chromosome 9 in maize. Canad. J. Genet. Cyt. 12:259-264. 1970.
- Mouli, C. and N. K. Notani. Absence of a detectable change in DS at the A₁ locus in maize following mutagenic treatments. Canad. J. Genet. Cyt. 12:436-443. 1970.
- Murray, H. T. Differentiation of the metaxylem vessels of the wilted mutant of Zea mays. Diss. Abstr. 29:4064B. 1969.

- Namm, T. Gene dosage effects on monogenic chlorotic lesion resistance to northern corn leaf blight. Diss. Abstr. 29:2305B. 1969.
- Nass, H. G. and P. L. Crane. Effects of endosperm genes on dry matter accumulation and moisture loss in corn (Zea mays L.). Crop Sci. 10:276-280. 1970.
- Nass, H. G. and P. L. Crane. Effect of endosperm mutants on germination and early seedling growth rate in maize (Zea mays L.). Crop Sci. 10:139-140. 1970.
- Nass, H. G. and P. L. Crane. Effect of endosperm mutants on drying rate in corn (Zea mays L.). Crop Sci. 10:141-144. 1970.
- Oberst, V. M. and T. S. Calyk. Production of chimerical plants of maize by means of colchicine. Cytology and Genetics, Kiev 2:510-516. 1968.
- Paez, A. V., J. P. Ussary, J. L. Helm, and M. S. Zuber. Survey of maize strains for lysine content. Agron. J. 61:886-889. 1969.
- Palilova, A. N., N. V. Turbin, and N. V. Atrasenok. Electron-microscope study of the ovules of inbred lines of maize with different types of cytoplasm. Rep. Acad. Sci. USSR 176:202-204. 1967.
- Paterniani, E. Selection for reproductive isolation between two populations of maize, Zea mays L. Evolution 23:534-547. 1969.
- Peterson, P. A. Controlling elements and mutable loci in maize: their relationship to bacterial episomes. Genetica 41:33-56. 1970.
- Pfahler, P. L. In vitro germination and pollen tube growth of maize (Zea mays) pollen. III. The effect of pollen genotype and pollen source vigor. Canad. J. Bot. 48:111-115. 1970.
- Piva, G., F. Salamini, and E. Santi. Protein characteristics and nutritive value of maize which is homozygous for the opaque-2 allele, isolated from an Italian population. Ann. Fac. Agrar. Bari 8:175-188. 1968.
- Pollacsek, M. Effect of a dominant suppressor gene on the expression of opaque-2 gene in maize. Ann. de l'Amelioration des Plantes 20(3): 337-345. 1970.
- Poneleit, C. G. and L. F. Bauman. Diallel analysis of fatty acids in corn (Zea mays L.) oil. Crop Sci. 10:338-342. 1970.
- Rakha, F. A. Production and genetic analysis of new A-B translocations in maize. Diss. Abstr. 29:3212B. 1969.
- Rakha, F. A. and D. S. Robertson. A new technique for the production of A-B translocations and their use in genetic analysis. Genetics 65:223-240. 1970.

- Rautou, S. Test rapide d'appréciation de la teneur en lysine du grain de maïs "opaque 2". Eucarpia, Cinquième Réunion de la Section "Maïs et Sorgho". Budapest-Martonvasar, Sept. 1969.
- Reddy, G. M. and B. V. Ramasastri. Amino-acid composition of Indian maize varieties. Indian J. Genet. 27:461-464. 1967.
- Roth, L. S., G. C. Marten, W. A. Compton, and D. D. Stuthman. Genetic variation of quality traits in maize (Zea mays L.) forage. Crop Sci. 10:365-368. 1970.
- Russell, W. A. and S. A. Eberhart. Effects of three gene loci in the inheritance of quantitative characters in maize. Crop Sci. 10:165-169. 1970.
- Salamini, F., B. Borghi, and C. Lorenzoni. The effect of the opaque-2 gene on yield in maize. Euphytica 19:531-538. 1970.
- Salamini, F. and C. Lorenzoni. Genetical analysis of glossy mutants of maize. III. Intracistron recombination and high negative interference at the gl₁ locus. Molec. Gen. Genetics 108:225-232. 1970.
- Sastry, G. R. K. Paramutation and mutation of R^{ch} in maize. Theoretical and Applied Genetics 40:185-190. 1970.
- Sastry, G. R. K. Instability of the Pl gene in maize. Heredity 25:498. 1970. (Abstr.)
- Schwartz, D. An example of gene fixation resulting from selective advantage in suboptimal conditions. Amer. Nat. 103:479-481. 1969.
- Scott, G. E., E. E. Rosenkranz, and L. R. Nelson. Host reaction to maize dwarf mosaic virus from Mississippi and Ohio. Plant. Dis. Repr. 53:933-935. 1969.
- Semenov, V. J., E. V. Semenova and L. F. Kapicyna. A study of the nature of chromosome pairing and of aneuploidy in connection with fertility in autotetraploid maize. Genetika, Moskva 5:67-83. 1969.
- Sereverja, N. I. and N. I. Ekkerman. Heterosis in maize in connection with double fertilization in higher plants. Cytology and Genetics, Kiev 2:119-126. 1968.
- Shih, K. L. Effects of ionizing irradiation on paramutation at the R locus in maize. Diss. Abstr. 29:891B. 1968.
- Shih, K. and R. A. Brink. Effects of x-irradiation and gamma irradiation on paramutation in R heterozygotes in maize. Genetics 65:473-482. 1970.

- Sidenko, L. E. Pathogenicity of the fungus causing maize smut. Trans. Har'kov Agric. Inst. 50:54-57. 1966.
- Singleton, W. R. Mutations induced by treating maize seeds with thermal neutrons. from "Induced Mutations in Plants". Int. Atomic Energy Agency, Vienna. 1969.
- Sleper, D. A. and W. A. Russell. Interrelationships among several stalk characteristics in maize and their significance in resistance to natural stalk breakage. Iowa State J. Sci. 45:197-209. 1970.
- Smith, D. R., A. L. Hooker, and S. M. Lim. Physiologic races of Helminthosporium maydis. Plant Disease Repr. 54:819-822. 1970.
- Sreeramulu, C. and L. F. Bauman. Yield components and protein quality of opaque-2 and normal diallel of maize. Crop Sci. 10:262-265. 1970.
- Sreeramulu, C., L. F. Bauman, and G. Roth. Effect of outcrossing on protein quality, kernel weight, and related characters in opaque-2 and floury-2 maize (Zea mays L.). Crop Sci. 10:235-237. 1970.
- Strel'cuk, S. I. Combined use of induced mutations and polyploidy in breeding plants. Cytology and Genetics, Kiev 2:501-506. 1968.
- Stroup, D. Genic induction and maternal transmission of variegation in Zea mays. J. Hered. 61:139-141. 1970.
- Stuber, C. W. and R. H. Moll. Epistasis in maize (Zea mays L.). II. Comparison of selected with unselected populations. Genetics 67: 137-149. 1971.
- Styles, E. D. Functionally duplicate genes conditioning anthocyanin formation in maize. Canad. J. Genet. Cyt. 12:397. 1970. (Abstr.)
- Styles, E. D. Paramutation of the R locus in maize trisomics and comparison of paramutation systems in maize and tomato. Canad. J. Genet. Cyt. 12:941-947. 1970.
- Suman, Ju. M. Obtaining an original maize mutant as a result of strychnine treatment of the intergeneric hybrid maize x teosinte. Trans. Kisinev Agric. Inst. 45:142-144. 1966.
- Thomas, J. P. The inheritance of modifier genes influencing amylose synthesis in maize. Diss. Abstr. 29:2764B. 1969.
- Tyrnov, V. S., V. A. Lavrovskij, and N. H. Enaleeva. The level of spontaneous chromosome aberrations in maize haploids. Genetika, Moskva 5:150-151. 1969.
- Van Dyke, C. G. and A. L. Hooker. Ultrastructure of host and parasite in interactions of Zea mays with Puccinia sorghi. Phytopath. 59:1934-1946. 1969.

- Vera, G. A. and P. L. Crane. Effects of selection for lower ear height in synthetic populations of maize. *Crop Sci.* 10:286-288. 1970.
- Wanjari, M. R. and N. W. Widstrom. Chromosome knobs and resistance to Heliothis zea in maize inbreds. *J. Hered.* 61:171-173. 1970.
- Warner, R. L. Inheritance of nitrate reductase activity and characterization of nitrate reductase in Zea mays. *Diss. Abstr.* 29:3629B. 1969.
- Weber, D. F. An attraction between nonhomologous univalent chromosomes and further tests of distributive pairing in Zea mays. *Genetics* 64:s65. 1970. (Abstr.)
- Widstrom, N. W., W. J. Wiser and L. F. Bauman. Recurrent selection in maize for earworm resistance. *Crop Sci.* 10:674-677. 1970.
- Wilkes, H. G. Teosinte introgression in the maize of the Nobogame Valley. *Bot. Mus. Leaflets* 22:297-311. 1970.
- Zoludzeva, V. P. and A. M. Palilava. A complex study of the genotype, cytoplasm and factors maintaining sterility in the formation of cytoplasmic male sterility in maize. *News Acad. Sci. BSSR No. 1:* 44-51. 1966.
- Zuber, M. S., M. L. Fairchild, A. J. Keester, V. L. Ferguson, G. F. Krause, E. Hilderbrand, and P. J. Loesch, Jr. Evaluation of 10 generations of mass selection for corn earworm resistance. *Crop Sci.* 11:16-19. 1971.