

Requests for seed and correspondence relative to the stock program should be addressed to:

Dr. R. J. Lambert  
 S-116 Turner Hall  
 Department of Agronomy  
 University of Illinois  
 Urbana, Illinois 61801

### Catalogue of Stocks

#### Chromosome 1

sr zb P-WW  
 sr P-WR  
 sr P-WR an gs bm2  
 sr P-WR an bm2  
 sr P-RR gs bm2  
 sr P-WR bm2  
 vp5  
 zb4 ms17 P-WW  
 zb4 ts2 P-WW br f bm2  
 zb4 ts2 P-WW bm2  
 zb4 P-WW  
 zb4 P-WW br  
 zb4 P-WW br f bm2  
 zb4 P-WW bm2  
 ts2 P-RR  
 ts2 P-WW br bm2  
 ts2 P-WW bm2  
 P-CR  
 P-RR  
 P-RW  
 P-CW  
 P-MO  
 P-VV  
 P-RR as br f an gs bm2  
 P-RR br f an gs bm2  
 P-RR an ad bm2  
 P-RR an gs bm2  
 P-RR ad bm2  
 P-WR an Kn bm2  
 P-WR an ad bm2  
 P-WR an bm2  
 P-WR ad bm2  
 P-WR br Vg  
 P-WR br f gs bm2  
 P-WW rs2  
 P-WW rs2 br f  
 P-WW as br f bm2  
 P-WW hm br f  
 P-WW br f ad bm2

#### Chromosome 1 (continued)

P-WW br f bm2  
 P-WW br f an gs bm2  
 as  
 as rs2  
 rd-Hy  
 br f  
 br f Kn  
 br f Kn Ts6  
 br f Kn bm2  
 br bm2  
 Vg  
 Vg an bm2  
 Vg br2 bm2  
 v22  
 bz2 m ; A A2 C Pr  
 bz2 M ; A A2 C R Pr  
 an bm2  
 an-bz2-6923 (apparent deficiency  
 including an and bz2)  
 br2  
 br2 bm2  
 tb-8963  
 Kn  
 Kn Ts6  
 1w  
 vp8  
 gs bm2  
 Ts6  
 bm2  
 id  
 nec2  
 ms9  
 ms12  
 ms14  
 mi  
 D8  
 TB-1a (1L.20)  
 TB-1b (1S.05)

Chromosome 2

ws3 lg g12 B  
 ws3 lg g12 B sk  
 ws3 lg g12 B sk f1 v4  
 ws3 lg g12 B ts  
 ws3 lg g12 b  
 ws3 lg g12 b sk f1 v4  
 ws3 lg g12 f1 v4  
 ws3 lg g12 b ts  
 ws3 lg g12 b v4  
 al  
 al lg  
 al lg g12 B sk v4  
 al lg g12 b sk v4  
 lg  
 lg g12 B  
 lg g12 B g111  
 lg g12 B gs2  
 lg g12 B gs2 v4  
 lg g12 B gs2 Ch  
 lg g12 B sk v4  
 lg g12 B v4  
 lg g12 b  
 lg g12 b gs2  
 lg g12 b gs2 sk Ch  
 lg g12 b gs2 v4  
 lg g12 b gs2 v4 Ch  
 lg g12 b sk  
 lg g12 b sk f1 v4  
 lg g12 b sk v4  
 lg g12 b wt v4  
 lg g12 b f1 v4  
 lg g12 b f1 v4 Ch  
 lg g12 b v4  
 lg g12 b v4 Ch  
 lg g12 wt  
 lg g12 w3  
 lg g12 w3 Ch  
 lg b gs2 v4  
 lg Ch  
 d5 = d\*-037-9  
 B g111  
 B ts  
 g111  
 wt  
 mn  
 f1  
 ts  
 v4  
 w3  
 w3 Ht  
 w3 Ch

Chromosome 2 (continued)

Ht (A & B source)  
 ba2  
 R2 ; r A A2 C  
 Ch  
 TB-2 6270 (2S)  
 TB-2 4463 (2L)  
 Primary Trisomic 2  
Chromosome 3  
 cr  
 cr d  
 cr d Lg3  
 cr ts2 na  
 cr ts4 na  
 d-Tall = d\*-6016  
 d rt Lg3  
 d Rf lg2  
 d ys3  
 d ys3 Rg  
 d Lg3  
 d Rg ts4 lg2  
 d pm  
 d ts4 lg2  
 d ts4 lg2 a-m ; A2 C R Dt  
 ra2  
 ra2 ys3 Lg3 Rg  
 ra2 ys3 Rg  
 ra2 Rg lg2  
 ra2 pm lg2  
 ra2 lg2  
 Cg  
 cl  
 cl ; Clm-2  
 cl ; Clm-3  
 cl-p ; Clm-4  
 rt  
 ys3  
 ys3 Lg3  
 ys3 g16 lg2 a-m et ; A2 C R Dt  
 ys3 ts4  
 Lg3  
 Lg3 Rg  
 g16 lg2 A ; A2 C R  
 g16 lg2 A-b et ; A2 C R Dt  
 g16 lg2 a-m et ; A2 C R dt  
 g16 lg2 a-m et ; A2 C R Dt  
 ts4  
 ts4 ba na  
 ts4 lg2 a-m ; A2 C R Dt  
 ts4 lg2 g17  
 ts4 na a-m et ; A2 C R Dt

Chromosome 3 (continued)

ts4 a-m ; A2 C R Dt  
 ba  
 y10  
 lg2 A-b et ; A2 C R Dt  
 lg2 a-m sh2 et ; A2 C R Dt  
 lg2 a-m et ; A2 C R dt  
 lg2 a-m et ; A2 C R Dt  
 lg2 a-st sh2 et ; A2 C R Dt  
 lg2 a-st et ; A2 C R Dt  
 na  
 A sh2 ; A2 C R B P1 dt  
 A-d31 ; A2 C R  
 A-d31 ; A2 C R pr dt  
 A-d31 ; A2 C R B P1 dt  
 A-d31 ; A2 C R Dt  
 A-d31 ; A2 C R pr Dt  
 A-d31 sh2 ; A2 C R B P1 dt  
 A-d31 sh2 ; A2 C R Dt  
 A-d31 sh2 ; A2 C R B P1 Dt  
 A-d31 et ; A2 C R Dt  
 A-m ; A2 C R dt  
 a-m ; A2 C R B P1 dt  
 a-m ; A2 C R Dt  
 a-m ; A2 C R B P1 Dt  
 a-m sh2 ; A2 C R B P1 dt  
 a-m sh2 ; A2 C R B P1 Dt  
 a-m et ; A2 C R Dt  
 a-st ; A2 C R Dt  
 a-st sh2 ; A2 C R Dt  
 a-st sh2 et ; A2 C R Dt  
 a-st et ; A2 C R Dt  
 a-p et ; A2 C R dt  
 a-p et ; A2 C R B P1 Dt  
 a-x1  
 a Ga7 ; A2 C R  
 sh2  
 vp  
 Rp3  
 g112  
 TB-3a (3L.10)  
 TB-3b(3S.50)  
 Primary Trisomic 3

Chromosome 4

Rp4  
 Ga  
 Ga su  
 Ga-S  
 Ga-S bt2  
 st  
 st Ts5  
 st f12

Chromosome 4 (continued)

st Ts5 su  
 Ts5  
 Ts5 f12  
 Ts5 su  
 Ts5 su zb6  
 Ts5 su zb6 o  
 Ts5 Tu  
 la su Tu g13  
 la su g13  
 la su g13 c2 ; A A2 C R  
 la su g13 o  
 f12  
 f12 su  
 su  
 su-am  
 su bm3  
 su zb6  
 su zb6 Tu  
 su zb6 C2-Idf (Active-1) ; A A2 C R  
 su g14  
 su g14 Tu  
 su g14 j2  
 su g14 o  
 su j2  
 su g13  
 su g13 o  
 su o  
 bt2  
 bt2 g14  
 bt2 g14 j2  
 g14  
 Tu  
 Tu-1 1st  
 Tu-1 2nd  
 Tu-d  
 Tu-md  
 Tu g13  
 j2  
 j2 c2 ; A A2 C R  
 j2 C2 ; A A2 C R  
 v8  
 g13  
 g13 dp  
 c2 ; A A2 C R  
 C2 ; A A2 C R  
 C2-Idf (Active-1) ; A A2 C R  
 v17  
 g17  
 ra3  
 TB-4a (4S.20)  
 TB-4 4692 (4L)  
 Primary Trisomic 4

Chromosome 5

lu  
 lu sh4  
 ms13  
 g117  
 g117 A2 pr ; A C R  
 g117 a2 ; A C R  
 A2 vp7 pr ; A C R  
 A2 bm pr ; A C R  
 A2 bm pr ys ; A C R  
 A2 bm pr ys eg ; A C R  
 A2 bt pr ; A C R  
 A2 bt pr ys ; in A C R  
 A2 v3 pr ; A C R  
 A2 pr na2 ; A C R  
 A2 pr ys ; A C R  
 a2 ; A C R  
 a2 ; A C R B P1  
 a2 bm bt bv pr ; A C R  
 a2 bm bt pr ; A C R  
 a2 bm bt pr ys ; A C R  
 a2 bm pr ys ; A C R  
 a2 bm pr v2 ; A C R  
 a2 bt v3 pr ; A C R  
 a2 bt pr ; A C R  
 a2 bt v2 ; A C R  
 a2 v3 pr ; A C R  
 a2 pr ; A C R  
 vp2  
 vp2 g18  
 vp7  
 bm yg  
 bt  
 ms5  
 v3  
 td ae  
 ae  
 sh4  
 g18  
 na2  
 1w2  
 ys  
 eg  
 v2  
 yg  
 ms13  
 v12  
 1w3 1w4  
 Primary Trisomic 5

Chromosome 6

rgd po y  
 rgd Y  
 po = ms6  
 po y p1  
 po Y p1  
 y = pb = w-m  
 y 110  
 y 112  
 y w15  
 y pb4  
 y pb4 p1  
 y pb4 P1  
 y si  
 y wi P1  
 y pg11 ; Wx pg12  
 y p1  
 y P1  
 y P1 Bh ; c sh wx A A2 R  
 y su2  
 Y 111  
 Y 110  
 Y pb4  
 Y wi p1  
 Y wi P1  
 Y su2  
 wi  
 P1 Dt2 ; a-m A2 C R  
 p1 sm ; P-RR  
 P1 sm ; P-RR  
 P1 sm py ; P-RR  
 Pt  
 w  
 w14  
 Primary Trisomic 6

Chromosome 7

Hs o2 v5 ra g1  
 In-D  
 In-D g1  
 o2  
 o2 v5  
 o2 v5 ra g1  
 o2 v5 ra g1 Tp  
 o2 v5 ra g1 ij  
 o2 v5 g1  
 o2 ra g1 ij  
 o2 g1  
 o2 g1 s1  
 o2 bd  
 in ; A2 pr A C R  
 in g1 ; A2 pr A C R

Chromosome 7 (continued)

v5  
 vp9  
 vp9 gl  
 ra gl ij bd  
 gl  
 gl-M  
 gl Tp  
 gl o5  
 gl g2  
 Tp  
 ij  
 Bn  
 bd  
 Pn  
 o5  
 g2  
 va  
 Dt3 ; a-m A2 C R  
 v\*-8647  
 yel\*-7748  
 TB-7b (7L.30)  
 Primary Trisomic 7

Chromosome 8

gl18  
 v16  
 v16 j  
 v16 ms8 j  
 nec  
 v16 ms8 j gl18  
 TB-8a (8L.70)  
 Primary Trisomic 8

Chromosome 9

yg2 C sh bz ; A A2 R  
 yg2 C sh bz wx ; A A2 R  
 yg2 C-I sh bz wx ; A A2 R  
 yg2 C sh bz wx K-L9 ; A A2 R  
 yg2 C bz wx ; A A2 R  
 yg2 c sh bz wx ; A A2 R  
 yg2 c sh wx ; A A2 R  
 yg2 c sh wx gl15; A A2 R  
 yg2 c sh wx gl15 K-L9 ; A A2 R-g  
 yg2 c bz wx ; A A2 R  
 wd-Ring C-I ; A A2 R  
 C sh bz ; A A2 R  
 C sh bz wx ; A A2 R  
 C sh bz wx gl15 bm4 ; A A2 R  
 C sh ; A A2 R  
 C sh wx ; A A2 R

Chromosome 9 (continued)

C wx ar ; A A2 R  
 C-I sh wx v ; A A2 R  
 C sh wx K-L9 ; A A2 R  
 C sh ms2 ; A A2 R  
 C bz Wx ; A A2 R  
 C Ds Wx ; A A2 R y  
 C Ds wx ; A A2 R pr  
 C-I Ds wx ; A A2 R  
 C-I ; A A2 R  
 C ; A A2 R  
 C ; A A2 R B P1  
 C wx ; A A2 R  
 C wx ; A A2 R B P1  
 C wx ; A A2 R b P1  
 C wx ; A A2 R B p1  
 C-I wx ; A A2 R y  
 C-I wx ; A A2 R y B p1  
 C wx ar da ; A A2 R  
 C wx v ; A A2 R  
 C wx v ; A A2 R P1  
 C wx gl15 ; A A2 R  
 C wx gl15 ; A A2 R pr  
 C wx Bf ; A A2 R  
 c sh bz wx ; A A2 R y  
 c sh wx ; A A2 R  
 c sh wx v ; A A2 R  
 c sh wx gl15 ; A A2 R  
 c sh wx gl15 bk2 ; A A2 R  
 c sh wx gl15 Bf ; A A2 R  
 c sh wx bk2 ; A A2 R  
 c ; A A2 R  
 c wx ; A A2 R y  
 c wx v ; A A2 R  
 c wx gl15 ; A A2 R  
 c wx Bf ; A A2 R  
 c wx bk2 ; A A2 R  
 sh  
 sh bp wx ; P-RR  
 sh bp wx ; P-RW  
 sh wx v  
 bp wx ; P-RR  
 bp wx ; P-RW  
 bp wx ; P-WW  
 lo2  
 wx  
 wx-a  
 w11  
 wx d3  
 Wx pg12 ; y pg11  
 wx pg12 ; y pg11  
 Wx pg12 ; Y pg11

Chromosome 9 (continued)

wx pg12 ; Y pg11

wx v

wx bk2

wx bk2 bm4

wx Bf

wx Bf bm4

d3

v

g115

g115 bm4

bk2 Wc

Wc

bm4

16

16 ; 1

17

17 ; 1

yel\*-034-16

w\*-4889

w\*-8889

w\*-8951

w\*-8950

w\*-9000

TB-9a (9L.40)

TB-9b (9S.40)

Primary Trisomic 9

Chromosome 10

oy

oy bf2

oy bf2 R ; A A2 C

oy bf2 ms10

oy du R ; A A2 C

oy du r ; A A2 C

oy zn

Og

Og du R ; A A2 C

bf2

bf2 li g r ; A A2 C

bf2 g R sr2 ; A A2 C

bf2 g r sr2 ; A A2 C

n1 g R ; A A2 C

y9

li zn g r ; A A2 C

li g R ; A A2 C

li g r ; A A2 C

li g r v18 ; A A2 C

du g r ; A A2 C

zn

zn g r ; A A2 C

Tp2 g r ; A A2 C

g R sr2 ; A A2 C

Chromosome 10 (continued)

g r ; A A2 C

g r sr2 ; A A2 C

g r sr2 l ; A A2 C

g R-g sr2 ; A A2 C

g R-g sr2 v18 ; A A2 C

g R-g K10 ; A A2 C

g R-r sr2 ; A A2 C

g R-r K10 ; A A2 C

g r-r sr2 ; A A2 C

Ej r-r ; A A2 C

Ej r-r sr2 ; A A2 C

r sr2 l ; A A2 C

R-g ; A A2 C

r-g sr2 ; A A2 C

r K10 ; A A2 C

r-g ; A A2 C

r-r ; A A2 C

R-mb ; A A2 C

R-nj ; A A2 C

R-r ; A A2 C

R-r(Boone) ; A A2 C

R-lsk ; A A2 C

R-sk-mc.2 ; A A2 C

R-sk ; A A2 C

R-st ; A A2 C

Lc

w2

w2 l

l

v18

Mst

du

l yel\*-5344

yel\*-8721

yel\*-8454

yel\*-8793

TB-10a (10L.35)

Primary Trisomic 10

Unplaced Genes

dv

dy

el

g114

h

l3

l4

Rs

v13

ws ws2

ub

zb

Unplaced Genes (continued)

zb2  
zb3  
zn2  
1\*-4923  
nec\*-8376

Multiple Gene Stocks

A A2 C R-g Pr B P1  
 A A2 C R-r Pr B P1  
 A A2 C R Pr  
 A A2 C R Pr wx  
 A A2 C R Pr wx gl  
 A A2 C R Pr wx y  
 A A2 C R pr  
 A A2 C R pr y gl  
 A A2 C R pr y wx  
 A A2 C R pr y wx gl  
 A A2 c R Pr y wx  
 A A2 C r Pr y wx  
 a su A2 C R  
 bm2 lg a su pr y gl j wx g  
 colored scutellum  
 lg gl2 wt ; a Dt A2 C R  
 lg su bm2 y gl j  
 su y wx a A2 C R-g pr  
 y wx gl  
 hm hm2  
 ts2 ; sk

Popcorns

Amber Pearl  
 Argentine  
 Black Beauty  
 Hulless  
 Ladyfinger  
 Ohio Yellow  
 Red South American  
 Strawberry  
 Supergold  
 Tom Thumb  
 White Rice

Exotics and Varieties

Black Mexican Sweet Corn  
 (with B-chromosomes)  
 Black Mexican Sweet Corn  
 (without B-chromosomes)  
 Knobless Tama Flint  
 Knobless Wilbur's Flint  
 Gaspe Flint  
 Gourdseed  
 Maiz chapolote  
 Papago Flour Corn  
 Parker's Flint  
 Tama Flint  
 Zapaluta chica

Tetraploid Stocks

P-RR  
 P-VV  
 Ch  
 B P1  
 a A2 C R Dt  
 su  
 pr ; A A2 C R  
 y  
 gl  
 ij  
 Y sh wx  
 sh bz wx  
 wx  
 g A A2 C R  
 A A2 C R B P1

Cytoplasmic Steriles and Restorers

WF9 - (T)	rf rf2
N6 (S)	
WF 9	rf rf2
N6	rf Rf2
R213	Rf rf2
Ky21	Rf Rf2

Waxy Reciprocal Translocations

wx1-9c (1S.48;9L.22)  
 wx1-9-4995 (1L.19;9S.20)  
 wx1-9-8389 (1L.74;9L.13)  
 wx2-9b (2S.18;9L.22)  
 wx3-9c (3L.09;9L.12)  
 wx4-9b (4L.90;9L.29)  
 wx4-9-5657 (4L.33;9S.25)  
 wx4-9g (4S.27;9L.27)  
 wx5-9a (5L.69;9S.17)

Waxy Reciprocal Translocations (continued)

wx5-9c (5S.07;9L.10)  
wx6-9a (6S.79;9L.40)  
wxy6-9b (6L.10;9S.37)  
wx7-9a (7L.63;9S.07)  
wx7-9-4363 (7 cent.;9 cent.)  
wx8-9d (8L.09;9S.16)  
wx8-9-6673 (8L.35;9S.31)  
wx9-10b (9S.13;10S.40)

Inversions

g12 Inv.2a (2S.70;2L.80)  
wx Inv.9a (9S.70;9L.90)