

V. RECENT MAIZE PUBLICATIONS

- Ahloowalia, B. S. and N. L. Dhawan. Effect of genetic diversity on combining ability of inbred lines of maize. Indian J. Genet. 23:158-162. 1963.
- Alexander, D. E. Spontaneous reciprocal translocation during megasporogenesis of maize haploids. Nature 201:737-738. 1964.
- Alexander, D. E. and R. D. Seif. Relation of kernel oil content to some agronomic traits in maize. Crop Sci. 3:354-355. 1963.
- Andersen, R. N. Differential response of corn inbreds to simazine and atrazine. Weeds 12:60-61. 1964.
- Andrew, R. H., P. R. Rowe and E. A. Oelke. Certain factors influencing the development of northern corn leaf blight following seedling inoculation. Crop Sci. 4:4-7. 1964.
- Baker, D. E., G. W. Gorsline, C. B. Smith, W. I. Thomas, W. E. Grube and J. L. Ragland. Technique for rapid analyses of corn leaves for eleven elements. Agron. J. 56:133-137. 1964.
- Baker, D. E., W. I. Thomas and G. W. Gorsline. Differential accumulation of strontium, calcium, and other elements by corn (*Zea mays* L.) under greenhouse and field conditions. Agron. J. 56: 352-355. 1964.
- Beckman, L., J. G. Scandalios, and J. L. Brewbaker. Genetics of leucine amino-peptidase isozymes in maize. Genetics 50: 899-904. 1964.
- Bell, W. D. Expression of the albescens (al) gene in maize. Proc. 10th Int. Bot. Congr.:331. 1964. (Abstr.)
- Bellini, G. and A. Bianchi. Interchromosomal effects of inversions on crossover rate in maize. Z. VererbLehre 94:126-132. 1963.
- Berry, R. W. Studies on the genetics of the host-parasite relationship in corn leaf rust. Diss. Abstr. 23:4057-4058. 1963. (Abstr.)
- Bianchi, A., M. V. Ghatnekar and A. Ghidoni. Knobs on the chromosomes of Italian maize varieties. Atti Assoc. Genet. Ital. 9:87-88. 1964.

- Bianchi, A. and F. Giacchetta. Mutations induced by trac tionated doses of x-rays in maize pollen. Agronomia, Mantova, 1:55-59. 1962.
- Brink, R. A., J. L. Kermicle and D. F. Brown. Tests for a gene-dependent cytoplasmic particulate association with R paramutation in maize. P.N.A.S. 51: 1067-1075. 1964.
- Busch, R. S. and W. A. Russel. Hybrid expression of mutations affecting quantitative genetic characters in numbered lines of Zea mays L. Crop Science 4: 23:4073. 1963. (Abstract.)
- Brown, D. F. Paramutability of R_E and R_M mutants from the standard R_E allele in maize. Diss. Absr.
- Busche, R. S. and W. A. Russel. Hybrid expression of mutations affecting quantitative genetic characters in numbered lines of Zea mays L. Crop Science 4: 400-402. 1964.
- Camacho, L. H. Quantitative genetic analysis of corn. Physiological components of yield in corn. Diss.
- Campbell, G. M. Influence of seed formation on accumulation of vegetative dry matter and stalk strength. Crop Sci. 3:329-331. 1963.
- Carvalinh, J. A. and D. E. Alexander. Survival of tetraploid maize in mixed 2n-4n plantings. Crop Sci. 4:111-112. 1964.
- Chase, S. S. Relation of yield and number of days from flowering to flowering in early maturity maize. Crop. 32:928-933. 1964.
- Chase, S. S. Monoploid and diploid maize: a comparison of genotypic equivalents. Amer. J. Bot. 51:928-933. 1964.
- Cole, E. H. Dr. and K. R. Sarkar. The detection of haploids in maize. J. Hered. 55:231-233. 1964.
- Compston, W. A., J. H. Longquist and O. Gardner. Predicted response to recurrent selection with intra- and intervarietal testers in corn (Zea mays L.). Crop Sci. 4:146-148. 1964.

- Cornu, A. Les maïs hybrides marocains: I. Les Top-crosses variétaux. Al Awamia 13:119-135. 1964.
- Cornu, A. and C. Michel. Essais d'irrigation d'appoint sur maïs. I. Premiers résultats obtenus sur sables côtiers avec des hybrides demi-précoce. Al Awamia 7:35-56. 1963.
- Dahlstrom, D. E. and J. H. Lonnquist. A new allele at the sugary-1 locus in maize. J. Hered. 55: 242-247. 1964.
- Daniel, L. Analysis of inheritance of the number of kernel rows in maize. Zuchter 33:290-301. 1963.
- Dexter, S. T. Separation of living and dead corn (Zea mays) kernels without germination. Agron. J. 56:95-96. 1964.
- Duclos, Z. J. M. Performance of inbred lines in hybrid combination during the transfer of a single gene locus in maize. Diss. Abstr. 23:3597. 1963. (Abstr.)
- Du Toit, A. F. Influence on maize yields of controlled selection without inbreeding. Agric. Res. Pretoria:491-492. 1963. (Abstr.)
- Eastin, E. F., R. D. Palmer and C. O. Grogan. Mode of action of atrazine and simazine in susceptible and resistant lines of corn. Weeds 12:49-53. 1964.
- Eastin, E. F., R. D. Palmer, and C. O. Grogan. Effect of atrazine on catalase and peroxidase in resistant and susceptible lines of corn. Weeds 12:64-65. 1964.
- Eberhart, S. A., W. A. Russell, and L. H. Penny. Double cross hybrid prediction in maize when epistasis is present. Crop Science 4:363-366. 1964.
- Eden, W. G., F. S. McCain and B. W. Arthur. Contents of corn silks in relation to corn earworm injury. J. Econ. Ent. 55:802. 1962.
- Eik, K. and J. J. Hanway. Some factors affecting development and longevity of leaves of corn. Agron. J. 57:7-12. 1965.
- El-Ghawas, M. I. Cytological and genetic effects of x-irradiation in maize. Alex. J. Agric. Res. 11: 27-47. 1963.

Fleming, A. A. and G. M. Kozelnicky. Differential reaction of stocks of the same long-time inbred line of Zea mays to Helminthosporium turcicum. Plant Dis. Repr. 47:955-957. 1963.

Galatin, W. C., R. S. K. Chaganti, and F. D. Hager. Tripsacum as a possible amphidiploid of wild maize and Manisuris. Bot. Mus. Leaflets, Harvard Univ. 20:289-316. 1964.

Galatin, W. C. and F. C. Craighead. Some observations on the dissemination of Tripsacum. Rhodora 66: 371-374. 1964.

Giesbrecht, J. Gamete selection in two early maturing corn varieties. Crop Sci. 4:19-21. 1964.

Goodman, M. M. Estimates of genetic variances in adapted and exotic populations of maize. Crop Science 5:87-90. 1965.

Gorsline, G. W., W. I. Thomas and D. E. Baker. Inheritance of P, K, Mg, Cu, B, Zn, Mn, Al, and Fe concentrations by corn (Zea mays L.) leaves and grain. Crop Sci. 4:207-210. 1964.

Gorsline, G. W., W. I. Thomas, D. E. Baker and J. L. Ragland. Relationships of strontium-calcium accumulation within corn. Crop Sci. 4:154-156. 1964.

Hamilton, R. H. A corn mutant deficient in 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one with an altered tolerance of atrazine. Weeds 12:27-30. 1964.

Hanson, G. P. Increased crossing over in maize induced by B chromosomes. Genetics 50:253. 1964. (Abstr.)

Haunold, A. and M. F. Lindsey. Amylose analysis of single kernels and its implication for breeding of high-amylase corn (Zea mays L.). Crop Sci. 4: 58-60. 1964.

Hill, H. M. and A. L. Hooker. Host-pathogen relationship of Helminthosporium turcicum in resistant and susceptible corn seedlings. Phytopath. 54: 570-575. 1964.

Horner, E. S. A comparison of S₁ line and S₁ plant evaluation for combining ability in corn (Zea mays L.). Crop Sci. 3:519-522. 1963.

- Katsumi, M., B. O. Phinney, P. R. Jefferies and C. A. Henrick. Growth response of the d-5 and an-1 mutants of maize to some kaurene derivatives. *Science* 144:849-850. 1964.
- Kermicle, J. L. Metastability of paramutant forms of the R gene in maize. *Diss. Abstr.* 23:4074-75. 1963. (Abstr.)
- Koul, A. K. Heterochromatin and non-homologous chromosome associations in Coix aquatica. *Chromosoma* 15:243-246. 1964.
- Kozubenko, V. E. and T. A. Cervonenko. Characteristics of the growth and development of maize plants with restored fertility. *Vestn. Sel'skohozjajstv. Nauk.*:31-35. 1964.
- Kuc, J. and O. E. Nelson. The abnormal lignins produced by the brown-midrib mutants of maize. I. The brown-midrib-1 mutant. *Arch. Biochem. and Biophys.* 105:103-113. 1964.
- Kuperman, F. M. Development of more than one ear in maize. *Kukuruza*:38-40. 1964.
- Lambert, R. J. Can you help in the search for a wild relative of corn? *Ill. Res.* 5:5. 1963.
- Levings, C. S. An evaluation of the magnitude and effects of double reduction in autotetraploid maize. *Diss. Abstr.* 24:942. 1963. (Abstr.)
- Levings, C. S. Genetic relationships among autotetraploid relatives. *J. Hered.* 55:262-267. 1964.
- Letey, J., L. H. Stolzy and N. Valoras. Relationships between oxygen diffusion rate and corn growth. *Agron. J.* 57:91-93. 1965.
- Li, C. H., C. J. Tai, C. F. Hsui and C. Y. Chen. Studies on the genetics of male sterility and pollen restoration in maize. *Tso-wu-hsueh Pao* 2:339-362. 1963.
- Linskens, H. F. (Editor) Proceedings of the International Symposium on Pollen Physiology and Fertilization. North Holland Publ. Co., Amsterdam. 1964.
- Lonnquist, J. H. A modification of the ear-to-row procedure for the improvement of maize populations. *Crop Sci.* 4:227-228. 1964.

- Lorenzoni, C. Biometricogenetical analyses of two pure lines of maize and their progeny. Ann. Fac. Agr. Milano 3:133-170. 1963.
- Lysikov, V. N. The effect of ionizing radiation on maize. Agrobiol.:142-146. 1964.
- Maguire, M. P. The relationship of crossover frequency to synaptic extent at pachytene in maize. Genetics 51:23-40. 1965.
- Maguire, M. P. The effects of progressive alterations in chromosome constitution on pachytene and meta-phase trivalent frequencies in 21 chromosome plants carrying maize-Tripsacum interchange chromosomes. Genetics 50:266-267. 1964.
(Abstr.)
- Mangelsdorf, P. C., R. S. MacNeish and W. C. Galinat. Domestication of corn. Science 143:538-545. 1964.
- Margara, J. Observations on the possible role of endogenous gibberellins in determining monofactorial dwarfism in dwarf sweet pea (L. odoratus L.) and in d₁ and d₅ mutants of maize. Ann. Physiol. Veg. 5:249-261. 1963.
- Mazoti, L. B. and R. S. Velasquez. Nucleocytoplasmic interactions. Rev. Fac. Agron. La Plata 38: 1-19. 1962.
- McCain, F. S., W. G. Eden, B. W. Arthur and M. C. Carter. Amino acid content of corn silks in relation to resistance to corn earworm. J. Econ. Ent. 56:902. 1963.
- McCain, F. S., W. G. Eden and D. N. Singh. A technique for selecting for rice weevil resistance in corn in the laboratory. Crop Sci. 4:109-110. 1964.
- McClintock, B. Further studies of gene-control systems in maize. Carnegie Inst. Wash. Yearb. 62:486-493. 1963.
- McClintock, B. Aspects of gene regulation in maize. Carnegie Inst. Wash. Yearb. 63:592-602. 1964.
- Mertz, E. T., L. S. Bates, and O. E. Nelson. Mutant gene that changes protein composition and increases lysine content of maize endosperm. Science 145: 279-280. 1964.

Messiaen, C. M. Physiology of development in Zea mays.
Ann. des Epiphyties 14 (No. Hors-Serie II) 1-90.
1963.

Micke, A., H. H. Smith, R. G. Woodley and A. Mashke.
Relative cytogenetic efficiency of muons and π^-
mesons in Zea mays (L.). P.N.A.S. 52:219-222.
1964.

Moll, R. H., D. L. Thompson and P. H. Harvey. A
quantitative genetic study of the inheritance of
resistance to brown spot (Physoderma maydis) of
corn. Crop Sci. 3:389-391. 1963.

Morris, R. and M. H. Isikan. Cytological studies on
inbred lines of maize. Canad. J. Genet. Cyt. 6:
508-516. 1964.

Nelson, O. E. and C. Y. Tsai. The generation-specific
effect of the waxy mutants in maize. Genetics 50:
272. 1964. (Abstr.)

Nelson, O. E. and C. Y. Tsai. Glucose transfer from
adenosine diphosphate glucose to starch in
preparations of waxy maize seed. Science 145:
1194-1195. 1964.

Nelson, O. E. and A. J. Ullstrup. Resistance to leaf
spot in maize. Genetic control of resistance to
race I of Helminthosporium carbonum Ull. J.
Hered. 55:194-199. 1964.

Neuffer, M. G. Tetrasporic embryo-sac formation in
trisomic sectors of maize. Science 144: 874-876.
1964.

Nickerson, N. H. and W. M. Hewitson. Morphological and
anatomical differences in maize induced by treatment
with growth-regulating substances. Amer. Jour.
Bot. 50:622. 1963. (Abstr.)

Nickerson, N. H., P. R. Kremer, and N. H. Rowe. Effects
of indole butyric acid on two strains of milo
maize. Plant Physiol. 38: Suppl. xxxix. 1963.
(Abstr.)

Oram, R. N. Genetics of autotetraploid maize. Ph.D.
Thesis, University of Adelaide, Adelaide,
Australia. 1959.

Paterniani, E. and J. H. Lonnquist. Heterosis in
interracial crosses of corn (Zea Mays L.). Crop
Sci. 3:504-507. 1963.

Pelton, J. S. Genetic and morphogenetic studies of
angiosperm single-gene dwarfs. Bot. Rev. 30:
479-512. 1964.

Peterson, P. A. Influence of mutable genes on
induction of instability in maize. Iowa Acad.
Sci. 70:129-134. 1964.

Peterson, P. A. and E. A. Wernsman. A monosomic-type
approach in maize breeding. Crop Science 4:
533-535. 1964.

Petho, M. The amino acid content of healthy and smut-
infected tissues of maize varieties. Debrecen.
Mezogazd. Akad. Tudomany. Evk.:209-218. 1961.

Postlethwait, S. N. and O. E. Nelson. Characterization
of development in maize through the use of mutants.
V. The Polytypic (Pt) and ramosa-1 (ral) mutants.
Amer. Jour. Bot. 51:238-242. 1964.

Priadcencu, A., C. Micle and P. Avramoiae. Influence of
irradiation of maize seeds on plant growth and
productivity in the first year of cultivation.
Anal. Inst. Cerc. Cereal. Pl. Teh. Fundulea 30:
179-187. 1962.

Prywer, C. Cytological evidence of natural intertribal
hybridization of Tripsacum and Manisuris. Amer. J.
Bot. 52:182-185. 1965.

Reddy, G. M. Genetic control of leucoanthocyanidin
formation in maize. Genetics 50:485-489. 1964.

Riman, L. A synoptic survey of maize genes. Maydica,
Bergamo 8:99-123. 1963.

Rinke, E. H. and H. K. Hayes. General and specific
combining ability in diallel crosses of 15 inbred
lines of corn. Bot. Bull. Acad. Sin. 5:36-41.
1964.

Rjabinina, M. I. Cytoembryological study of the question
of the influence of foreign pollen on the process
of fertilization in maize. Trud. Inst. Genet. No.
30:206-219. 1963.

Robertson, D. S. The significance of DNA and RNA to a better understanding of corn biology. Proc. 18th Ann. Hybrid Corn Res. Ind. Conf.:19-26. 1963.

Robertson, D. S. Genetic and pigment studies of a suppressor system in maize. Genetics 50:280. 1964. (Abstr.)

Robertson, D. S. Transfer of intact segments of maize chromosomes. A possible method. J. Hered. 55: 107-114. 1964.

Robertson, D. S. and E. V. Walter. Genetic studies of earworm resistance in maize. Utilizing a series of chromosome-nine translocations. J. Hered. 54: 267-272. 1963.

Russell, W. A. Effect of corn leaf rust on grain yield and moisture in corn. Crop Science 5:95-96. 1965.

Salazar, B. A. and J. H. Lonnquist. Tester sampling bias in the topcrossing of inbred lines of corn. Crop Sci. 3:317-18. 1963.

Scandalios, J. G. Tissue-specific isozyme variations in maize. J. Hered. 55:281-286. 1964.

Schaik, N. W. Van. Modulator, a possible episomic element in maize. S. Afr. J. Sci. 59:111-114. 1963.

Schwartz, D. A second hybrid enzyme in maize. P.N.A.S. 51:602-605. 1964.

Schwartz, D. Tissue specificity and the control of gene action. From Structure and Function of the Genetic Material. Akademie-Verlag, Berlin. 1964.

Schwartz, D. Regulation of gene action in maize. Proc. XI Int. Congr. Genet.:131-135. 1964.

Schwartz, D. Genetic studies on mutant enzymes in maize. V. In vitro interconversion of allelic isozymes. P.N.A.S. 52:222-226. 1964.

Scott, G. E. Inheritance and type of gene action of resistance in corn to leaf feeding of the European corn borer. Diss. Abstr. 24:1327-1328. 1963. (Abstr.)

- Sehgal, S. M. Effects of teosinte and *Tripsacum* introgression in maize. *Bussey Inst. Harv. Univ.* pp. 63. 1963.
- Shaver, D. L. Perennialism in *Zeae*. *Genetics* 50: 393-406. 1964.
- Shaver, D. L. Perennialism in *Zeae*. *Genetics* 50: 284. 1964. (Abstr.)
- Shumway, L. K. and L. F. Bauman. An apparent case of cytoplasmic inheritance of abnormal plants in maize. *Genetics* 50:285. 1964. (Abstr.)
- Singh, M. Cytoplasmic effects on agronomic characters in maize. *Diss. Abstr.* 23:2670. 1963. (Abstr.)
- Sprague, G. F., H. H. McKinney and L. Greeley. Virus as a mutagenic agent in maize. *Science* 141: 1052-1053. 1963.
- Stringfield, G. H. Objectives in corn improvement. *Advances in Agronomy* 16:101-137. 1964. Academic Press, New York.
- Sumnyj, V. K. Experimentally produced maize tetraploids. *Dokl. Akad. Nauk SSSR* 154:445-448. 1964.
- Sved, J. A. The relationship between diploid and tetraploid recombination frequencies. *Heredity* 19:585-596. 1964.
- Tabata, M. Chromosome pairing in intercrosses between stocks of interchanges involving the same two chromosomes in maize. I. Diakinesis configurations in relation to breakage positions. *Cytologia* 27:410-417. 1962.
- Tavcar, A. Somatic mutations of the endosperm and their genetic basis. *Zuchter* 33:181-184. 1963.
- Thompson, D. L., J. O. Rawlings and R. H. Moll. Inheritance and breeding information pertaining to brown spot resistance in corn. *Crop Sci.* 3: 511-514. 1963.
- Ting, Y. C. Chromosomes of maize-teosinte hybrids. *The Bussey Inst. Harv. Univ. Monograph.* 44 pp. 1964.

- Ting, Y. C. Evidence of interchromosomal effect of inversions on crossing over in maize-teosinte hybrids. Yearbook Amer. Phil. Soc.:354-358. 1963.
- Ting, Y. C. Evidence of teosinte introgression in maize. Genetics 50:291. 1964. (Abstr.)
- Ting, Y. C. Inversion polymorphism in teosinte. Genetics Today 1:121. 1963. (Abstr.)
- Unger, P. W. and R. E. Danielson. Influence of oxygen and carbon dioxide on germination and seedling development of corn. Agron. J. 57:56-59. 1965.
- Venkateswarlu, J. Origin of maize. Excerpta Bot. 7:2. 1964. (Abstr.)
- Wolf, E. A. Possibilities of improving eating quality of shipped fresh corn with the high sugar retention property of the shrunken-2 character. Proc. Fla. Hort. Soc. 75:236-239. 1962.
- Zajslyj, V. I. A study of the rate of accumulation and consumption of assimilates in the leaves of sterile maize forms and their fertile analogues. Vestn. Sel'skohozjajstv. Nauk.:29-33. 1964.
- Zuber, M. S. and F. F. Dicke. Interrelationship of European corn borer, plant populations, nitrogen levels, and hybrids on stalk quality of corn. Agron. J. 56:401-403. 1964.