

## VI. RECENT MAIZE PUBLICATIONS

- Alofe, C. O., L. E. Schrader, and R. R. Smith. Influence of high day and variable night temperatures on nitrate reductase activity of young corn (Zea mays L.) plants. *Crop Sci.* 13: 625-630. 1973.
- Annapurna Devi, S. Incorporation of opaque-2 into Indian maize inbreds and the improvement of the seed quality. Ph.D. thesis, Osmania University, India. 1973.
- Annapurna, S. and G. M. Reddy. Recovery and biochemical characterization of half opaque-2 maize. 2nd General Symp. of SABRAO. p. 145. 1973. (Abstr.)
- Arntzen, C. J. Induction of stomatal closure by Helminthosporium maydis pathotoxin. *Plant Physiol.* 49(Suppl.): 65. 1972. (Abstr.)
- Arntzen, C. J., M. F. Haugh, and S. Bobick. Induction of stomatal closure by Helminthosporium maydis pathotoxin. *Plant Physiol.* 52: 569-574. 1973.
- Arntzen, C. J., D. E. Koeppe, R. J. Miller and J. H. Peverly. The effect of pathotoxin from Helminthosporium maydis (race T) on energy-linked processes of corn seedlings. *Physiol. Plant Path.* 3: 79-89. 1973.
- Banerjee, U. C. and E. S. Barghoorn. Palynological evidence for natural introgression between Tripsacum and Zea. *Amer. J. Bot.* 60 (4, Suppl.): 34. 1973. (Abstr.)
- Banu, M. and P. Diaconu. A study of meiosis in some dwarf mutants induced in maize by radiation. *Genetica, communicari* l.VI-15.XII, Bucharest: 233-242. 1972.
- Bard, S. R. and D. T. Morgan, Jr. Recombination in paired and individual kernels of Zea mays L. *Genetica* 44: 16-24. 1973.
- Barlow, P. W. and P. D. M. Macdonald. An analysis of the mitotic cell cycle in the root meristem of Zea mays. *Proc. Royal Soc. London* 183: 385-398. 1973.
- Barrales, V., L., R. Barnier B., and A. Violic M. Analysis of diallel crosses in maize using Griffing's method. *Agric. Technica* 33: 36-43. 1973.
- Baynes, R. A. and R. I. Brawn. Influence of cytoplasmic effects on some agronomic characters in corn. *Canad. J. Plant Sci.* 53: 101-104. 1973.
- Bazzaz, B. and Govindjee. Photochemical properties of mesophyll and bundle sheath chloroplasts of maize. *Plant Physiol.* 52: 257-262. 1973.

- Bertagnolli, B. L. and J. B. Hanson. Functioning of the adenine nucleotide transporter in the arsenate uncoupling of corn mitochondria. *Plant Physiol.* 52: 431-435. 1973.
- Bharathi, V. S. Genetic and biochemical studies on induced mutants in maize. Ph.D. thesis, Osmania University, India. 1973.
- Bharathi, V. S. and G. M. Reddy. Studies on induced seedling and endosperm mutations in maize. 2nd General Symp. of SABRAO. 1973. (Abstr.)
- Blacklow, W. M. Simulation model to predict germination and emergence of corn (*Zea mays* L.) in an environment of changing temperature. *Crop Sci.* 13: 604-608. 1973.
- Boothroyd, C. W. Transmission of *Helminthosporium maydis* Race T by infected corn seed. *Phytopath.* 61: 747-748. 1971.
- Borovsky, M. I. Apomixis in maize X *Tripsacum* hybrids. *Apomixis i selektsiya.* 1970: 196-210. 1970.
- Brink, R. A. and E. Williams. Mutable R-Navajo alleles of cyclic origin in maize. *Genetics* 73: 273-296. 1973.
- Bulow, J. F. W. von. Effects of the gene brachytic-2 in analogue populations and in maize hybrid (*Zea mays*). *Pesquisa Agropecuaria Brasileira, Agronomia* 6: 155-161. 1971.
- Cabulea, I. and F. Zetea. Studies on the genetic control of the proteins, protein fractions and amino acids of the maize grain. *Probleme de Genet. Teoret. si Aplic.* 5: 167-179. 1973.
- Cagampang, G. B. and A. Dalby. Development of ribonuclease activity in nine inbred lines of normal and opaque-2 maize. *Canad. J. Plant Sci.* 52: 901-905. 1972.
- Cal, J. P. and R. L. Obendorf. Differential growth of corn (*Zea mays* L.) hybrids seeded at cold root zone temperatures. *Crop Sci.* 12: 572-575. 1972.
- Cal, J. P. and R. L. Obendorf. Imbibitional chilling injury in *Zea mays* L. altered by initial kernel moisture and maternal parent. *Crop Sci.* 12: 369-373. 1972.
- Calub, A. G., G. M. Dunn, and D. G. Routley. Effects of genetic background on monogenic resistance to *Helminthosporium turcicum* in maize (*Zea mays* L.). *Crop Sci.* 13: 561-563. 1973.
- Carlson, W. R. Instability of the maize B chromosome. *Theoret. Appl. Genetics* 43: 147-150. 1973.

- Carlson, W. R. A procedure for localizing genetic factors controlling mitotic nondisjunction in the B chromosome of maize. *Chromosoma* 42: 127-136. 1973.
- Carter, M. W. and C. G. Poneleit. Black layer maturity and filling period variation among inbred lines of corn (*Zea mays* L.). *Crop Sci.* 13: 436-439. 1973.
- Chilton, M. D. and B. J. McCarthy. DNA from maize with and without B chromosomes: a comparative study. *Genetics* 74: 605-614. 1973.
- Chollet, R. and W. L. Ogren. Greening in a virescent mutant of maize. II. Enzyme studies. *Z. fur Pflanzenphysiologie* 68: 45-54. 1972.
- Chollet, R. and D. J. Paolillo, Jr. Greening in a virescent mutant of maize. I. Pigment, ultrastructural and gas exchange studies. *Z. fur Pflanzenphysiologie* 68: 30-44. 1972.
- Clark, R. B., L. O. Tiffin, and J. C. Brown. Organic acids and iron translocation in maize genotypes. *Plant Physiol.* 52: 147-150. 1973.
- Comstock, J. C. and C. A. Martinson. Electrolyte leakage from Texas male sterile and normal cytoplasm corn leaves infected with Helminthosporium maydis races O and T. *Phytopath.* 62: 751-752. 1973. (Abstr.)
- Comstock, J. C. and R. P. Scheffer. Role of host-selective toxin in colonization of corn leaves by Helminthosporium carbonum. *Phytopath.* 63: 24-29. 1973.
- Costa-Rodrigues, L. Races of maize in Portugal. *Agronomia Lusitana* 31: 239-284. 1971.
- Cox, E. L. and D. B. Dickinson. Hexokinase from maize endosperm and scutellum. *Plant Physiol.* 51: 960-966. 1973.
- Cox, E. L. and D. B. Dickinson. Increased hexokinase levels in endosperm of mutant maize. *Phytochem.* 12: 291-297. 1973.
- Cross, H. Z. and M. S. Zuber. Interrelationships among plant height, number of leaves, and flowering dates in maize. *Agron. J.* 65: 71-74. 1973.
- Dalling, M. J., D. P. Hucklesby and R. H. Hageman. A comparison of nitrate reductase enzymes from green leaves, scutella and roots of corn (*Zea mays* L.). *Plant Physiol.* 51: 481-484. 1973.
- Dankov, T., I. Donev, and T. Karapanova. An attempt for laboratory determination of the state of  $rf_3$ -factor in pollen of self-pollinated maize lines. *Comptes Rendus l'Acad. Agric. Georgi Dimitrov* 5: 279-281. 1972.

- Das, L. D. V. Chromosome associations in diploid and autotetraploid Zea mays Linn. *Cytologia* 35: 259-261. 1970.
- Deckard, E. L., R. J. Lambert, and R. H. Hageman. Nitrate reductase activity in corn leaves as related to yields of grain and grain protein. *Crop Sci.* 13: 343-351. 1973.
- Denic, M., J. Dumanovic, K. Bergstrand, and L. Ehrenberg. On principal components of variation in amino acid composition of maize endosperm proteins after  $\gamma$  irradiation. *Genetika, Yugoslavia* 1: 25-41. 1971.
- de Wet, J. M. J. and J. R. Harlan. Origin of maize: the tripartite hypothesis. *Euphytica* 21: 271-279. 1972.
- de Wet, J. M. J., J. R. Harlan, L. M. Engel and C. A. Grant. Breeding behavior of maize-Tripsacum hybrids. *Crop Sci.* 13: 254-257. 1973.
- Dmitrieva, A. N. and I. M. Polyakov. The physiological and biochemical nature of fertility restoration in plants with cytoplasmic male sterility. *Sel'skokhozyaistvennaya Biologiya* 7: 223-229. 1972.
- Doerschug, E. B. Studies of Dotted, a regulatory element in maize. I. Inductions of Dotted by chromatid breaks, II. Phase variation of Dotted. *Theoret. Appl. Genetics* 43: 182-189. 1973.
- Dolinka, B. (Editor) Report of the international project on Ostrinia nubilalis phase I results 1969 and 1970. Information Centre of the Ministry of Agric. and Food, Budapest. Pp. 168. 1973.
- Douglas, G. R. and D. B. Walden. Cytogenetic studies of chromosome replication in Zea mays L. I. Analysis of quantitative autoradiographic data using Principal Components Analysis. *Canad. J. Genet. Cytol.* 15: 417-426. 1973.
- Doyle, G. G. Autotetraploid gene segregation. *Theoret. Appl. Genetics* 43: 139-146. 1973.
- Duncan, W. G., D. L. Shaver, and W. A. Williams. Insolation and temperature effects on maize growth and yield. *Crop Sci.* 13: 187-191. 1973.
- Dunn, G. M. and D. G. Routley. Role of Ht and Bx genes in resistance of corn to Helminthosporium turcicum. *Proc. 27th Ann. Corn and Sorghum Res. Conf.* Pp. 168-175. 1972.
- Earnshaw, M. J. and J. B. Hanson. Inhibition of postoxidative calcium release in corn mitochondria by inorganic phosphate. *Plant Physiol.* 52: 403-406. 1973.

Eberhart, S. A. and G. F. Sprague. A major cereals project to improve maize, sorghum, and millet production in Africa. *Agron. J.* 65: 365-373. 1973.

Eberhart, S. A., S. Debela, and A. R. Hallauer. Reciprocal recurrent selection in the BSSS and BSCB1 maize populations and half-sib selection in BSSS. *Crop Sci.* 13: 451-456. 1973.

Efron, Y. Variation in the physiological sensitivity of maize inbreds to EMS. A possible correlation with alcohol dehydrogenase activity. *Mutation Research* 19: 319-324. 1973.

Efron, Y. Inheritance studies with inbred lines of maize having different activity levels of the AP<sub>1</sub> controlled acid phosphatase isozymes. *Theoret. Appl. Genetics* 43: 323-328. 1973.

Engle, L. M., J. M. J. de Wet, and J. R. Harlan. Cytology of backcross offspring derived from a maize Tripsacum hybrid. *Crop Sci.* 13: 690-695. 1973.

Faludi-Daniel, A., S. Demeter, and A. S. Garay. Circular dichroism spectra of granal and agranal chloroplasts of maize. *Plant Physiol.* 52: 54-56. 1973.

Felder, M. R., J. G. Scandalios, and E. Liu. Purification and partial characterization of two genetically defined alcohol dehydrogenase isozymes in maize. *Biochim. Biophys. Acta* 318: 149-159. 1973.

Filion, W. G. and D. B. Walden. Karyotype analysis: the detection of chromosome alterations in the somatic karyotype of Zea mays L. *Chromosoma* 41: 183-194. 1973.

Findley, W. R., E. J. Dollinger, R. Louie, and J. K. Knoke. Locating genes for maize dwarf mosaic resistance by means of chromosomal translocations in corn (Zea mays L.). *Crop Sci.* 13: 608-612. 1973.

Fischer, M. and D. Schwartz. Dissociation and reassociation of maize alcohol dehydrogenase: allelic differences in requirement for zinc. *Molec. Gen. Genetics* 127: 33-38. 1973.

Flora, L. F. and R. C. Wiley. Effect of various endosperm mutants on oil content and fatty acid composition of whole kernel corn (Zea mays L.). *J. Amer. Soc. Hort. Sci.* 97: 604-607. 1972.

Forger, J. M. and L. Bogorad. Steps in the acquisition of photosynthetic competence by plastids of maize. *Plant Physiol.* 52: 491-497. 1973.

Fortini, S. and B. M. Mariani. Ribulosio 1,5-difosfato e fosfoenol piruvato-carbossilasi e anidrasi carbonica in foglie di mais opaco-2. *Maydica* 16: 83-94. 1971.

- Freeling, M. Simultaneous induction by anaerobiosis or 2,4-D of multiple enzymes specified by two unlinked genes: differential Adh<sub>1</sub>-Adh<sub>2</sub> expression in maize. *Molec. Genetics* 127: 215-227. 1973.
- Freeling, M. and D. Schwartz. Genetic relationships between the multiple alcohol dehydrogenases of maize. *Biochem. Genetics* 8: 27-36. 1973.
- Galinat, W. C. Some contributions of corn's relatives to the development of its modern varieties. *Proc. Ann. Corn and Sorghum Res. Conf. A.S.T.A. Publ.* 27: 108-114. 1972.
- Galinat, W. C. Preserve Guatemalan teosinte, a relict link in corn's evolution. *Science* 180: 323. 1973.
- Galinat, W. C. Intergenomic mapping of maize, teosinte and Tripsacum. *Evolution* 27: 644-655. 1973.
- Garwood, L. D. L. and R. G. Creech. Starch properties of endosperm mutants of Zea mays. *Cereal Science Today* 17: 266. 1972. (Abstr.)
- Gavazzi, G. Pale derivatives of R<sup>st</sup> and their structural basis. *Atti Assoc. Genetica Ital.* 18: 46-47. 1973. (Abstr.)
- Gavazzi, G. and D. Calati. Study of intralocus events leading to R stippled (R<sup>st</sup>) recombinants in Zea mays. *Genetica* 43: 489-503. 1972.
- Gavazzi, G. and C. Colella. Different rates of spontaneous reversion of an unstable R allele (R<sub>2</sub><sup>NC</sup>) during meiosis and mitotic division of the gametophyte. *Mutation Research* 19: 269-271. 1973.
- Gengenback, B., D. E. Koeppe, and R. J. Miller. A comparison of mitochondria isolated from male-sterile and nonsterile cytoplasm of etiolated corn seedlings. *Physiol. Plantarum* 29: 103-107. 1973.
- Genter, C. F. Comparison of S<sub>1</sub> and testcross evaluation after two cycles of recurrent selection in maize. *Crop Sci.* 13: 524-528. 1973.
- Genter, C. F., C. W. Roane and S. A. Tolin. Effects of maize dwarf mosaic virus on mechanically inoculated maize. *Crop Sci.* 13: 531-535. 1973.
- Ghidoni, A. Changes in the structure of B<sup>A</sup> chromosomes in maize. *Theoret. Appl. Genetics* 43: 151-161. 1973.
- Giles, K. L. Attempts to demonstrate genetic complementation by the technique of protoplast fusion. *Colloques Intern. CNRS No. 212. Protoplastes et Fusion de Cellules Somatique Vegetales*: 485-495. 1973.

Gillies, C. B. Ultrastructural analysis of maize pachytene karyotypes by three dimensional reconstruction of the synaptonemal complexes. Chromosoma 43: 145-176. 1973.

Gillies, C. B. and B. B. Hyde. Intranucleolar bodies in maize pachytene microsporocytes. Hereditas 74: 137-140. 1973.

Giovanelli, J., L. D. Owens, and S. H. Mudd.  $\beta$ -cystathionease. In vivo inactivation by rhizobitoxine and role of the enzyme in methionine biosynthesis in corn seedlings. Plant Physiol. 51: 492-503. 1973.

Glover, D. V., P. L. Crane, P. S. Misra, and E. T. Mertz. Genetics of endosperm mutants in maize as related to protein quality and quantity. Proc. CIMMYT-Purdue Intern. Symp. on Protein Quality in Maize. Intern. Maize and Wheat Improv. Center, El Baton, Mexico. 1972.

Gontarovsky, V. A. Genetical classification of sources of cytoplasmic male sterility in maize. Genetika 7: 22-30. 1972.

Gontarovsky, V. A. Universal restorers of male fertility in maize. Genetika 8: 33-43. 1972.

Gonzales, J. W., A. M. Rhodes, and D. B. Dickinson. A new sweet corn with high sugar content. Hort. Sci. 8: 270. 1973. (Abstr.)

Gracen, V. E. Cytoplasmic inheritance in relation to pest resistance and mitochondrial complementation. Proc. 27th Ann. Corn and Sorghum Res. Conf. 13 p. 1972.

Gracen, V. E. and C. O. Grogan. Reaction of corn (Zea mays) seedlings with non-sterile, Texas male-sterile, and restored Texas male-sterile cytoplasm to Helminthosporium maydis toxin. Plant Dis. Rept. 56: 432-433. 1972.

Gracen, V. E., C. O. Grogan, and M. J. Forster. Permeability of changes induced by Helminthosporium maydis race T, toxin. Can. J. Bot. 50: 2167-2170. 1972.

Grancini, P. A method for testing the susceptibility of maize plants to Helminthosporium maydis race T toxin. Maydica 16: 46-50. 1971.

Graves, C. R. and L. M. Josephson. Comparisons of T cytoplasm with N cytoplasm corn hybrids and with F<sub>1</sub> and F<sub>2</sub> hybrids and open pollinated varieties in 1971. Tenn. Farm and Home Sci. 1972 (81): 13-15. 1972.

Gray, J. R. and C. A. Newell. Fatty acid variation in seeds of Tripsacum dactyloides. Phytochem. 12: 1993-1994. 1973.

- Gray, J. R. and E. Perkins. Gas chromatography-mass spectroscopy of Zea leaf components. Amer. J. Bot. 60 (4, Suppl.): 28. 1973. (Abstr.)
- Grogan, C. O. and C. W. Blessin. Stability of carotenoids in the kernels of maize. Can. J. Plant Sci. 53: 507-510. 1973.
- Grogan, C. O. and C. A. Francis. Heterosis in inbred source crosses of maize (Zea mays L.). Crop Sci. 12: 729-730. 1972.
- Gupta, D. and I. Kovacs. Pericarp thickness in opaque-2 maize (Zea mays L.) and its normal analogue. Acta Agron. Acad. Sci. Hung. 22: 400-405. 1973.
- Halim, A. H., C. E. Wassom, and H. L. Mitchell. Trypsin inhibitor in corn (Zea mays L.) as influenced by genotype and moisture stress. Crop Sci. 13: 405-407. 1973.
- Hallauer, A. R. Hybrid development and population improvement in maize by reciprocal full-sib selection. Egyptian J. Genet. Cytol. 2: 84-101. 1973.
- Hallauer, A. R. and J. H. Sears. Changes in quantitative traits associated with inbreeding in a synthetic variety of maize. Crop. Sci. 13: 327-330. 1973.
- Hallauer, A. R. and A. F. Troyer. Prolific corn hybrids and minimizing risk of stress. Ann. Corn and Sorghum Res. Conf. Proc. 27: 140-157. 1972.
- Hansel, L. W., C. Y. Tsai, and O. E. Nelson. The effect of the floury-2 gene on the distribution of protein fractions and methionine in maize endosperm. Cereal Chem. 50: 383-394. 1973.
- Hanson, W. D. Changes in efficiencies and numbers of chloroplasts associated with divergent selections for juvenile productivity in Zea mays (L.). Crop Sci. 13: 386-388. 1973.
- Hanson, W. D. and R. E. Grier. Rates of electron transfer and of non-cyclic photophosphorylation for chloroplasts isolated from maize populations selected for differences in juvenile productivity and in leaf widths. Genetics 75: 247-257. 1973.
- Hanson, W. D. and R. H. Moll. Experimental evaluation of relationships among populations resulting from intergradation among cultivars of Zea mays (L.). Genetics 74: 133-138. 1973.
- Ho, D. T. H. and J. G. Scandalios. Regulation of genetically determined alcohol dehydrogenase in maize development. Plant Res. 72: 103-106. 1973.

- Hooker, A. L., A. Mesterhazy, D. R. Smith, and S. M. Lim. A new Helminthosporium leaf blight of corn in the northern Corn Belt. Plant Dis. Repr. 57: 195-198. 1973.
- Horner, E. S., H. W. Lundy, M. C. Lutrick, and W. H. Chapman. Comparison of three methods of recurrent selection in maize. Crop Sci. 13: 485-489. 1973.
- Jackson, W. A., D. Flesher, and R. H. Hageman. Nitrate uptake by dark-grown corn seedlings. Some characteristics of apparent induction. Plant Physiol. 51: 120-127. 1973.
- Jaynes, T. A. and O. E. Nelson. Invertase activity in normal and mutant maize endosperms during development. Plant Physiol. 47: 623-628. 1971.
- Jaynes, T. A. and O. E. Nelson. An invertase inactivator in maize endosperm and factors affecting inactivation. Plant Physiol. 47: 629-634. 1971.
- Johnson, G. R. Diallel analysis of leaf area heterosis and relationships to yield in maize. Crop Sci. 13: 178-181. 1973.
- Johnson, G. R. Relationships between yield and several yield components in a set of maize hybrids. Crop Sci. 13: 649-652. 1973.
- Jones, R. K. and S. A. Tolin. Concentration of maize dwarf mosaic virus in susceptible and resistant corn hybrids. Phytopath. 62: 640-644. 1972.
- Kalsy, H. S. and D. Sharma. Study of cytoplasmic effects in reciprocal crosses of divergent varieties of maize (Zea mays L.). Euphytica 21: 527-533. 1972.
- Kanai, R. and G. E. Edwards. Separation of mesophyll protoplasts and bundle sheath cells from maize leaves for photosynthetic studies. Plant Physiol. 51: 1133-1137. 1973.
- Killion, D. D. and M. J. Constantin. Gamma irradiation of corn plants: effects of exposure, exposure rate, and developmental stage on survival, height and grain yield of two cultivars. Radiation Botany 12: 159-164. 1972.
- Kim, S. K., J. L. Brewbaker, and F. F. Laemmlein. Genetic study of resistance to corn rust in Hawaii. Phytopath. 62: 769. 1972. (Abstr.)
- Kirk, B. I. and J. B. Hanson. The stoichiometry of respiration driven potassium transport in corn mitochondria. Plant Physiol. 51: 357-362. 1973.

- Kovacs, I. Recent results and trends in breeding of maize at Martonvasar. Nemzetközi Mezögazdasági Szemle 17(6): 28-31. 1973.
- Lalova, M. Effects of atrazine and aresin on the nitrogen metabolism of some maize varieties (Zea mays L.). Comptes Rendus l'Acad. Sci. Agr. Bulgarie 4: 177-182. 1971.
- Laughnan, J. R. and S. J. Gabay. Mutations leading to nuclear restoration of fertility in S male-sterile cytoplasm in maize. Theoret. Appl. Genetics 43: 109-116. 1973.
- Laughnan, J. R. and S. J. Gabay. Reaction of germinating maize pollen to Helminthosporium maydis pathotoxins. Crop Sci. 13: 681-684. 1973.
- Lechtenberg, V. L., L. D. Muller, L. F. Bauman, C. L. Rhykerd, and R. F. Barnes. Laboratory and in vitro evaluation of inbred and  $F_2$  populations of brown midrib mutants of Zea mays L. Agron. J. 64: 657-660. 1972.
- Leech, R. M., M. G. Rumsby, and W. W. Thomson. Plastid differentiation, acyl lipid, and fatty acid changes in developing green maize leaves. Plant Physiol. 52: 240-245. 1973.
- Legg, J. G. and A. A. Fleming. Inheritance of a new brachyism in corn, Zea mays L. Crop Sci. 13: 322-324. 1973.
- Linskens, H. F. and P. L. Pfahler. Biochemical composition of maize (Zea mays L.) pollen. III. Effects of allele x storage interactions at the waxy (wx), sugary (su<sub>1</sub>) and shrunken (sh<sub>2</sub>) loci on the amino acid content. Theoret. Appl. Genetics 43: 49-53. 1973.
- Lop, N. E. Manifestation of hybrid vigour in maize embryos cultured in vitro with and without a scutellum. Revista Fac. Agron. Univ. Nac. de la Plata 46: 91-99. 1970.
- Lorenzoni, C., T. Maggiore, M. Scandura, V. Servello, and F. Salamini. Effetti del genotipo e dell'ambiente sulla qualita del mais opaco-2. Maydica 16: 101-116. 1971.
- Luthe, D. S. and L. E. Schrader. Seasonal patterns and genotypic differences in phosphofructokinase activity in corn (Zea mays L.) leaf blades. Crop Sci. 13: 500-503. 1973.
- Mace, M. E. Histochemistry of beta-glucosidase in isolines of Zea mays susceptible or resistant to northern corn leaf blight. Phytopath. 63: 243-245. 1973.
- Maggiore, T., C. Lorenzoni, G. P. Soressi, B. M. Mariani, and F. Salamini. Ibridi opaco-2 in Italia settentrionale. I. Prove di confronto 1971. Maydica 17: 67-94. 1972.

- Maguire, M. P. Crossover site establishment at synaptic initiation or after synaptic completion. *Genetics* 74s: 171. 1973. (Abstr.)
- Maguire, M. P. Induction of meiotic abnormalities. *J. Cell Biol.* 50: 212a. 1973.
- Mariani, G. New sources of cytoplasmic male sterility from Italian maize populations. *Maydica* 16: 51-55. 1971.
- Marsalek, L. The enzymatic activity of genotypes of Zea mays L. in relation to the phenomenon of heterosis. *Genetika a Slechteni* 8: 109-114. 1972.
- Marsalek, L. Some genetical and biochemical aspects of pollen sterility in maize. *Sel'skokhozyaistvennaya Biologiya* 7: 459-461. 1972.
- Marsalek, L. A study of some physiological and biochemical processes in pollen-fertile and sterile genotypes of maize. *Acta Univ. Agric. Fac. Agron.*, Brno 19: 695-702. 1971.
- Mazurek, J. A visual method for determination of the lysine content of maize caryopses. *Hodowla Roslin Aklimatyzacja i Nasiennictwo* 15: 211-217. 1971.
- Miku, V. E. Expression and genetic analysis of brown-midrib maize mutants. *Genetika* 8: 157-158. 1972.
- Miku, V. E. Spontaneous liguleless mutations. *Kukuruza* 1972 (7): 29-30. 1972.
- Misra, P. S., E. T. Mertz, and D. V. Glover. Characteristics of protein in single and double endosperm mutants of maize. Proc. CIMMYT-Purdue Intern. Symp. on Protein Quality in Maize. Intern. Maize and Wheat Improv. Center, El Baton, Mexico. 1972.
- Misra, P. S., H. Barba-Ho, E. T. Mertz, and D. V. Glover. Studies on corn proteins. V. Reduced color response of opaque-2 corn protein to the biuret reagent, and its use for the rapid identification of opaque-2 corn. *Cereal Chem.* 50: 184-190. 1973.
- Misra, P. S., R. Jambunathan, E. T. Mertz, D. V. Glover, H. M. Barbosa, and K. S. McWhirter. Endosperm protein synthesis in maize mutants with increased lysine content. *Science* 176: 1425-1427. 1972.
- Miura, G. and R. H. Hall. Trans-ribosylzeatin. Its biosynthesis in Zea mays endosperm and the mycorrhizal fungus, Rhizophagus roseolus. *Plant Physiol.* 51: 563-569. 1973.
- Mock, J. J. and W. H. Loescher. Incompatibility of maize and sorghum manifest in failure of pollen growth. *Egypt. J. Genet. Cytol.* 2: 338-344. 1973.

- Mock, J. J. Manipulation of crossing over with intrinsic and extrinsic factors. Egypt. J. Genet. Cytol. 2: 158-175. 1973.
- Mock, J. J. and L. L. Buren. Classification of maize (Zea mays L.) inbreds for population tolerance by general combining ability. Iowa State J. Sci. 46: 395-404. 1972.
- Mock, J. J. and W. J. Dahmen. Sterile culture of immature maize seeds and embryos. Crop Sci. 13: 764-766. 1973.
- Mock, J. J. and W. H. Loescher. Attempted hybridization of Zea and Sorghum. Egypt. J. Genet. Cytol. 2: 331-337. 1973.
- Mohanti, B. and S. K. Sinha. The action of a chemical mutagen on a mutable system in maize. Cytologia 34: 528-532. 1969.
- Morilla, C. A., J. S. Boyer, and R. H. Hageman. Nitrate reductase activity and polyribosomal content of corn (Zea mays L.) having low leaf water potentials. Plant Physiol. 51: 817-824. 1973.
- Mottinger, J. P. Unstable mutants of bronze induced by pre-meiotic x-ray treatment in maize. Theoret. Appl. Genetics 43: 190-195. 1973.
- Mukherjee, B. K., N. P. Gupta, S. B. Singh, and N. N. Singh. Internode pattern in Indian and exotic primitive varieties of maize (Zea mays). Current Science 41: 784-785. 1972.
- Mukunya, D. M. and C. W. Boothroyd. Mycosphaerella zae-maydis Sp.N., the sexual stage of Phyllosticta maydis. Phytopath. 63: 529-532. 1973.
- Murakami, M., N. Takahashi, and K. Harada. Production of haploid plants of maize by anther culture. I. On callus formation and root differentiation. Sci. Rep. Kyoto Prefect. Univ. Agric. 1972 (24): 1-8. 1972.
- Nagarajan, V. and R. V. Bhat. Factor responsible for varietal differences in aflatoxin production in maize. J. Agric. Food Chem. 20: 911-914. 1972.
- Nel, P. M. The modification of crossing over in maize by extraneous chromosomal elements. Theoret. Appl. Genetics 43: 196-202. 1973.
- Nelson, L. R. and G. E. Scott. Diallel analysis of resistance of corn (Zea mays L.) to corn stunt. Crop Sci. 13: 162-164. 1973.
- Nelson, O. E. Improvement of plant protein quality. In "Improving Plant Protein by Nuclear Techniques". Intern. Atomic Energy Agency, Vienna. 1970.

Nelson, O. E. Breeding for specific amino acids. In "Genes, Enzymes, and Populations", Ed. A. M. Srb, Plenum Press, N. Y. 1973.

Nelson, O. E. and B. Burr. Biochemical genetics of higher plants. Ann. Rev. Plant Physiol. 24: 493-518. 1973.

Nelson, O. E. and E. T. Mertz. The nutritive value of floury-2 maize. In "Nuclear Techniques for Seed Protein Improvement". Proc. Res. Coord. Meeting., Neuherberg. Intern. Atomic Energy Agency, Vienna. 1973.

Nelson, R. R. and G. Tung. Effect of dew temperature, dew period, and post-dew temperature on infection of a male-sterile corn hybrid by race T of Helminthosporium maydis. Plant Dis. Repr. 56: 767-769. 1972.

Newell, C. A. and J. M. J. de Wet. A cytological survey of Zea-Tripsacum hybrids. Canad. J. Genet. Cytol. 15: 763-778. 1973.

Nowacki, E. A contribution to the reconstruction of the ancestry of maize. Biuletyn Inst. Hodowli i Aklimatyzacji Roslin 1972 (3/4): 183-190. 1972.

Nowacki, E., A. Aniol, and D. Bieber. An attempted cross of Zea mays and Coix lacryma-jobi and the serological relationships of these species. Bul. de l'Academie Polonaise des Sciences 20: 695-697. 1972.

Obendorf, R. L. Factors associated with early germination in corn under cool condition. Proc. Ann. Corn and Sorghum Res. Conf. 27: 132-139. 1972.

Ogurtsova, N. A. and S. I. Pashkar. The use of mutant strains of E. coli in determining lysine and methionine in the grain. Seleksi i Semenovodstv 37: 19-21. 1972.

Onajobi, F. D., C. V. Cole, and C. Ross. Adenosine 5'-triphosphate-sulfurylase in corn roots and its partial purification. Plant Physiol. 52: 580-584. 1973.

Ozbun, J. L., J. S. Hawker, E. Greenberg, C. Lammel, J. Preiss, and E. Y. C. Lee. Starch synthetase, phosphorylase, ADP glucose pyrophosphorylase and UDP glucose pyrophosphorylase in developing maize kernels. Plant Physiol. 51: 1-5. 1973.

Paez, A. V. Protein quality and kernel properties of modified opaque-2 endosperm corn involving a recessive allele at the sugary-2 locus. Crop Sci. 13: 633-637. 1973.

Paez, A. V. and M. S. Zuber. Inheritance of test-weight components in normal, opaque-2, and floury-2 corn (Zea mays L.). Crop Sci. 13: 417-420. 1973.

Palmer, A. F. E., G. H. Heichel, and R. B. Musgrave. Patterns of translocation, respiratory loss, and redistribution of  $^{14}\text{C}$  in maize labeled after flowering. *Crop Sci.* 13: 371-376. 1973.

Pesev, N., D. Jelenic and V. Sukalovic. Some genetic and biochemical characteristics of a new source of maize opaque-2 mutant. *Theoret. Appl. Genetics* 43: 23-26. 1973.

Peterson, P. A., M. N. Reddy, and C. L. Tipton. Differences in  $\beta$  amylase activity between cytoplasms and among inbreds in maize, Zea mays L. *Canad. J. Genet. Cytol.* 15: 185-196. 1973.

Petrov, D. F. Apomixis and its possible uses in plant breeding. *Genetika i Seleksiya* 5: 173-187. 1972.

Pimentel, D., L. E. Hurd, A. C. Bellotti, M. J. Forster, I. N. Oka, O. D. Sholes, and R. J. Whitman. Corn, food and the energy crisis. *Environ. Biol.*, Report 73-1, 37 p. 1973.

Pimentel, D., L. E. Hurd, A. C. Bellotti, M. J. Forster, I. N. Oka, O. D. Sholes, and R. J. Whitman. Food production and the energy crisis. *Science* 182: 443-449. 1973.

Plewa, M. J. and D. F. Weber. The use of monosomics to detect genes conditioning lipid content in Zea mays L. embryos. *Canad. J. Genet. Cytol.* 15: 313-320. 1973.

Poincelot, R. P. Differences in lipid composition between undifferentiated and mature maize chloroplasts. *Plant Physiol.* 51: 802-804. 1973.

Poliakova, E. V. and T. M. Karafet. Isozyme pattern of endosperm and scutella catalase in ontogenesis of diploid maize strains. *Genetika* 9(11): 26-31. 1973.

Pollacsek, M., M. Caenen, and M. Rousset. Demonstration of a second suppressor gene of the opaque-2 gene in maize. *Ann. de Genetique* 15: 173-176. 1972.

Pollmer, W. G. and H. K. Fromberg. Estimating lysine content of maize (Zea mays L.) by means of alcoholic extraction. *Z. fur Pflanzenzuchtung* 69: 50-57. 1973.

Pollmer, W. G., H. K. Fromberg and W. Christ. On the differentiation of maize forms varying in lysine content of the grain. *Z. fur Pflanzenzuchtung* 65: 47-52. 1971.

Popova, J. M. New gamma-ray-induced mutant source of high lysine maize. *Comptes Rendus l'Acad. Agr. Georgi Dimitrov* 5: 155-160. 1972.

Pryor, T. and D. Schwartz. The genetic control and biochemical modification of catechol oxidase in maize. *Genetics* 75: 75-92. 1973.

- Rakha, E. A. The exact location of the virescent (v4) gene in maize. Alexandria J. Agric. Res. 20: 111-113. 1972.
- Reddy, G. M. Biogenetic relationship of accumulated substances in different anthocyanin mutants of maize. Proc. XIII Intern. Congr. Genet. 1973.
- Reddy, G. M. and A. R. Reddy. Action of bronze-1 locus in anthocyanin synthesis in maize. Proc. Symp. on "Control Mechanisms in Cellular Processes", B.A.R.C., Bombay. 1973.
- Rhoades, M. M. and E. Dempsey. Chromatin elimination induced by the B chromosome of maize. J. Hered. 64: 13-18. 1973.
- Rhoades, M. M. and E. Dempsey. Cytogenetic studies on a transmissible deficiency in chromosome 3 of maize. J. Hered. 64: 125-128. 1973.
- Russell, W. A. A breeder looks at host-plant resistance for insects. Proc. 51st Annual North Central Branch Entom. Soc. Amer. 27: 77-87. 1972.
- Russell, W. A. and U.A. Vega O. Genetic stability of quantitative characters in successive generations in maize inbred lines. Euphytica 22: 172-180. 1973.
- Russell, W. A., S. A. Eberhart, and U. A. Vega O. Recurrent selection for specific combining ability for yield in two maize populations. Crop Sci. 13: 257-261. 1973.
- Saint, S. World list of germplasm collections--maize. Plant Genetic Resources Newsletter 1972 (27) 22-32. 1972.
- Salamini, F., C. Y. Tsai, and O. E. Nelson. Multiple forms of glucose-phosphate isomerase in maize. Plant Physiol. 50: 256-261. 1972.
- Sarkar, K. R., S. Panke, and J. K. S. Sachan. Development of maternal-haploidy-inducer lines in maize (Zea mays L.). Indian J. Agric. Sci. 42: 781-786. 1972.
- Sarkar, K. R., J. K. S. Sachan, and D. S. Mathur. Detection of androgenetic monoploids in maize. Current Science 41: 190-192. 1972.
- Scandalios, J. G. and N. S. Yang. De novo synthesis of genetically determined MDH isozymes in maize development. Genetics 74:s24s. 1973. (Abstr.)
- Scandalios, J. G., E. Liu, and M. Campeau. The effects of intragenic and intergenic complementation on catalase structure and function in maize: A molecular approach to heterosis. Arch. Biochem. Biophys. 153: 695-705. 1972.

Schnell, F. W. Der Trend zu Dreiweg- und Einfachhybriden in genetischer Sicht. In: 25 Jahre Saatzucht Gleisdorf, 1-6. Landeskammer fur Land- und Forstwirtschaft in Steiermark. Graz, Austria. 1973.

Schnell, F. W. and H. H. Geiger. Possible genetic causes of differences between the mean yields of various types of hybrids. In: Proc. 1st Meeting Sect. Biometrics in Plant Breeding EUCARPIA, 5-8. Inst. fur Angewandte Genetik, Hannover, Germany. 1973.

Schnell, F. W. and L. Hepting. Segregation for combining ability in early generations of maize. Proc. 6th Meeting Maize and Sorghum Sect. EUCARPIA. Pp. 101-107. 1972.

Schwartz, D. The application of the maize-derived gene competition model to the problem of dosage compensation of Drosophila. Genetics 75: 639-641. 1973.

Schwartz, D. Comparisons of relative activities of maize Adh<sub>1</sub> alleles in heterozygotes--analyses at the protein (CRM) level. Genetics 74: 615-617. 1973.

Schwartz, D. Single gene heterosis for alcohol dehydrogenase in maize: the nature of the subunit interaction. Theoret. Appl. Genetics 43: 117-120. 1973.

Scott, G. E. and L. R. Nelson. Effectiveness of resistance in maize to maize dwarf mosaic. Agron. J. 64: 319-320. 1972.

Scott, G. E. and E. E. Rosenkranz. Use of chromosomal translocations to determine similarity of maize genotypes for reaction to maize dwarf mosaic. Crop Sci. 13: 724-726. 1973.

Shah, D. M. and C. S. Levings, III. Characterization of chloroplast and nuclear DNAs of Zea mays L. Crop Sci. 13: 709-714. 1973.

Shannon, J. C. and J. W. Batey. Inbred and hybrid effects on establishment of in vitro cultures of Zea mays L. endosperm. Crop Sci. 13: 491-493. 1973.

Silva, J., R. Magnavaca, and A. de B. Freire. Polyembryony in the maize Dentado Composto. Pesquisa Agropecuaria Brasileira, Agronomia 6: 103-107. 1971.

Sinha, S. K. and B. K. Mohapatra. Compensatory chiasma formation in maize. Cytologia 34: 523-527. 1969.

Smith, C. F. Does any of the resistance of corn bearing male-fertile cytoplasm to Helminthosporium maydis reside in cell-wall-localized enzymes? Plant Physiol. 49(Suppl.): 65. 1972. (Abstr.)

Smith, D. R. and A. L. Hooker. Monogenic chlorotic-lesion resistance in corn to Helminthosporium maydis. Crop Sci. 13: 330-332. 1973.

- Stuber, C. W., W. P. Williams, and R. H. Moll. Epistasis in maize (Zea mays L.): III. Significance in predictions of hybrid performances. *Crop Sci.* 13: 195-200. 1973.
- Styles, E. D. and O. Ceska. Flavonoid pigments in genetic strains of maize. *Phytochem.* 11: 3019-3021. 1972.
- Styles, E. D., O. Ceska and K. T. Seah. Developmental differences in action of R and B alleles in maize. *Canad. J. Genet. Cytol.* 15: 59-72. 1973.
- Subandi, W. A. Compton, and L. T. Empig. Comparison of the efficiencies of selection indices for three traits in two variety crosses of corn. *Crop Sci.* 13: 184-187. 1973.
- Tavcar, A. and V. Kendelic. Cytogenetic characteristics of induced "viviparous" mutants in Zea mays L. *Genetika, Yugoslavia* 1: 131-138. 1971.
- Ting, Y. C. Synaptonemal complex of haploid maize. *Cytologia* 38: 497-500. 1973.
- Ting, Y. C. Synaptonemal complex and crossing over in haploid maize. *Chromosomes Today* 4: 161-167. 1973.
- Ting, Y. C. The ultra-structure of teosinte microsporocytes. *Amer. J. Bot.* 60 (4, Suppl.): 41. 1973. (Abstr.)
- Tsai, C. Y., L. W. Hansel, and O. E. Nelson. A colorimetric method of screening maize seeds for lysine content. *Cereal Chem.* 49: 572-579. 1972.
- Tsai, C. Y., F. Salamini, and O. E. Nelson. Enzymes of carbohydrate metabolism in the developing endosperm of maize. *Plant Physiol.* 46: 299-306. 1970.
- Turbin, N. V., A. N. Palilova, N. V. Atrashenok, and E. I. Lyul'kina. Electron-microscopic study of certain stages of microsporogenesis in the anthers of sterile and fertile plants. *Dokl. AN SSSR* 191: 1167-1168. 1970.
- Uchimiya, H. and N. Takahashi. Kinetics of heterosis in growth of the leaf blade in Zea mays L. *Ann. Botany* 37: 247-252. 1973.
- Vega, P. C. The genetic variability of quantitative characters in a line of maize inbred for many generations. *Revista Fac. Agron. Venezuela* 5: 5-32. 1970.
- Wallace, W. The distribution and characteristics of nitrate reductase and glutamate dehydrogenase in the maize seedling. *Plant Physiol.* 52: 191-196. 1973.

- Wallace, W. A nitrate reductase inactivating enzyme from the maize root. *Plant Physiol.* 52: 197-201. 1973.
- Ward, E. J. Nondisjunction: Localization of the controlling site in the maize B chromosome. *Genetics* 73: 387-391. 1973.
- Ward, E. J. The heterochromatic B chromosome of maize: the segments affecting recombination. *Chromosoma* 43: 177-186. 1973.
- Wassom, C. E. and R. C. Hoseney. Selection of high lysine corn using a scanning electron microscope. *Crop Sci.* 13: 462-463. 1973.
- Weaver, S. H., D. V. Glover, and C. Y. Tsai. Nucleoside diphosphate glucose pyrophosphorylase isoenzymes of developing normal, brittle-2, and shrunken-2 endosperms of Zea mays L. *Crop Sci.* 12: 510-514. 1972.
- Weber, D. F. A test of distributive pairing in Zea mays utilizing doubly monosomic plants. *Theoret. Appl. Genetics* 43: 167-173. 1973.
- Weber, D. F. and D. E. Alexander. Redundant segments in Zea mays detected by translocations of monoploid origin. *Chromosoma* 39: 27-42. 1972.
- Wheeler, J. E., R. G. McDaniel and R. B Hine. Specificity of the toxin(s) from Helminthosporium maydis race T to mitochondria from various plant cytoplasms. *Phytopath.* 62: 798. 1972. (Abstr.)
- Widstrom, N. W. and W. W. McMillian. Genetic effects conditioning resistance to earworm in maize. *Crop Sci.* 13: 459-462. 1973.
- Widstrom, N. W. and B. R. Wiseman. Locating major genes for resistance to corn earworm in maize inbreds. *J. Hered.* 64: 83-86. 1973.
- Wilkes, H. G. Genetic erosion in teosinte. *Plant Genetic Resources Newsletter* 1972 (28): 3-10. 1972.
- Wilson, C. M. Plant nucleases. IV. Genetic control of ribonuclease activity in corn endosperm. *Biochem. Genetics* 9: 53-62. 1973.
- Wilson, G. F., A. M. Rhodes, and D. B. Dickinson. Some physiological effects of viviparous genes vp<sub>1</sub> and vp<sub>5</sub> on developing maize kernels. *Plant Physiol.* 52: 350-356. 1973.
- Yang, N. S. and J. G. Scandalios. Purification and properties of genetically-determined MDHs in maize. *Genetics* 74: s302. 1973. (Abstr.)
- Hoder, O. C. and R. P. Scheffer. Effects of Helminthosporium carbonum toxin on nitrate uptake and reduction by corn tissues. *Plant Physiol.* 52: 513-517. 1973.

Yoder, O. C. and R. P. Scheffer. Effects of Helminthosporium carbonum toxin on absorption of solutes by corn roots. Plant Physiol. 52: 518-523. 1973.

Younis, S. Interaction of pathogenicity genes in Fusarium moniliforme and reaction genes in Zea mays. Genetika, Yugoslavia 1: 147-153. 1971.

Yu, M. H. and P. A. Peterson. Influence of chromosomal gene position on intragenic recombination in maize. Theoret. Appl. Genetics 43: 121-133. 1973.

Zima, K. I., M. I. Khadzhinov, and A. A. Normov. Changes in seed weight, protein and lysine content in the opaque-2 mutant of maize in back-cross generations. Genetika 8: 5-8. 1972.

Zuber, M. S., E. S. Hilderbrand, P. J. Loesch, and A. J. Keaster. Prediction of reactions to maize dwarf mosaic virus in double-cross hybrids based upon single-cross reaction. Crop Sci. 13: 172-175. 1973.